

COMMODITIES AT A GLANCE

2016

AVAILABLE FROM:



Ancra International	2-5	JB Weld	57
AP Exhaust	6	Kimberly-Clark	58-59
Bayco	7-9	Kleen-flo	60-61
Breeze Clamps.....	10	Lucas.....	62-65
Bussmann	11	M2 Professional.....	66-67
Car Freshener	12	Milton.....	68
Carlson	13	NLS.....	69-74
Cliplight	14-16	Noco Lubricants (Mobil1)	75
CRC.....	17-18	Norton	76-77
Dayco	19-21	Perfect Equipment	78
Dorman	22	Permatex.....	79-81
Bestbuy Tools of the Trade	23	Phillips & Temro.....	82-84
Dynaline.....	24-28	Pico.....	86-87
Eppco	29	Plasti-Kote	88-89
EZ Red	29	PTC.....	90
Fiamm.....	30	Rayovac.....	91
FloPerm	30	Rislone.....	92-95
FMSI.....	31	Rust Check	96
GPI.....	32-33	Schumacher	97-98
Grote.....	34-39	Seafoam	99
Groupe BBH	40-42	Stanley Engineered Fastening	100
Hopkins	44-45	Sylvania.....	100
H Paulin.....	46	Torin Jacks.....	101-102
Irontite	47	Triple C Rubber & Plastics	103
Irving Blending & Packaging.....	48-53	Uview.....	104-105
Irwin Tools.....	54-56	WD-40.....	106-107
		Western States.....	109-111

Flatbed Accessories



Winch Bars

42313-10 - Standard Winch Bar
Weight: 5.0 lbs./2.27 kg.



42313-12 - Standard Combination Box End
Weight: 6.5 lbs./2.95 kg.



50015-10 - Standard Painted Ergo Bar
Weight: 5.0 lbs./2.27 kg.



50015-21 - Combination Box End Ergo Bar
Weight: 6.0 lbs./2.72 kg.

Porta Winch

49716-10
Standard outward off-set.
Weight: 11.5 lbs./5.2 kg. WLL: 5,500 lbs.



3-Bar Winch

48101-143
Bottom Mount 3 Bar, Weld-On
Weight: 11.3 lbs./5.13 kg WLL: 6,000 lbs./2,730 kg.



Web Winches

Lighter 7mm heat treated frame
Also Available in Ratcheting Models

43565-127
Web Storable Bottom Mount C Track Slider
Weight: 8.3 lbs./3.8 kg.
WLL: 6,000 lbs./2,730 kg.



43565-157
Standard Bottom Mount C Track Slider
Weight: 7.5 lbs./3.4 kg.
WLL: 6,000 lbs./2,730 kg.



49207-127
Storable Double L Track Slider
Weight: 6.8 lbs./3.09 kg.
WLL: 5,500 lbs./2,500 kg.



49207-137
Standard Double L Track Slider
Weight: 6.5 lbs./2.95 kg.
WLL: 5,500 lbs./2,500 kg.



48101-103
Side Mount 3 Bar, Weld-On
Weight: 9.5 lbs./4.3 kg
WLL: 6,000 lbs./2,730 kg.



Winch Straps WLL: 5,400 lbs. / 2,450 kg.

Good



41660-10-30 - 3-in. x 30-ft. Winch Strap w/ Flat Hook
41660-14-30 - 3-in. x 30-ft. Winch Strap w/ Chain Anchor
43795-10-30 - 4-in. x 30-ft. Winch Strap w/ Flat Hook
43795-11-30 - 4-in. x 30-ft. Winch Strap w/ Delta Ring
43795-15-30 - 4-in. x 30-ft. Winch Strap w/ Chain Anchor

Better



41660-80-30 - 3-in. x 30-ft. ANCRA BLUE Strap w/Flat Hook
41660-83-30 - 3-in. x 30-ft. ANCRA BLUE Strap w/ Chain Anchor
43795-80-30 - 4-in. x 30-ft. ANCRA BLUE Strap w/ Flat Hook
43795-81-30 - 4-in. x 30-ft. ANCRA BLUE Strap w/ Delta Ring
43795-85-30 - 4-in. x 30-ft. ANCRA BLUE Strap w/ Chain Anchor

Best



41660-90-30 - 3-in. x 30-ft. ANCRA X-TREME Strap w/ Flat Hook
41660-93-30 - 3-in. x 30-ft. ANCRA X-TREME Strap w/ Chain Anchor
43795-90-30 - 4-in. x 30-ft. ANCRA X-TREME Strap w/ Flat Hook
43795-91-30 - 4-in. x 30-ft. ANCRA X-TREME Strap w/ Delta Ring
43795-95-30 - 4-in. x 30-ft. ANCRA X-TREME Strap w/Chain Anchor

Flatbed Accessories



Ratchet Straps

Also available in 3 and 4 inch materials.

We also offer the following products in Ancra Blue and Ancra X-Treme.



45982-11
2-in. x 30-ft. Ratchet Strap w/ Flat Hooks.
WLL: 3,333 lbs./1,515 kg.



45982-34
2-in. x 30-ft. Ratchet Strap w/ Chain Anchors. Fixed End 33-in.
WLL: 3,333 lbs./1,515 kg.



45982-35
2-in. x 30-ft. Ratchet Strap w/ Delta Rings. Fixed End 18".
WLL: 3,333 lbs./1,515 kg.



45982-43
2-in. x 30-ft. Ratchet Strap w/ Wire Hooks.
WLL: 3,333 lbs./1,515 kg.

Eye to Eye Polyester Lifting Slings

20-EE1-9801X3 - 1" x 3'
20-EE2-9802X3 - 2" x 3'
20-EE2-9803X10 - 3" x 10'



Please see catalog for more!

Strap Corner Protectors

49584-10

12" Long Plastic. Extends approx. 3" to protect the load. Suitable for webbing up to 4" in width.
Weight: .47 lb./ .21 kg.



43986-10

High Density Polymer Suitable for webbing up to 4.5.25" wide and extends approx. 3.5" to protect the load.
Weight: .06 lb./ .03 kg.



49913-10

Tarp Protector. Yellow plastic.
Weight: .21 lb./ .09 kg.



X-Treme Guard Corner Protectors

Constructed of High Density Polyethylene for strength and durability.

50089-12

8" x 1'. Weight: .8 lbs. / .36 kg.



50089-24

8" x 2'. Weight: 1.7 lbs. / .78 kg.



50089-36

8" x 3'. Weight: 2.7 lbs. / 1.23 kg.



50089-48

8" x 4'. Weight: 3.6 lbs. / 1.63 kg.



Natural Rubber Tarp Ties



*NATURAL
RUBBER*

An alternative for cold weather.

52210C - Length: 10"
52215C - Length: 15"
52221C - Length: 21"
52231C - Length: 31"
52241C - Length: 41"

Flatbed Accessories



Transport Chain

Bulk Chain



45880-10

5/16" x 400' Wt: 408 lbs.

45880-11

3/8" x 200' Wt: 296 lbs.

45880-13

1/2" x 100' Wt: 521 lbs.

45880-12

1/4" x 400' Wt: 262 lbs.

Clevis Hooks



45946-10

5/16" Wt: .85 lbs.

45946-11

3/8" Wt: 1.10 lbs

45946-13

1/2" Wt: .210 lbs

45946-12

1/4" Wt: .40 lbs

Chain w/ Clevis



45881-10-16T

5/16" x 16' WLL: 4,700 lbs.

45881-10-20T

5/16" x 20' WLL: 4,700 lbs.

45881-10-25T

5/16" x 25' WLL: 4,700 lbs.

45881-11-16T

3/8" x 16' WLL: 6,600 lbs.

45881-11-20T

3/8" x 20' WLL: 6,600 lbs.

45881-11-25T

3/8" x 25' WLL: 6,600 lbs.

45881-13-20T

1/2" x 20' WLL: 11,300 lbs.

45881-13-25T

1/2" x 25' WLL: 11,300 lbs.

Grade 70 Transport Chain meets NACM Standards.




Also available in a pail.

Chain Corner Protectors


49377-10

Steel. Weight: 1.10 lbs. / .50 kg.



49377-11

Rubber Coated,
Extends 4" to protect load.
Weight: 1.9 lbs. / .86 kg.



49756-10

Steel. For use with chain and straps.
Weight: 1.26 lbs. / .57 kg.



Load Binders

Drop forged steel meeting FMCSA and DOT specifications.
In three popular models.

Lever Load Binders

45943-10

Accepts 5/16"-3/8" Chain
WLL: 5,400 lbs.Wt. 9.0 lbs.

45943-10HD

Accepts 5/16"-3/8" Chain
WLL: 6,600 lbs.Wt. 9.4 lbs.

45943-11

Accepts 3/8"-1/2" Chain
WLL: 9,200 lbs.Wt. 11.9 lbs.

45943-13

Accepts 1/2"-5/8" Chain
WLL: 13,000 lbs.Wt. 20.8 lbs.

45943-12

Accepts 1/4"-5/16" Chain
WLL: 2,600 lbs.Wt. 3.5 lbs.



Recoilless Lever Load Binders

45943-14

Accepts 5/16"-3/8" Chain
WLL: 5,400 lbs.Wt. 9.0 lbs.



Lever Binder Locking Clip

50117-10

Securely holds binder handle.
Weight: .40 lbs. / 0.18 kg.



Ratchet Load Binders

45943-20

Accepts 5/16"-3/8" Chain
WLL: 5,400 lbs.Wt. 10.4 lbs.

45943-20HD

Accepts 5/16"-3/8" Chain
WLL: 6,600 lbs.Wt. 10.5 lbs.

45943-21

Accepts 3/8"-1/2" Chain
WLL: 9,200 lbs.Wt. 11.8 lbs.

45943-23

Accepts 1/2"-5/8" Chain
WLL: 13,000 lbs.Wt. 15.7 lbs.

45943-22

Accepts 1/4"-5/16" Chain
WLL: 2,600 lbs.Wt. 3.5 lbs.





Cargo Control Products

Recovery Straps

Heavy Duty Nylon Webbing

Easy Storage Band

900-230

2" x 30' Vehicle Recovery Strap
MVW: 9,000 lbs. / 4,082 kgs.
Break-Strength 18,000 lbs / 8,165 kgs



900-330

3" x 30' Vehicle Recovery Strap
MVW: 12,000 lbs. / 5,443 kgs.
Break-Strength 24,000 lbs / 10,866 kgs



900-430

4" x 30' Vehicle Recovery Strap
MVW: 18,000 lbs. / 8,165 kgs.
Break-Strength 36,000 lbs / 16,329 kgs



900-630

6" x 30' Vehicle Recovery Strap
MVW: 24,000 lbs. / 10,886 kgs.
Break-Strength 48,000 lbs / 21,772 kgs



TrackStar Motorcycle Rack

49603-10

Quick Connect to aircraft style L track. Fits tire widths from 3.5" to 5.5". Comes complete with mounting kit.



Weight: 7.0 lbs./3.18 kg.



Ratchet Tie Downs

XR115-C2P

1-1/4" x 15'. Set of 2 ratchet tie downs (camo style) for A.T.V. Hook with Security pin.
WLL: 700 lbs. / 318 kgs.



XR115-2P

1-1/4" x 15'. Set of 2 ratchet tie downs for A.T.V. Hook with Security pin.
WLL: 700 lbs. / 318 kgs.



XR108-2P

1-1/4" x 8'. Set of 2 ratchet tie downs for Motorcycle. Soft ties.
WLL: 700 lbs. / 318 kgs.



Interior Van Products

48117-21-120.00

Galvanized Series E Logistic Track
Weight: 17.2 lbs./7.80 kg.
Length: 10 ft. / 3 m




48672-14

Ratchet Buckle Strap Assemblies
WLL: 1,333 lbs. / 605 kg
Length: 16 ft. / Weight: 2.40 lbs.



43638-51

Standard Duty Aluminum Series E/A Decking/Shoring Beam. Adjustable Range: 91.9 – 102.9 in.
Weight: 18.8 lbs./8.55 kg.



43782-15

Aluminum Standard Cargo STA
Length: 89.75 – 104.5 in.
Weight: 8.95 lbs./4.07 kg.
Long Tube Diameter: 1.50 in.



FLEX COUPLING

WITHOUT NIPPLE EXTENSION

P/N W/O INNER LINER	P/N WITH INNER BRAID	FLEX LENGTH	OVERALL LENGTH	INLET DIAMETER
8810	8810IB	4"	4"	1.77"
8811	8811IB	6"	6"	1.77"
8812	8812IB	8"	8"	1.77"
8813	8813IB	10"	10"	1.77"
8814	8814IB	4"	4"	2.02"
8815	8815IB	6"	6"	2.02"
8816	8816IB	8"	8"	2.02"
8817	8817IB	10"	10"	2.02"
8818	8818IB	4"	4"	2.27"
8819	8819IB	6"	6"	2.27"
8820	8820IB	8"	8"	2.27"
8821	8821IB	10"	10"	2.27"
8822	8822IB	4"	4"	2.52"
8823	8823IB	6"	6"	2.52"
8824	8824IB	8"	8"	2.52"
8825	8825IB	10"	10"	2.52"
8826	8826IB	4"	4"	3.02"
8827	8827IB	6"	6"	3.02"
8828	8828IB	8"	8"	3.02"
8829	8829IB	10"	10"	3.02"



WITH NIPPLE EXTENSION

P/N W/O INNER LINER	P/N WITH INNER BRAID	FLEX LENGTH	OVERALL LENGTH	INLET DIAMETER
8835	8835IB	4"	8"	1.75"
8836	8836IB	6"	10"	1.75"
8837	8837IB	8"	12"	1.75"
8838	8838IB	10"	14"	1.75"
8839	8839IB	4"	8"	2.00"
8840	8840IB	6"	10"	2.00"
8841	8841IB	8"	12"	2.00"
8842	8842IB	10"	14"	2.00"
8843	8843IB	4"	8"	2.25"
8844	8844IB	6"	10"	2.25"
8845	8845IB	8"	12"	2.25"
8846	8846IB	10"	14"	2.25"
8847	8847IB	4"	8"	2.50"
8848	8848IB	6"	10"	2.50"
8849	8849IB	8"	12"	2.50"
8850	8850IB	10"	14"	2.50"
8851	8851IB	4"	8"	3.00"
8852	8852IB	6"	10"	3.00"
8853	8853IB	8"	12"	3.00"
8854	8854IB	10"	14"	3.00"

HANGERS

339816
339816S
339818S
339819S
339820S
339830



HANGER - UNIVERSAL WIRE

339896
339897
339898
339899



UNIVERSAL CONVERTERS

	INLET/I.D.
602204	UNIVERSAL 2" W/O AIR TUBE
602205	UNIVERSAL 2 1/4" W/O AIR TUBE
602206	UNIVERSAL 2 1/2" W/O AIR TUBE
602207	UNIVERSAL 3" W/O AIR TUBE

EPA OBDII BY DESIGN

	INLET/I.D.	
608204	2"	W/O2 SENSOR PORT
608205	2 1/4"	W/O2 SENSOR PORT
608206	2 1/2"	W/O2 SENSOR PORT
608214	2"	W/O2 SENSOR PORT
608215	2 1/4"	W/O2 SENSOR PORT
608216	2 1/2"	W/O2 SENSOR PORT

CLAMPS

H200	EXTRA HEAVY DUTY 2"
H212	EXTRA HEAVY DUTY 2 1/2"
H214	EXTRA HEAVY DUTY 2 1/4"
H234P	HEAVY DUTY 2 3/4"
H238	EXTRA HEAVY DUTY 2 3/8"
H258	EXTRA HEAVY DUTY 2 5/8"
H300	EXTRA HEAVY DUTY 3"
H312	EXTRA HEAVY DUTY 3 1/2"
H312P	HEAVY DUTY 3 1/2"
H314	EXTRA HEAVY DUTY 3 1/4"
H400	EXTRA HEAVY DUTY 4"
H400P	HEAVY DUTY 4"
H412	EXTRA HEAVY DUTY 4 1/2"
H412P	HEAVY DUTY 4 1/2"
H500	EXTRA HEAVY DUTY 5"
H500P	HEAVY DUTY 5"
H600	EXTRA HEAVY DUTY 6"
M112	DGM 1 1/2" U-BOLT
M134	DGM 1 3/4" U-BOLT
M158	DGM 1 5/8" U-BOLT
M178	DGM 1 7/8" U-BOLT
M200	DGM 2" U-BOLT
M212	DGM 2 1/2" U-BOLT
M214	DGM 2 1/4" U-BOLT
M218	DGM 2 1/8" U-BOLT
M238	DGM 2 3/8" U-BOLT
M258	DGM 2 5/8" U-BOLT
M300	DGM 3" U-BOLT
U112	STANDARD 1 1/2"
U114	STANDARD 1 1/4"
U118	STANDARD 1 1/8"
U134	STANDARD 1 3/4"
U158	STANDARD 1 5/8"
U178	STANDARD 1 7/8"
U200	STANDARD 2"
U212	STANDARD 2 1/2"
U214	STANDARD 2 1/4"



INTRINSICALLY SAFE POLYMER DUAL-LIGHT – NON-RECHARGEABLE

XPP-5422G

- cETLus, ATEX, IECEx and MSHA listed Intrinsically Safe for use in both above and below ground hazardous locations where explosive gases and dusts may be present
- CREE LED technology 50,000 + hours LED life
- Flashlight Lumens: 120
- Floodlight Lumens: 120
- Dual-Light Lumens: 240
- Beam Distance: 170 m Impact & chemical resistant
- Requires 3 AA batteries

NIGHTSTICK



MULTI-PURPOSE DUAL-LIGHT W/DUAL MAGNETS

NSP-2422B – Black

NSP-2422R – Red

- CREE® LED technology – 50,000+ hours LED
- Flashlight Lumens: 130
- Floodlight Lumens: 110
- Dual-Light Lumens: 235
- Beam Distance: 181 m
- Waterproof
- Impact & chemical resistant
- Powered by 3 AA premium batteries (included)

NIGHTSTICK



XTREME LUMENS METAL MULTI-FUNCTION TACTICAL FLASHLIGHT – RECHARGEABLE

TAC-560XL

- Super-bright Xtreme Lumens design
- CREE® LED technology – 50,000+ hours LED
- Momentary or constant-on plus 3 brightness levels & strobe
- Aircraft-grade 6061-T6 aluminum housing, bezel & tail-cap
- Waterproof
- Impact & chemical resistant
- Powered by rechargeable Lithium-ion battery (included)
- Flashlight Lumens: 800 / 350 / 140
- Beam Distance: 250 / 157 / 99 m



XTREME LUMENS POLYMER MULTI-FUNCTION DUTY/PERSONAL-SIZE DUAL-LIGHT W/MAGNET – RECHARGEABLE

NSR-9920XL

- CREE® LED technology – 50,000+ hours LED
- Waterproof
- Impact & chemical resistant
- Powered by Lithium-ion rechargeable battery (included)
- Flashlight Lumens: 650 / 300 / 100
- Floodlight Lumens: 600
- Dual-Light Lumens: 600
- Beam Distance: 275 / 200 / 75 m



INCANDESCENT WORK LIGHT W/ METAL GUARD & SINGLE OUTLET

Part No.	Cord Length (ft)	Cord Gauge	Cord Jacket
SL-425A	25	16/3	SJT
SL-426A	50	16/3	SJT

- Metal bulb guard with integrated hook
- Rated to handle up to a 75w incandescent bulb (bulb not included)
- Ergonomic handle shape
- Built in single grounded outlet (12amp)
- Exclusive 90 degree cord swivel makes it possible to stand the light upright on its base
- Push button switch



CORDED LED WORK LIGHT W/ MAGNETIC HOOK

Part No.	Cord Length (ft)	Cord Gauge	Cord Jacket
SL-2125	25	18/2	SJT

- All LED construction
- Light has 60 LEDs rated at 120 lumens arranged in a floodlight pattern
- Two built in magnets, one at the tip of the light and the other at the mid-point of the body offer hands-free options
- Included magnetic hook can be attached to either of the built in magnets for even more versatility
- Octagonal body design keeps the light in place when laid on its side



RETRACTABLE METAL CORD REEL W/ 3 OUTLETS - 10AMP

Part No.	Cord Length (ft)	Cord Gauge	Cord Jacket
SL-800	30	16/3	SJT

- 3 separate grounded outlets
- LED status light on outlet bar
- 10amp rating
- Includes mounting brackets to attach the reel to the wall or ceiling



13W FLUORESCENT WORK LIGHT ON METAL REEL

Part No.	Cord Length (ft)	Cord Gauge	Cord Jacket
SL-826	50	18/2	SVT

- Cool running 13 watt fluorescent bulb rated at 10,000 hours of use
- Similar amount of light to a 75 watt incandescent bulb but with a daylight color (6500 Kelvin)
- Electronic ballast provides instant no flicker cold weather starts
- Nylon tip double hooks for hands-free use
- Flame retardant polypropylene handle
- Includes mounting brackets for attaching the reel to the wall or ceiling



INCANDESCENT WORK LIGHT W/ METAL GUARD & SINGLE OUTLET ON METAL REEL

Part No.	Cord Length (ft)	Cord Gauge	Cord Jacket
SL-840	40	16/3	SJT

- Metal bulb guard with integrated rubber-tipped hook
- Rated to handle up to a 75w incandescent bulb (bulb not included)
- Built in single grounded outlet (10amp) makes it possible to plug a tool directly into the handle of the light
- Flame retardant polypropylene handle
- Attached to a 40 retractable cord inside of a metal reel
- Includes mounting brackets for attaching the reel to the wall or ceiling



MULTI-PURPOSE WORK LIGHT - RECHARGEABLE

SLR-2166

- Light has 60 LEDs rated at 230 lumens arranged in a floodlight pattern and 6 LEDs in the base of the handle rated at 32 lumens serving as a spotlight
- Two built-in magnets, one at the tip of the light and the other at the mid-point of the body for hands-free use
- Magnetic hook can be attached to either of the built-in magnets and can be rotated 360 degrees for even more hands-free versatility
- Octagonal body design keeps the light in place when laid on its side
- Flat bottom design allows the light to stand up
- Water resistant
- Impact & chemical resistant
- Powered by integrated Nickel Metal Hydride (NiMH) battery
- Includes both AC & DC power supply/charger



MINI-TAC FLASHLIGHT

Part No.	Flashlight Lumens	Beam Distance (meters)	Battery Type
MT-100	100	44	AAA
MT-120	140	68	AA
MT-130	140	68	AA

MT-100

MT-120

MT-130 Gooseneck



- CREE® LED technology – 50,000+ hours LED
- Momentary or constant-on flashlight
- Sharp focused flashlight beam
- Aircraft-grade 6061-T6 aluminum housing
- Type 2 hard anodized finish
- Non-slip grip
- Water resistant
- Impact & chemical resistant
- Powered by two AAA batteries (included)

NIGHTSTICK

Mini



5/16 in, 300 Series SS Band

Breeze #	Range [mm]
Carbon Plated Hex Screw	
3504	5.6 - 16 mm
3505	7.9 - 17.6 mm
3506	11 - 20 mm
3508	13 - 23 mm
300 Series SS Hex Screw	
3706	11 - 20 mm
3708	13 - 23 mm

Liner



1/2 in, 300 Series SS Band

Breeze #	Range [mm]
Carbon Plated Hex Screw	
9206H	11 - 20 mm
9210H	14 - 27 mm
300 Series SS Hex Screw	
9406H	11 - 20 mm
9408H	13 - 23 mm
9410H	14 - 27 mm
9412H	17 - 32 mm
9416H	21 - 38 mm
9420H	21 - 44 mm
9424H	27 - 51 mm
9428H	33 - 57 mm
9440H	52 - 76 mm
9448H	65 - 89 mm
9452H	71 - 95 mm
9456H	78 - 102 mm
9460H	84 - 108 mm

Power-Seal®



1/2 in, 300 Series SS Band

Breeze #	Range [mm]
Carbon Plated Hex Screw	
62006	11 - 20 mm
62008	13 - 23 mm
62010	14 - 27 mm
62012	17 - 32 mm
62016	21 - 38 mm
62020	21 - 44 mm
62024	27 - 51 mm
62028	33 - 57 mm
62032	40 - 64 mm
62036	52 - 76 mm
62040	46 - 70 mm
62044	59 - 83 mm
62048	65 - 89 mm
62052	71 - 95 mm
62056	78 - 102 mm
62060	84 - 108 mm
62064	48 - 127 mm
62072	91 - 114 mm
62080	64 - 140 mm
62088	79 - 152 mm
62096	92 - 165 mm
62104	105 - 178 mm

9/16 in, 300 Series SS Band

62128	143- 216 mm
62152	181- 254 mm
62188	238 -311 mm

1/2 in, 300 Series SS Band

Breeze #	Range [mm]
410 SS Hex Screw	
64008	13 - 23 mm
64010	14 - 27 mm
64012	17 - 32 mm
64016	21 - 38 mm
64020	21 - 44 mm
64024	27 - 51 mm

Hi-Torque™



9/16 in, 300 Series SS Band

Breeze #	Range [mm]
410 SS Hex Screw	
HTM 250	45 - 67 mm
HTM 300	57 - 79 mm
HP 2	32 - 67 mm
HP 3	54 - 105 mm
HP 4	102 -156 mm

Constant-Torque®



9/16 in, 300 Series SS Band

Breeze #	Range [mm]
Carbon Plated Hex Screw	
CT 9424	27 - 51 mm

5/8 in band All Stainless Steel

Breeze #	Range [mm]
CT 200	32 - 54 mm
CT 250	45 - 67 mm
CT 300	57 - 79 mm
CT 350	70 - 90 mm
CT 400	83 - 105 mm
CT 450	95 - 118 mm
CT 500	108 -130 mm
CT 600	133 -156 mm

Make-A-Clamp

9/16 in, 300 Series SS Band
8 6" bands /3 Adj. Fast/ 1 splice

Breeze #	Range [mm]
Carbon Plated Hex Screw	
4000	Variable

T-Bolt



3/4 in, 300 Series SS Band

Breeze #	Range [mm]
Carbon Plated Bolt	
TB 150	38.1 - 42.9 mm
TB 163	41.3 - 47.6 mm
TB 175	44.5 - 50.8 mm
TB 200	50.8 - 58.7 mm
TB 225	57.2 - 65.1 mm
TB 238	60.3 - 68.3 mm
TB 250	63.5 - 71.4 mm
TB 275	69.9 - 77.8 mm
TB 288	73.0 - 81.0 mm
TB 300	76.2 - 84.1 mm
TB 325	82.6 - 90.5 mm
TB 350	88.9 - 90.5 mm
TB 375	95.3 - 103.2 mm
TB 400	101.6 - 109.5 mm
TB 425	108.0 - 115.9 mm
TB 575	146.1 - 154.0 mm
TB 625	158.8 - 166.7 mm

T-Bolt w HD Spring



3/4 in, 300 Series SS Band

Breeze #	Range [mm]
Carbon Plated Hex Screw	
B9224-0406	103.2 - 111.1 mm

Merchandisers

Breeze #	Description
6210	ASSORTMENT
6200	EMPTY RACK

V-Band



3/4 or 7/8 in, 300 Series SS Band

Breeze #	Range [mm]
Nominal Diameter for each	
VT10288	73.152 mm
VT10321	81.534 mm
VT10350	88.9 mm
VT10382	97.028 mm
VT10388	98.552 mm
VT10406	103.124 mm
VT10413	104.902 mm
VT10419	106.426 mm
VT10425	107.95 mm
VT10450	114.3 mm
VT10450-A	114.3 mm
VT10461	117.094 mm
VT10469	119.126 mm
VT10475	120.65 mm
VT10475-A	120.65 mm
VT10481	122.17 mm
VT10491	124.714 mm
VT10494	125.476 mm
VT10510	129.54 mm
VT10525	133.35 mm
VT10530	135.15 mm
VT10565	143.51 mm
VT10581	147.574 mm

Fuel Injection Clamp



Carbon Plated Band

Breeze #	Range [mm]
FI 4	10.0 - 13.0 mm
FI 5	12.5 - 15.5 mm
FI 6	13.5 - 16.5 mm

Breeze® is a brand of the NORMA Group

Bussmann Fuse Caddies and Trays

Save Time. Save Space.



Fuse Caddy Features and Benefits

- Comprehensive mix of fuses ensure that you have the right fuses on hand
- Clear trays allow you to quickly see the type of fuse you need
- Compact design makes is easy to store
- Security latch and convenient handle keep fuses secure and portable
- Tray labels provide quick identification of the tray's contents

#FUSE-CADDY1

With convenient folding handle and security latch, this five-tray capacity caddy contains 275 fuses in popular ratings.

CDY10TRY-ATC
CDY10TRY-ATM
CDY10TRY-ATM-LP
CDY10TRY-MAX
CDY5TRY-FMX



#FUSE-CADDY2

With convenient folding handle and security latches, this ten-tray capacity caddy contains 372 fuses in popular rating.

CDY10TRY-ATC
CDY10TRY-ATM
CDY10TRY-ATM-LP
CDY10TRY-FLNK2
CDY10TRY-FLNK1
CDY10TRY-MAX
CDY10TRY-MICRO
CDY5TRY-BMOUNT
CDY5TRY-FMX
CDY5TRY-SMOUNT





BLACK ICE
U1P-10155



VANILLAROMA
U1P-10605



PURE STEEL
U1P-17152



HANDI STRIP DISPLAYS -
ASSORTED FRAGRANCES
UHS-10100



PLASTIC COUNTER DISPLAY
U1D-10100
144 Pieces
Top Selling Fragrances



Same quality Little Trees®
fragrances in a new
misting spray!



VANILLAROMA
UAL-09005



NEW CAR SCENT
UAL-09089



BLACK ICE
U1P-10655



NEW CAR SCENT
U1P-10689



Little Trees® fragrances
bottled up for freshness
on the go!
















ROYAL PINE
U1P-15001-BC















CARLSON CALIPER MOUNTING BOLTS

A new product line to the aftermarket. From the brand you trust for quality parts.

Caliper Bracket Bolt Assortment #H9091					
H807 (4) Length: 1.26" Thread: M12x1.25 Hex: 17mm		H808 (4) Length: 1.58" Thread: M10x1.25 Hex: 14mm		H809 (4) Length: 1.52" Thread: M12x1.25 Hex: 17mm	
H810 (4) Length: 2.33" Thread: M14x2.00 Hex: 21mm		H811 (4) Length: 2.08" Thread: M14x2.00 Hex: 21mm		H812 (4) Length: 1.83" Thread: M14x2.00 Hex: 21mm	
H800 (4) Length: 1.79" Thread: M12x1.25 Hex: 18mm		H801 (4) Length: 1.90" Thread: M14x2.00 Hex: 18mm		H802 (4) Length: 1.01" Thread: M10x1.25 Hex: 14mm	
H803 (4) Length: 1.58" Thread: M12x1.25 Hex: 17mm		H804 (4) Length: 2.04" Thread: M14x2.00 Hex: 18mm		H805 (4) Length: 2.16" Thread: M16x2.00 Hex: 21mm	



Caliper Bracket Bolt Assortment #H9092					
H819 (4) Length: 2.12" Thread: M14x2.00 Hex: 18mm		H820 (4) Length: 2.16" Thread: M14x2.00 Hex: 15mm		H821 (4) Length: 1.73" Thread: M12x1.25 Hex: 17mm	
H822 (4) Length: 1.86" Thread: M14x2.00 Hex: 19mm		H823 (4) Length: 1.64" Thread: M12x1.75 Hex: 15mm		H824 (4) Length: 1.87" Thread: M14x1.50 Hex: 18mm	
H806 (4) Length: 2.26" Thread: M12x1.75 Hex: 18mm		H813 (4) Length: 1.78" Thread: M12x1.75 Hex: 15mm		H814 (4) Length: 2.29" Thread: M16x1.50 Hex: 21mm	
H816 (4) Length: 1.91" Thread: M12x1.75 Hex: 15mm		H817 (4) Length: 2.07" Thread: M14x1.50 Hex: 21mm		H818 (4) Length: 2.48" Thread: M14x2.00 Hex: 21mm	



HEMIMINI™

114301

1000 lumens at 4 hours runtime

500 lumens at 8 hours runtime

- Wide & perfect circular beam with no shadows or hotspots
- 4400 mAh smart lithium ion battery, rechargeable in 3.5 hours – charge anytime
- Aircraft-grade
- Aluminium chassis
- 180° swivel hook
- Mini-USB charger (100–240V)
- Optional 12V DC charger & magnet
- All parts user replaceable in minutes



HEMIPLUS™

114303

820 Lumens

- 8 hour cordless runtime
- Patented Uni-Beam™ technology: 70° perfect beam
- 8800 mAh lithium-ion battery re-charges in 4 hours – charge anytime
- Aluminum chassis, no-slip grip
- Recessed on/off switch
- Optional 12 V charger & magnet
- All parts user replaceable in minutes



CLIPSTRIP™ CAMO

111116

140 Lumens

- Powerful pocket light
- Strip array LED technology
- 180° swivel magnetic clip
- 3 AAA batteries included
- Sold as 12 pack counter display



CLIPSTRIP™

111112

140 Lumens

- Powerful pocket light
- Strip array LED technology
- 180° swivel magnetic clip
- 3 AAA batteries included
- Sold as 12 pack counter display



33 LED PIVOT CAMO

24_460

160 Lumens

- 28 LED front | 5 LED top
- 360° swivel hook
- Magnetic pivoting base & back magnet
- 3 AA batteries included



33 LED PIVOT

24_458

160 Lumens

- 28 LED front | 5 LED top
- 360° swivel hook
- Magnetic pivoting base
- 3 AA batteries included



PIVOT™

111114

240 Lumens

- Strip array LED technology
- 5 LED top flashlight
- 360° swivel hook
- Magnetic pivoting base & back magnet
- 3 AA batteries included



CLIPSTRIP™ AQUA

111113

180 Lumens

- Strip array LED technology
- 4.5 Hour Run-time
- IP 66 Rated
- Waterproof & floating
- Rechargeable 2200 mAh lithium-ion battery
- Magnet and belt clip included



INCANDESCENT

101307/101315

- Grounded outlet handle
 - 13 amp circuit breaker
- 101307 – 23 ft | 7 m SJOW 16/3 cable
101315 – 50 ft | 15.3 m SJOW 16/3 cable



INCANDESCENT

100307/100310/100315

- Grounded outlet handle
- 100307 – 23 ft | 7 m SJTW 16/3 cable
100310 – 32 ft | 10 m SJTW 16/3 cable
100315 – 50 ft | 15.3 m SJTW 16/3 cable



CHROME TRI-TAP

222308

DIAMOND-STAMPED STEEL CORD REEL

- Tri-tap outlet
- 13 amp circuit breaker
- 30 ft | 9.2 m SJTW 14/3 cable with adjustable stop



RUGGED TRI-TAP

222315

HEAVY-DUTY CORD REEL

- Tri-tap outlet
- 15 amp circuit breaker
- 50 ft | 15.3 m SJTW 12/3 cable with adjustable stop



HEMITECH™ ONE

223112

620 Lumens

- Patented Uni-Beam™ technology: 84° perfect beam
- Single high-performance array LED
- Aluminum chassis, no-slip grip, & recessed on/off switch



HEMITECH™ ONE Corded Option

123107

25 ft | 7.6m Premium SJOW 18/2 Cable

- Sliding hook & optional magnet
- Cord reel 40 ft | 12.2 m Premium SJOW 18/2
- Rubber cable with adjustable stop
- Lens shield user replaceable



SUPER SEAL™

946KIT

Pro A/C Stop Leak

- Permanently seals & prevents leaks
- Seals leaks in evaporators, condensers, accumulators, O-rings, gaskets, metal lines, & rubber hoses
- Compatible with all oils & refrigerants
- Hose included



PAO 68 OIL & PAO 68 OIL + DYE

51110/51111

- Universal, high-quality, multi-grade synthetic oil
- Improves efficiency with quicker pull down times & lower vent temperatures
- Eliminates carrying different grades or viscosities of A/C lubricants
- Fill-up or top-up

51110 – 34 oz | 1 L

51111 – 34 oz | 1 L + UV Dye

SEEKERmax™

87DCPLUS

- High-powered UV LED
- 4 Hour run-time
- Constant, strobe, or focusing beam
- Rechargeable 2200 mAh lithium-ion battery
- Rugged aluminum body



PRO COMPACT KIT

9928KIT

- SEEKERmax™ UV LED light
- 2 x 14 shot A/C dye cartridge
- Dye cleaner & drip guards
- UV enhancing glasses & case
- Service stickers, hose & fittings



900012B – A/C DYE

909012B – MULTI-PURPOSE DYE

990012B – RADIATOR DYE

12 x ¼ oz | 7.5 ml



900008 – A/C DYE

909008 – MULTI-PURPOSE DYE

990008 – RADIATOR DYE

8 oz | 240 ml



Brakleen® Original
75089 539 g aerosol
75090 3.785 L bottle
75091 19 L pail



Brakleen® Premium Non-Chlorinated
75088 397 g aerosol
75086 19 L pail



Brakleen® Premium Non-Chlorinated With Power Jet™ Technology
75050 397 g aerosol
75055 19 L pail



Brakleen® RD Rapid Dry Non-Chlorinated
75391 19 L pail



Disc Brake Quiet
75016 118 mL bottle
75017 255 g Aerosol



Synthetic Brake & Caliper Grease
75353 340 g tub with brush
75359 227 g brush top bottle



Silaramic® Ceramic Fortified Brake System Grease
75363 255 g tub with brush



White Lithium Grease
14200 284 g aerosol



Power Lube Multi-Purpose Lubricant
75005 312 g aerosol
75007 3.785 L bottle
75009 19 L pail



Knock'er Loose™ Penetrating Solvent
73020 369 g aerosol



Heavy Duty Silicone Lubricant
75074 213 g aerosol



Freeze-Off® Super Penetrant
75222 326 g aerosol



Screwloose™
75330 312 g aerosol



Dry Graphite Lubricant
75101 320 g aerosol



SP-350™ Corrosion Inhibitor
73262 312 g aerosol
03266 19 L pail



Copper Anti-Seize Aerosol & Lubricating Compound
72095 340 g aerosol
72901 227 g bottle



1Tank Power Renew® Gasoline Formula
75815 444 mL bottle



1Tank Power Renew® Diesel Utility Formula
75816 444 mL bottle



1Tank Power Renew® Diesel HD Formula
75832 946 mL bottle



Guaranteed To Pass® Complete Fuel System Treatment
75060-6 355 mL bottle



Fuel Injector & Carburetor Cleaner
75061 355 mL bottle



Super Turbo™ Octane Boost
75063 355 mL bottle



Fuel Stabilizer
75380 237 mL bottle



PhaseGuard4® Ethanol Fuel Treatment
75141 237 mL bottle
75142 474 mL bottle



FiberLock™ Head Gasket & Block Repair
75224 946 mL bottle



Posi-Trac™ Limited Slip Gear Oil Additive
742508 207 mL tube



Valve-Kleen™ Engine Valve
& Litter Cleaner
75331 237 mL bottle



SensorKleen™ Mass
Air Flow Sensor
Cleaner
75110 312 g aerosol



Engine Degreaser
75025 425 g aerosol



Clean-R-Carb®
75081 454 g aerosol



Gasket Klean™
75021 340 g aerosol



Battery Cleaner With
Acid Indicator
75097 312 g aerosol



QD™ Electronic
Cleaner
75012 128 g aerosol
75102 312 g aerosol



Lectra-Motive™
Electrical Parts Cleaner
75018 539 g aerosol



QC-82™
Pro-Strength Degreaser
75482 425 g aerosol



Glass Cleaner
14100 510 g aerosol



Stainless Steel Cleaner
& Polish
74424 510 g aerosol



Mechanix Orange®
Citrus Hand Cleaner With Pumice
74090 473 mL bottle
74091 3.785 L bottle



Tannery® Leather
& Vinyl Cleaner
74171 283 g aerosol



Diesel Fuel Conditioner
& Injector Cleaner
75202 888 mL bottle
75203 3.785 L bottle



Diesel Fuel Conditioner
With Anti-Gel
75212 888 mL bottle
75213 3.785 L bottle



Diesel Fuel Anti-Gel
75221 355 mL bottle



Quick Flow™ Emergency
Diesel-Gel Relief
75911 888 mL bottle



Bio-Con™ Sludge
Sediment Remover
75225 355 mL bottle



Air Brake Anti-Freeze
75532 946 mL bottle
75228 3.785 L bottle



Technician Grade Di-Elec-
tric Grease
75106 94 g aerosol



Jump Start® Starting
Fluid With Lubricity
75671 312 g aerosol



Engine Stor™
Fogging Oil
75027 369 g aerosol



Zinc Mate™
75054 369 g aerosol



Rubberized
Undercoating
75034 450 g aerosol



Ice-Off™ Windshield
Spray De-Icer
75346 340 g aerosol



Bug Blast™ Wasp
& Hornet Killer
72010 397 g aerosol

Dayco Garage Exhaust Hose & Accessories



DAYCO® Flare-Vent® Hose

Designed to connect the vehicle's exhaust pipe to a central exhaust system or a garage door vent, the Dayco Flare-Vent Hose features an accordion-type design for added flexibility, and a flared end for connecting one length to another. No separate connectors are required.

DAYCO® Super-Vent® Hose

Designed for overhead exhaust systems where a tight bend radius is required, the Dayco Super-Vent Hose features an accordion type construction which enables it to make turns with a small bend radius. It is available in either 4" or 5" I.D.



DAYCO® Tailpipe Adapters

Designed to interface between an auto or truck tailpipe or diesel truck stack and the garage exhaust hose itself and constructed to withstand the high tailpipe temperatures of modern vehicles, a variety of shapes and sizes of Dayco Tailpipe Adaptors are available to enable an exact match for virtually every application need. The adapters feature a universal design that will mate with the appropriate connectors.

DAYCO® Universal Bell-Shaped Adapter

Available for use with 2 1/2" and 3 1/2" hose, as well as with 2" and 3" hose. Screws over 2" or into 3" hose.



DAYCO® Universal Oval Adapter

For use on twin tailpipes and oval tailpipes. Screws over 3" or into 4" hose.

DAYCO® Universal Straight Truck Adapter

Use with tailpipe adapter for trucks and threads over 3 1/2" or into 4" hose.



DAYCO® Y-Connectors

Designed for the merging of two hoses into one typically used with dual exhaust vehicles. Available for 2", 2 1/2", 3" and 4" hose.

DAYCO® Door Port Fittings

Designed for service station and garage doors. Available for use with 2 1/2", 3" and 4" hose.



DAYCO® Splice Connectors

Designed for joining multiple lengths of exhaust hose. Available for use with 2", 2 1/2", 3" and 4" hose.

Dayco Service Hose



DAYCO® Small I.D. Molded Heater Hose

The Dayco Small I.D. Molded Heater Hose is designed to replace OEM coolant hose in applications where molded hose in small diameters (1" I.D. or smaller) is required. The molded configuration eliminates the need for multiple connections of hoses and clamps when added to Dayco's line of molded heater hose and assemblies.

DAYCO® Fuel Line Hose

Designed for use on all types of carbureted gasoline engines, the Dayco Fuel Line Hose offers excellent resistance to oil, gasoline, grease, and weather. The hose is constructed with a neoprene cover and nitrile tube for use with leaded, unleaded gasoline and diesel fuel.



DAYCO® Fuel Injection Hose

Designed to safely and efficiently handle the higher pressure, temperatures, and chemical problems inherent in today's hotter running, fuel injected engines, the Dayco Fuel Injection Hose is constructed with a tough fluoro-elastomer, low permeation, gasohol and diesel fuel inner tube that provides exceptional resistance to alcohol blended fuels that weaken normal fuel injection hose.

DAYCO® Windshield Washer/Vacuum Tubing

Designed to replace worn windshield washer tubing, as well as general automotive vacuum applications such as retractable headlights, sensors, etc., the Dayco Windshield Washer/Vacuum Tubing has a temperature rating of -40°F (-40°C) to +212°F (+100°C). It features a flexible, long-life EPDM rubber construction that resists normal use exposure to oil, grease, and heat deterioration, and remains flexible at low temperatures.



DAYCO® DAYPERM™ Hose

This low permeation, multi-layered rubber hose is recommended as a fuel liquid or vapor carrying component for low to medium pressure (50 psi or less, not fuel injection). The Dayco Dayperm hose is ideally suited for automotive, lawn and garden, off-road and small industrial trucks and truck fleet applications.

DAYCO® DAYPERM™ II Hose

The Dayco Dayperm II Hose is a multi-layered rubber hose with low permeation recommended for carburetion applications on small engines and older carbureted vehicles using liquid fuels. This hose meets all SAE J30R14T2 requirements and is CARB and EPA compliant. This Dayperm™ II Hose is compatible with leaded, unleaded, and gasohol fuels as well as bio-diesel fuel and ethanol blended gasoline.



DAYCO® GOLD LABEL® Silicone Heater Hose

The Dayco Gold Label Silicone Heater Hose, designed for long life in heavy duty applications, is made with special silicone compounds and reinforced with one ply of braided polyester yarn. This SAE 20R3, Class A hose is highly resistant to the deteriorating effects of oil, ozone, coolants, and coolant additives. In addition to being extremely flexible, this silicone hose has the highest temperature rating, namely -40°F (-40°C) to +350°F (+175°C), and longest service life of any Dayco heater hose product.

Description	part#	ID	Length	Use With
DAYCO® Flare-Vent® Hose				
	63520	2"	11'	
	63525	2 1/2"	11'	
	63530	3"	11'	
	63535	3 1/2"	11'	
	63540	4"	11'	
DAYCO® Super-Vent® Hose				
	63640	4"	20'	
	63650	5"	12'	
DAYCO® Tailpipe Adapter				
	64025		1 1/2" O.D. to 2" O.D.	
	64030		2" O.D. to 2 1/2" O.D.	
	64035		2 1/2" O.D. to 3" O.D.	
DAYCO® Universal Bell-Shaped Adapter				
	64125		2 1/2" O.D. or 3 1/2" O.D.	
	64130		2" O.D. or 3" O.D.	
DAYCO® Universal Oval Adapter				
	64048		3" O.D. or 4" O.D.	
DAYCO® Universal Straight Truck Adapter				
	64140		4" hose	
DAYCO® Y-Connectors				
	64220		2" hose	
	64225		2 1/2" hose	
	64230		3" hose	
	64240		4" hose	
DAYCO® Door Port Fittings				
	64425		2 1/2" hose	
	64430		3" hose	
	64440		4" hose	
DAYCO® Splice Connectors				
	64520		2" hose	
	64525		2 1/2" hose	
	64530		3" hose	
	64540		4" hose	
	64640		4" hose	
	64650		5" hose	

Description	part#	ID	Length	Packaging
DAYCO® Fuel Line Hose				
	80051	1/8"	25'	Spool
	80052	1/8"	50'	Box
	80053	1/8"	250'	Reel
	80054	3/16"	25'	Spool
	80055	3/16"	50'	Box
	80056	3/16"	250'	Reel
	80057	1/4"	25'	Spool
	80058	1/4"	50'	Box
	80059	1/4"	250'	Reel
	80060	5/16"	25'	Spool
	80061	5/16"	50'	Box
	80062	5/16"	250'	Reel
	80063	3/8"	25'	Spool
	80064	3/8"	50'	Box
	80065	3/8"	250'	Reel
	80066	7/16"	25'	Spool
	80067	7/16"	50'	Box
	80068	7/16"	250'	Reel

DAYCO® Fuel Line Hose (cont.)

80072	3/16"	2'	Clamshell
80073	1/4"	2'	Clamshell
80074	5/16"	2'	Clamshell
80075	3/8"	2'	Clamshell
80076	7/16"	2'	Clamshell
93036	1/2"	25'	Box
93037	5/8"	25'	Box
93038	3/4"	25'	Box

DAYCO® Fuel Injection Hose

80078	1/4"	2'	Clamshell
80079	5/16"	2'	Clamshell
80080	3/8"	2'	Clamshell
80083	1/4"	10'	Box
80084	5/16"	10'	Box
80085	3/8"	10'	Box
80088	1/4"	25'	Spool
80089	5/16"	25'	Spool
80090	3/8"	25'	Spool
80091	1/4"	250'	Reel
80092	5/16"	250'	Reel
80093	3/8"	250'	Reel

DAYCO® Windshield Washer/Vacuum Tubing

80204	1/4"	50'	Spool
80205	7/64"	50'	Spool
80206	5/32"	50'	Spool
80207	7/32"	50'	Spool
80208	9/32"	50'	Spool
80209	7/64"	6'	Clamshell
80210	5/32"	6'	Clamshell
80211	7/32"	6'	Clamshell
80216	5/32"	250'	Reel
80217	7/32"	250'	Reel

DAYCO® DAYPERM™ Hose

80142	1/4"	2'	Clamshell
80143	1/4"	25'	Spool
80144	1/4"	50'	Box
80145	1/4"	250'	Reel
80146	5/16"	2'	Clamshell
80147	5/16"	25'	Spool
80148	5/16"	50'	Box
80149	5/16"	250'	Reel
80150	3/8"	2'	Clamshell
80151	3/8"	25'	Spool
80152	3/8"	50'	Box
80153	3/8"	250'	Reel

DAYCO® DAYPERM™ II Hose

80520	1/4"	2'	Clamshell
80521	1/4"	25'	Spool
80522	1/4"	250'	Reel
80523	5/16"	2'	Clamshell
80524	5/16"	25'	Spool
80525	5/16"	250'	Reel
80526	3/8"	2'	Clamshell
80527	3/8"	25'	Spool
80528	3/8"	250'	Reel

DAYCO® GOLD LABEL® Silicone Heater Hose

80241GL	5/8"	25'	Carton
80242GL	3/4"	25'	Carton
80243GL	1/2"	25'	Carton
80244GL	1"	25'	Carton
80245GL	3/8"	25'	Carton
80251GL	5/8"	50'	Carton
80252GL	3/4"	50'	Carton
80253GL	1/2"	25'	Carton
80254GL	1"	50'	Carton
80255GL	3/8"	25'	Carton



RADIATOR FLUSH TEES

	5/8	3/4	1/2
BOX OF 25	47121	47120	47122
PACKAGED INDIVIDUALLY	47152	47153	47151



CHOKE CONVERSION KIT
55104
Cable length: 108"
Includes 2 brackets



CHOKE CONVERSION KIT
55101
Cable length: 61.5"
Includes 1 bracket



METAL STRAPPING KIT - UNIVERSAL,
96 IN. WITH HARDWARE
55102



UNIVERSAL STRAPPING KIT 5FT.
03120



LICENSE PLATE SCREW KIT
49258



LICENSE PLATE COVER - UNIVERSAL
68146



DASH MOUNT LIGHTER RECEPTACLE KIT
56415



LIGHTER ASSEMBLY - SHORT KNOB
56456



LIGHTER ASSEMBLY - LONG KNOB
56441



LIGHTER ASSEMBLY - ILLUMINATED
56417



LIGHTER ELEMENT - POP-OUT
56442



LIGHTER ASSEMBLY - SHORT KNOB
56411



LIGHTER POWER PLUG WITH 12 VOLT CONNECTIBILITY
56480



LIGHTER RECEPTACLE WITH 8 IN. CORD
56485

BESTBUY *Tools of the Trade*



- | | |
|-----------|-------------------------------|
| BB711221 | 10 PACK ROBERTSON DRIVER BITS |
| BB2558228 | ECONOMY RED CUTTER KNIFE |
| BB38325 | 25'X 1" IMPERIAL METRIC TAPE |
| BB721386 | 18 PIECE PRO DRIVER KIT |

Order yours today!

TRAILER & TOWING



PINTLE COMBINATION HITCH
11716
2"



PINTLE MOUNT
11610
7¹/₂" x 5"



TRAILER BALL
11151 1⁷/₈ x 3/4 External Thread, Packaged
11153 2 x 1 External Thread
11155 2⁵/₁₆ x 1¹/₄ External Thread



CLEVIS BALL MOUNT
11579
5000lb



BALL MOUNT
11601 2" Ball Drop
11603 6" Ball Drop



TRIPLE BALL MOUNT
11607



WHEEL CHOCK
11986 8 x 6 x 10
11985 10⁵/₈ x 7 x 4¹/₂



WHEEL CHOCK - PLASTIC
11988



SWING-WAY BOAT JACK
11466
1200 lb, 10" Lift



TOP WIND IMPLEMENT JACK
11469
5000lb, 15"



SIDE WIND IMPLEMENT JACK
11472
5000lb, 15" Lift



TUBE MOUNT TOP WIND JACK
11535
5000 lb, 15" Lift



TOP WIND IMPLEMENT JACK
11468
5000lb, 10" Lift



TRAILER COUPLER
11156 1⁷/₈ x 2
11157 1⁷/₈ x 2¹/₂
11159 2 x 2¹/₂

ASSORTMENTS



S.A.E. O-RING ASSORTMENT
00150



S.A.E. GREASE FITTING ASSORTMENT
00112



AUTO FUSE ASSORTMENT
10110

LUBRICATION



GREASE GUN - LEVER - H.D.
11082C



LEVER ACTION BARREL PUMP
11092A



HEAVY DUTY GREASE GUN - LEVER
11085A



ROTARY BARREL PUMP
11094A



PROFESSIONAL PISTOL GREASE GUN
11066



USED FLUID DRAINER 68L
11802



DIAPHRAGM PUMP FOR FUELS
11800



PISTOL GREASE GUN
11084A - with hose
11087A



PORTABLE FLUID PUMP
11097

FUNNELS



FUNNEL WITH FILTER
13003 3" Diameter
13005 5" Diameter
13009 9" Diameter



SEALABLE DRAIN PAN
14026
10L



FUNNEL WITH FILTER AUTO
13008
8" Diameter



MEASURING CONTAINER
14045
4.5L



FUNNEL ANTI-SPLASH
13015 5" Diameter
13019 9" Diameter



MEASURING CONTAINER
14045X
4.5L with removable lid



MEDIUM FOLDABLE FUNNEL
15009



EASY FLOW FUNNEL
13007



LARGE FOLDABLE FUNNEL
15014


CARGO CONTROL




RATCHET STRAP 1 x 15 - BULK
11183B



RATCHET STRAP 2 x 27 HD - BULK
11190B




RATCHET STRAP 1^{1/2} x 15 - BULK
11186B



RATCHET STRAPS FLAT HOOK - BULK
12354B - 2"x25'
12353B - 2"x20'



RATCHET STRAP 1 x 15 HD - BULK
11189B



RATCHET STRAPS 2 x 30'
12343B J-Hooks 10,000lbs bulk
12344B Flat Hook 10,000lbs bulk

LED WORKLIGHTS



**LED WORKLIGHT
WITH HANDLE**
55052
15W
900 lumens



**RECHARGEABLE
LED WORKLIGHT**
55053
Magnetic Base
15W
900 Lumens



**WORKLIGHT
WITH MAGNETIC
BASE & HOOK**
55081
24SMD
120 Lumens



**TWIN HEAD LED WORKLIGHT
WITH TRIPOD**
55055
36W
2400 Lumens



**TWIN FLOOD LED
WORKLIGHT WITH
TRIPOD**
55056
60W
4000 Lumens

CASTERS



FIXED CASTERS
31050 - 5"
31060 - 6"
31080 - 8"



SWIVEL CASTERS
32050 - 5"
32060 - 6"
32080 - 8"



**SWIVEL CASTERS-
BRAKE**
33050 - 5"
33060 - 6"
33080 - 8"

WHEEL LOCKS



**WHEEL LOCKS
MIDDLE DUTY**
65088



**WHEEL LOCKS
HEAVY DUTY**
65089



**WHEEL LOCKS
SUPER HEAVY DUTY**
65090



PROFESSIONAL MECHANICS FENDER COVER
Standard
FC1

- Expanded vinyl material
- 110 gauge thick
- Full length sewn in tool ridge
- Size: 34" x 26"



BATTERY HYDROMETER
SP101



ANTI-FREEZE TESTER
SP102



Automotive training when
and where *you* need it!



BEST Training provides Internet-based training to the automotive aftermarket. Participants have instant access to hundreds of hours of training, including Automotive Technical and Business related programming. Training lessons are presented as two-hour video based instruction. All lessons include supplementary training materials, including Student Learning Guides and Exams that augment the learning experience.

Students can access hundreds of training modules, at a schedule that best suits their needs. Programs can be taken at any time at the shop, at home or wherever the student wishes to learn. **WHEN and WHERE You Want It!**

BEST Training will include the following:

- Access to over 300 two-hour full motion video online training modules in English & French
- Training modules supported by Student Learning guides
- Post tests
- Recognition certificates
- CARSability assessment tests

ASK YOUR BESTBUY MEMBER DISTRIBUTOR FOR MORE INFO!



AM80S HORN

O.E.M. Replacement Horn.

- Powerful 125 dB of sound that ensures you'll be heard over all traffic noise!
- Corrosion resistant finish, universal horn that meets SAE & O.E.M. specifications for a wide range of cars, trucks & motorcycles.
- Quick & Easy installation kit included.

72002 - High Note

72012 - Low Note



AM80S HORN FREEWAY BLASTER

Extra Loud O.E.M. Replacement Horn

- Extremely powerful 130 dB of sound! 2 times as loud as a standard O.E.M. horn!!
- Corrosion resistant finish, universal horn that meets SAE & O.E.M. specifications for a wide range of cars, trucks & motorcycles.
- Quick & Easy installation kit included.

72102 - High Note

72112 - Low Note



HK 9 DISC HORN

O.E.M. Replacement Disc Horn.

- Very powerful high frequency 130 dB of sound that ensures you'll be heard over surrounding noise!
- High durability, water & corrosion resistant steel housing horn
- Universal horn that meets SAE & O.E.M. specifications for a wide range of cars, trucks & motorcycles.
- Quick & Easy installation kit included.

40310 - High Note | 40365 - Low Note



BRAKE FLUID Features:

- Dot 3
- Available in 350ml (Part # DOT3-350), 500ml (Part # DOT3-500), 1L (Part # DOT3-1L), 3.78L (Part # DOT3-4L) and 18.9L (Part # DOT3-19L)
- Recommended for use in all hydraulic drum and disc brakes and hydraulic clutches that require dot 3 fluids
- Mixes with regular brake fluids
- Provides excellent flow at low temperatures for superior braking response
- Conforms to CMVSS 116



Vulsay Industries Ltd.

35 Regan Rd., Brampton, Ontario, Canada L7A 1B2
Inquiries (905) 495-5109 www.vulsay.com

Fluid Carrying Line Repair

BRAKE - FUEL - TRANSMISSION - AC - COOLANT

D.O.T Approved Brake Lines (.028 Wall)

Cupro Nickel (90/10) ★ ★ ★ ★ ★

Double annealed to soften tubing for easier bending and flaring.
Used as Original Equipment by Volvo and Mercedes.
Meets or exceeds OE specification (.028 Wall) for brake line tubing.
SAE-1650 • SAE-1407 • FMVSS-106 • ASTM-254 • DIN74234
• BS2871 • GM123M • MS1806

Lifetime Guarantee
Against Corrosion Failure



Stainless Steel (304) ★ ★ ★ ★ ★

Coming 2014

Double annealed to soften tubing for easier bending and flaring.
Ideal for custom builds, classic cars and more.
Meets or exceeds OE specification (.028 Wall) for brake line tubing.



Poly Vinyl Floride ★ ★ ★ ★ ★

Double annealed to soften tubing for easier bending and flaring.
Used as Original Equipment by many Japanese and European Manufactures.
Meets or exceeds OE specification (.028 Wall) for brake line tubing.
SAE-J527 • ASTM254 • GM123M • MS1806

3000 hour Salt Spray test



Silver Zinc ★ ★

Double annealed to soften tubing for easier bending and flaring.
Meets or exceeds OE specification (.028 Wall) for brake line tubing.
SAE-J527 • GM123M • MS-1806

200 hour Salt Spray test



POLY VINYL FLORIDE (PVF)



SILVER ZINC PLATED



CUPRO NICKEL

COILS



Copper Tubing

*(Not to be used for
Brake or Propane
Applications)

Coil										
Size	1/8"	3/16"	1/4"	5/16"	3/8"	7/16"	1/2"	5/8"	3/4"	
Length	Part No.	Part No.	Part No.	Part No.	Part No.	Part No.	Part No.	Part No.	Part No.	
25'	CT2	CT3	CT4	CT5	CT6	CT7	CT8	CT10	CT12	

Steel & Nylon Fuel Repair Lines



GM Duramax Diesel Fuel Repair Lines



2001 - 2013

All Ends Included (4)

Transmission Quick Connectors





MR 5-30-L6N MECHANICAL FUEL METERS

126300-02

Check up to five results to perform an action.

Choose the NEW MR 5-30 mechanical fuel meter when you need to measure petroleum fuels. This aluminum meter is perfect for use with gasoline, diesel fuel and kerosene. Designed for high volume pumps up to 30 GPM.

Calibrated in litres with 3/4" NPT thread inlet/outlet. C UL US Listed. 5 to 30 GPM / 19 to 114 LPM. Turn knob reset.



01A31LM DIGITAL FUEL METERS

113255-2

Check up to five results to perform an action.

This basic totalizing economy meter works well with fuel, diesel, and kerosene. The battery powered electronic displays on the 01A flowmeters are calibrated to read in gallons and liters. These fuel flowmeters come in 1 in. models.

Compact and lightweight, this meter is designed for use on a hose. 10 to 100 LPM, NPT thread, and two totals (accumulative and batch).



HP-90 HAND PUMPS

131000-1

The HP-90 is an economy hand pump with a dual-action piston to pump fluid on both the push and pull strokes for fast fueling.



M-1115S-MU ELECTRIC GEAR PUMPS

110000-81

The 115 volt AC Light Duty Aluminum Gear Pump with UL Listed manual unleaded nozzle is for use with fuel. It pumps up to 12 GPM / 45 LPM. The pump and motor are Listed and CSA Certified, and the motor is Overload Protected and explosion proof.



M-3025-AD HD VANE PUMPS

133240-2

Use the M-3025 high performance pump on vehicle mounted tanks or vented storage tanks. Choose this pump when reduced fueling time is critical. Includes automatic diesel nozzle. Motor is UL Listed.



EZ-8 PUMP ELECTRIC GEAR PUMPS

137100-01

The EZ-8 Pump is ideal for on-the-go fueling. This 12-volt DC fuel pump delivers 8 GPM, equivalent to standard gas stations. The system comes complete with power cord, manual unleaded nozzle, three-piece, trim-to-fit suction pipe and 10 ft of 5/8 in. hose.



M-150S-AU ELECTRIC GEAR PUMPS

110000-100

12-volt DC Aluminum Gear Pump for fuel with automatic unleaded nozzle. Up to 15 GPM / 57 LPM. UL Listed Motor, CSA Certified. Overload Protected Motor. Includes 18 ft power cord, 3/4 in. x 12 ft / 3.7 m hose, and adjustable suction pipe.



AUTOMATIC UNLEADED NOZZLE

110121-8

3/4" NPT, straight spout.
UL replacement nozzle



LP-50 HAND PUMPS

129000-1

Designed to fit tanks or 55 gallon barrels. The unique linkage and shaft design ensures a smooth and easy stroke, and eliminates side load, shaft binding, or seal leakage seen in other lever pumps.

SUPERNOVA



HI COUNT



Grote Select™



SuperNova® | High Performance

Lightweight NexGen Lamps weigh 50% less than the major competitor lamps, and only requires 1/8 the amperage needed to drive an incandescent lamp.

Hi Count® | High Style

Highest visibility LED lamps around. Offer premium styling and maximum diode count.

Grote Select™ | High Value

Provide faster light-on response time that increase stopping alert distances. Low power requirements, making more voltage available to other systems.

CLEARANCE/MARKER LAMPS

PART #	DESCRIPTION
MICRONOVA DOT	
49322	MICRONOVA DOT, P2 W/GROMMET, RED
49332	MICRONOVA DOT, PC W/GROMMET, RED
49333	MICRONOVA DOT, PC/P2 W/GROMMET, AMBER
49412	MICRONOVA DOT, W/ADAPTOR BRACKET, RED
49413	MICRONOVA DOT, W/ADAPTOR BRACKET, AMBER
49341	MICRONOVA DOT, MARKER LAMP, ECE, WHITE
49342	MICRONOVA DOT, 12 VOLT, ECE, RED
49343	MICRONOVA DOT, 12 VOLT, ECE, AMBER
MICRONOVA	
47962	CLR/MKR, RED, LED, MICRONOVA P2 WITH GROMMET
47963	CLR/MKR, YELLOW, LED, MICRONOVA P2 WITH GROMMET
47952	CLR/MKR, RED, LED, MICRONOVA P2 WITH BEZEL
47953	CLR/MKR, YELLOW, LED, MICRONOVA P2 WITH BEZEL
47972	CLR/MKR, RED, LED, MICRONOVA PC WITH GROMMET
47973	CLR/MKR, YELLOW, LED, MICRONOVA PC WITH GROMMET
SUPERNOVA 2"	
47112	LED MARKER, 2" ROUND SEALED, RED
47113	LED MARKER, 2" ROUND SEALED, AMBER
46132	CLR/MKR LAMP, 2", RED, MKR LAMP, SUPERNOVA® LED, PC RATED
46133	CLR/MKR LAMP, 2", YELLOW, MKR LAMP, SUPERNOVA® LED, PC RATED
78433	LED, 2" ABS LAMP, AMBER
HI COUNT 2"	
G3002	G2 LED, 2" HIGH COUNT, RED
G3003	G2 LED, 2" HIGH COUNT, AMBER
SUPERNOVA BEEHIVE	
47212	LED MARKER, 2" BEEHIVE, RED
47213	LED MARKER, 2" BEEHIVE, AMBER
HI COUNT BEEHIVE	
G3092	RED 2" BEEHIVE LED LAMP
G3093	YLW 2" BEEHIVE LED LAMP
SUPERNOVA	
47122	LED MARKER, 2 1/2" ROUND SEALED, RED
47123	LED MARKER, 2 1/2" ROUND SEALED, AMBER
46142	CLR/MKR LAMP, 2.5", RED, SUPERNOVA® LED, PC RATED
46143	CLR/MKR LAMP, 2.5", AMBER, SUPERNOVA® LED, PC RATED
78423	LED, 2.5" ABS LAMP, AMBER
HI COUNT	
G1032	G2 LED, 2.5" HIGH COUNT, RED
G1033	G2 LED, 2.5" HIGH COUNT, AMBER
HI COUNT 9 DIODE	
G1092	G2 LED, 2.5" HIGH COUNT 4700, RED
G1093	G2 LED, 2.5" HIGH COUNT 4700, AMBER

STOP/TAIL/TURN LAMPS

PART #	DESCRIPTION
SUPERNOVA	
53252	LED, 4" STOP/TAIL/TURN, 10 DIODE, RED
53253	LED, 4" STOP/TAIL/TURN, 10 DIODE, AMBER
54332	LED S/T/T LAMP, LED, 4", RED
54333	LED S/T/T LAMP, LED, 4", AMBER
HI COUNT	
G4002	G2 LED, 4" HIGH COUNT, FEMALE, RED
G4003	G2 LED, 4" HIGH COUNT, FEMALE, AMBER
GROTE SELECT	
54342	LED S/T/T LAMP, LED 4" RED
54343	LED S/T/T LAMP, LED 4" AMBER
SUPERNOVA	
53962	LED, OVAL PLASTIC
53963	LED, OVAL GROMMET MT, AUX TURN, AMBER
SUPERNOVA 9 DIODE	
54132	STT LAMP, RED, OVAL, LED, MALE PIN, 9 DIODE
54133	STT LAMP, YELLOW, OVAL, LED, MALE PIN, 9 DIODE
SUPERNOVA NEXGEN	
54162	RED LED OVAL STT LAMP
54163	YELLOW LED OVAL AUX LAMP
HI COUNT	
G6002	HIGH COUNT 60 SERIES LED, RED
G6003	HI COUNT OVAL LED AMBER
GROTE SELECT	
54172	RED LED OVAL STT LAMP
54173	YELLOW LED OVAL AUX LAMP

Trilliant® Series of LED Work Lamps

THERE'S A RUGGED GROTE TRILLIANT® LAMP FOR ANY WORKPLACE APPLICATION

- Long-lasting, cool running, high output LED work lamp
- Field tested to survive in brutal off-road conditions
- Superior performance for mining, construction, off-road, agriculture, utility, emergency, military vehicles
- Integrated circuit protection
- ECE R10, Dir.72/245/EEC, Amended by 2006/28/EC
- Color temperature provides a natural contrast most like sunlight, reducing eye fatigue



64E01-5



63611



63F81

Trilliant® T26

Small size combined with tough construction allows mounting in places where larger or less rugged lamps cannot fit or survive


Trilliant® Mini

3x5 makes this lamp a natural LED upgrade for many incandescent and halogen sealed beams

Trilliant® Oval

Leak proof sealed lamp is certified IP69K; stands up to scratches, pressure washing, harsh weather

PART #	DESCRIPTION	VOLTAGE	EFFECTIVE LUMEN
TRILLIANT T26 LED WORK LAMPS			
64E01-5	T26 LED WORK LAMP, PINCH MOUNT, FAR PATTERN	10 - 48	1800
64E11-5	T26 LED WORK LAMP, PINCH MOUNT, NEAR PATTERN	10 - 48	1800
64G01-5	T26 LED WORK LAMP, PENDANT MOUNT, FAR PATTERN	10 - 48	1800
64G11-5	T26 LED WORK LAMP, PENDANT MOUNT, NEAR PATTERN	10 - 48	1800
TRILLIANT MINI LED WORK LAMPS			
63601-5	TRILLIANT® MINI, CLEAR, WORK LAMP, LED, SPOT PATTERN	12	700
63611-5	TRILLIANT® MINI, CLEAR, WORK LAMP, LED, FLOOD PATTERN	12	700
63621-5	TRILLIANT® MINI, CLEAR, WORK LAMP, LED, TRAPEZOID PATTERN	12	700
63741-5	TRILLIANT® MINI, CLEAR, WORK LAMP, LED, FLOOD PATTERN, 24 VOLT	24	700
63751-5	TRILLIANT® MINI, CLEAR, WORK LAMP, LED, TRAPEZOID PATTERN, 24 VOLT	24	700
TRILLIANT OVAL LED WORK LAMPS			
63F81-5	TRILLIANT®, OVAL, LED, FLOOD, W/AMP SUPER SEAL CONNECTOR	12/24	1200
63J01	TRILLIANT®, OVAL, LED, FLOOD, W/AMP SUPER SEAL CONNECTOR, BLUE O-RING	12/24	2500
63J11	TRILLIANT®, OVAL, LED, WIDE FLOOD, W/AMP SUPER SEAL CONNECTOR, BLUE O-RING	12/24	2500



63981-5



63871-5



63861-5

Trilliant® Cube

Compact 4x4, rugged design with superior LED electronic circuitry outperforms lamps twice its size and weight

Trilliant® T36

Encapsulant potting for total circuit board protection against moisture and corrosion

Trilliant® T36 LED Bulb

UV and hard coated lens for durability, thermal pull back circuit for protection against power surges

PART #	DESCRIPTION	VOLTAGE	EFFECTIVE LUMEN
TRILLIANT CUBE WORK LAMPS			
63981-5	TRILLIANT® CUBE WORK LAMP, TRACTOR PLUS, BI-VOLTAGE	12/24	1200
63991-5	TRILLIANT® CUBE WORK LAMP, FLOOD, BI-VOLTAGE	12/24	1200
63F61	TRILLIANT® CUBE, W/FLOOD REFLECTOR, AMP SUPER SEAL CONNECTOR	12	2500
63F71	TRILLIANT® CUBE, W/WIDE FLOOD REFLECTOR, AMP SUPER SEAL CONNECTOR	12	2500
TRILLIANT LED WORK LAMPS			
63571	TRILLIANT® LED WORK LAMP, SPOT PATTERN	12/24	1300
63581	TRILLIANT® LED WORK LAMP, FLOOD PATTERN	12/24	1600
63591	TRILLIANT® LED WORK LAMP, TRAPEZOID PATTERN	12/24	1600
63E41	TRILLIANT® LED WORK LAMP, FLOOD PATTERN, W/REFLECTOR	12/24	2400
TRILLIANT 36 LED WORK LAMPS			
63821-5	TRILLIANT® T36 TRACTOR LAMP	12/24	800
63831-5	TRILLIANT® T36 WIDE FLOOD	12/24	800
63861-5	TRILLIANT® T36 W/BACKET, TRACTOR LAMP	12/24	800
63871-5	TRILLIANT® T36 W/BACKET, WIDE FLOOD LAMP	12/24	800

Grote's Warning and Hazard Lighting Solutions

Improve Visibility

Improve Safety

The Right Lighting Solution for Your Environment!



76253



76663



76685



77123



76793



77473



78823



78813



76953



76713

PART # DESCRIPTION

BEACONS AND STROBE LAMPS

76253	LED AMBER STROBE, CLASS I, LOW DOME, 12 VOLT, YELLOW
76263	LED AMBER STROBE, CLASS I, LOW DOME, 24 VOLT, YELLOW
76663	LOW PROFILE CLASS I LED BEACON, YELLOW
77013	MATERIAL HANDLING STROBE, 12-80 VOLT, YELLOW
77953	LED AMBER STROBE, CLASS I, HIGH DOME, 12 VOLT, YELLOW
77963	LED AMBER STROBE, CLASS I, HIGH DOME, 24 VOLT, YELLOW
76683	ROTOLED™ HYBRID BEACON, CLASS I, YELLOW
76685	ROTOLED™ HYBRID BEACON, CLASS I, BLUE
76793	LED STROBE LIGHthead, 4 LED, SQUARE, YELLOW
77103	MIGHTY MINI STROBE, YELLOW
77123	LOW PROFILE PLASTIC BASE STROBE, CLASS II, YELLOW
77133	MEDIUM PROFILE PLASTIC BASE STROBE, CLASS II, YELLOW
77463	LED 3 LAMP, SURFACE MOUNT LAMP, YELLOW
77473	MIGHTY MINI LED STROBE, YELLOW
77483	MIGHTY MINI LED STROBE, MAGNET MOUNT, YELLOW
77933	LED VERTEX, YELLOW
78773	SURFACE MOUNT LED CLASS I, YELLOW
78783	LOW INTENSITY LED, CLASS III, YELLOW

SELF-ADHESIVE LED AUXILIARY LAMPS

78813	LED SELF-ADHESIVE WARNING LAMP, OVAL, YELLOW
78823	LED ADHESIVE WARNING TRIANGLE, YELLOW
78833	LED ADHESIVE WARNING RECTANGLE, YELLOW

BATTERY OPERATED WARNING LAMPS

77913	360° PORTABLE BATTERY OPERATED LED WARNING LAMP, YELLOW
77923	DIRECTIONAL PORTABLE BATTERY OPERATED LED WARNING LAMP, YELLOW

BAR LAMPS

76703	15" LOW PROFILE REFLEX™ CLASS II LED MINI BAR LAMP, YELLOW
76713	15" LOW PROFILE REFLEX™ CLASS II LED MINI BAR LAMP, YELLOW
76770	17" LOW PROFILE LED BAR LAMP, YELLOW/BLUE W/CLEAR LENS
76943	17" LOW PROFILE LED BAR LAMP, YELLOW/CLEAR LENS
76953	17" LOW PROFILE LED BAR LAMP, MAGNETIC, YELLOW/CLEAR LENS
76983	17" LOW PROFILE LED BAR LAMP, YELLOW
76993	17" LOW PROFILE LED BAR LAMP, MAGNETIC, YELLOW
78473	LED SAFETY DIRECTOR W/35' HRNS, YELLOW
78983	TRAFFIC ADVISOR SUPER-LED

CAMERA SYSTEM

K5600	5.6" LCD COLOUR CAMERA SYSTEM
-------	-------------------------------



Coiled Air Products

Grote carries an extensive line of coiled air products required for optimum system performance. From coiled air hoses to seals and screens, our coiled air products are designed and manufactured to meet or exceed the toughest industry standards.



Terminals and Connectors

Grote's extensive line of terminal and connector products are designed to ensure proper installation as well as peak electrical performance and power delivery for your system. We also have an extensive offering of kits – ideal for a fleet maintenance facility, garage repair and DIY'ers!



Wire and Cable

Grote carries one of the widest selections of wire and cable products in the industry. Our wire and cable is available in all common gauges and colours, and is 100% made in North America which ensures the highest level of quality, performance and reliability.



Trailer Connections

Power delivery is only as good as the connections made! Developed to meet the most rigorous demands, Grote's complete line of trailer connection products provide for a wide and varied requirement.



Support and Protective products

Protection of critical wire and power systems is essential to a vehicles running performance. Grote has an extensive line of cable and power delivery management products available.



Battery Connection Products

Proper connections to a vehicles power supply are vital for efficient, effective power delivery, and Grote Battery Connection products are designed and manufactured to ensure an ideal connection every time!



Kits and Tools

Whether the need is for a small retail pack for the weekend DIY'er or a large fleet maintenance facility, Grote has the right tools and a great selection of kits.



Switches and Electrical Assemblies

Grote offers a complete line of switches and electrical assembly products. Connect a vehicles power system with the right product for the application!

DEXTERITY



Nitrile coated palm, polyester back, knitted wrist
054500C7 - S
054500C8 - M
054500C9 - L
054500C10 - XL



Nitrile foam dipped, polyester liner, knitted wrist
051180C6 - XS
051180C7 - S
051180C8 - M
051180C9 - L
051180C10 - XL
051180C11 - XXL



Lightweight Polyurethane coated palm, polyester back, knitted wrist
051260C7 - S
051260C8 - M
051260C9 - L
051260C10 - XL



Nitrile coated Palm
Polyester back
751185/10 - 10 pack, L

DISPOSABLES



Nitrile disposable, 4 MIL, powder free, BLUE, 100/bx
792455S
792455M
792455L
792455XL

Nitrile disposable, 4 MIL, lightly powdered, BLUE, 100/bx

792455P-M
792455P-L
792455P-XL



Nitrile disposable, 6 MIL, powder free, BLACK, 100/bx
7924556M
7924556L
7924556XL



Nitrile disposable, 6 MIL, BLUE, diamond textured grip, powder free, 50/bx
792456DS
792456DM
792456DL
792456DXL
792456D2XL



Nitrile disposable, 7 MIL, ORANGE, diamond textured grip, powder free, 50/bx
792457DS
792457DM
792457DL
792457DXL
792457D2XL



Nitrile disposable, 8 MIL, BLACK, diamond textured grip, powder free, 50/bx
792458DS
792458DM
792458DL
792458DXL
792458D2XL



Latex disposable, 4 MIL, lightly powdered, 100/bx
7933444-L
7933444-M
7933444-S
7933444-XL

Latex disposable, 11 MIL, powder free, extended cuff, Blue, 50/bx
0933411-L
0933411-XL



MECHANICS



Black synthetic leather palm, nylon breathable back, PVC palm patches, Velcro, lightweight
78907TRM
78907TRL
78907TRXL



Black synthetic leather palm, HIVIS nylon back, anti-vibration palm, rubber padding at back of hand, velcro, heavyduty, silicone palm patches
78914TRM
78914TRL
78914TRXL



Black synthetic leather palm, black nylon back, anti-vibration palm, rubber padding at back of hand, velcro, heavyduty
78918TRM
78918TRL
78918TRXL

WINTER LINED



Durable cowhide leather, rubberized cuff, reflective knuckle, C100 Thinsulate lined, L
721601ORL - orange cotton
721601LGL - lime cotton



PVC Foam 3/4 dipped, nylon outer shell, knitted wrist, brushed acrylic lining
751145LXL
751145ML



Latex dipped palm, poly knit back, brushed fleece lining
750760S
750760M
750760L
750760XL



Textured PU palm, nylon spandex back, fleece lining, water proof barrier
78919TRM
78919TRL
78919TRXL

ROPE



Yellow jumbo polypropylene cardboard reel
A1PJ/014 - 1/4"x1300'
A1PJ/516 - 5/16"x975'
A1PJ/316 - 3/16"x2125'
A1PJ/038 - 3/8"x630'
A1PJ/012 - 1/2"x335'
A1PJ/058 - 5/8"x200'
A1PJ/034 - 3/4"x125'

Polypropylene rope is an economical lightweight rope used in many general applications. It is the only rope fiber that floats. It also resists oils, water, gasoline and other chemicals. Used in construction, household and commercial industries.

Please visit www.groupebbh.com for a complete listing of rope available through Bestbuy.

NEW

WorkTuff's ECONOMICAL Polyurethane coated cut resistant gloves are the lightest cut protection gloves in the industry. Ideal for working with sharp objects / cut glass / automotive assembly, etc. Highest level of cut protection at the lowest cost in the industry.



Polyurethane coated cut resistant glove, cut level 5, industrial yarn liner
051261XS
051261S
051261M
051261L
051261XL

Latex dipped gloves offer the BEST in gripping power and durability. These gloves offer the best in abrasion and puncture resistance. Ideal for the Toughest jobs where durability and grip are required. Used in many industries for many applications.



Heavy duty latex palm, poly knit back
758124BS
758124BM
758124BL
758124BXL

Horizon's line of Tig Welders gloves offer comfort, dexterity and durability. The soft grain leather is supple for comfort and dexterity. Kevlar stitched to prevent sparks from tearing the glove at the seams



Grain leather TIG welders glove, unlined, Kevlar stitched
063000S
063000M
063000L
063000XL

Horizon's line of general welding gloves offers durability and comfort. Hand lined for comfort and heat protection, Kevlar stitched to prevent sparks from tearing the glove at the seams, open cuff gusset to allow jacket sleeves not to interfere with welding as well as increase mobility of arm



Cowsplit leather welding glove, Kevlar stitched, open cuff, gusset, stiff pasted cuff, hand lined
063951LXL
063951SM

Horizon's 14" ECONO gauntlet style welding glove is completely lined for added heat protection.



Cowsplit welding glove, fully lined, econo, grey, 14" gauntlet
060W5F



BEST AUTO SERVICE PROVIDERS...

WANT to be cost effective
WANT a strong network behind them
WANT to build their businesses

Best Auto, a flexible marketing program that gives independent automotive service providers creative, cost saving business and marketing solutions.



Give your business the advantage of an affiliation with one of the most reputable distributor networks in Canada - without compromising your independence.

Contact your local Bestbuy member distributor to learn more.

www.bestbuydistributors.ca

HOME OF THE TRULY INDEPENDENT SHAREHOLDER



TELESCOPIC SNOWBROOMS



**PIVOT HEAD SPORT
TELEBROOM™**
583-EP
Extends from
34" to 52".



**PINK
TELESCOPIC
SNOWBROOM**
577-EPKC
Extends from
28" to 45".



**SPORT 8 UTILITY
BROOM™**
581-E
Extends from
30" to 48".



**TELE
SNOBROOM™**
511-E
Compact
telescopic snow
broom extends
from 23" to 36".

LONG REACH SNOWBRUSHES *ideal for clearing snow from all vehicles*



ULTRA MAXX®
999CT
35" long,
ergonomic



MEGA MAXX®
989-34
34" long, superior



MAXX® 35
889-35
35" extra long,
superior



**PINK SNOW
BRUSH**
886PKC
31" long

REGULAR REACH SNOWBRUSHES



COOL SNOW TOOL®
532
26" long, 5 row wide. Sweeps snow
and slush with little effort.



SLIMLINE 24
523
24" long. Ideal for clearing snow
from all vehicles.



VALUE REACH SWEEP™
203
25" long wooden snowbrush
provides efficient snow removal.

ICE SCRAPERS *Deluxe, 10" long. Ideal for removing ice and frost from all vehicles.*



PINK ICE SCRAPER
994PKC
Molded comfort grip affords
a more comfortable hold even
when wearing heavy gloves.



MAXX® XS
994
Molded comfort grip affords a
more comfortable hold even when
wearing heavy gloves.



BIG BLADE SCRAPER™
898
Durable scraper blade effectively
removes ice and heavy frost.

PROFESSIONAL AUTOMOTIVE SQUEEGEES



PROFESSIONAL AUTOMOTIVE SQUEEGEE 12-810NY

- Plastic side guards protect glass
- 10" wide rust resistant head with durable scrub netting
- Quality rubber squeegee blade



PROFESSIONAL SQUEEGEE HANDLES

- Threaded strong hardwood construction
- Fits all Hopkins professional automotive squeegee heads

111U - 20"

112U - 30"



PROFESSIONAL AUTOMOTIVE SQUEEGEE WITH HANDLE

- Plastic side guards protect glass
- 10" wide rust resistant head with durable scrub netting
- Quality rubber squeegee blade
- 20" long threaded strong handle

10NY-24A - hardwood handle

10NYRD-26A - plastic handle

HEAVY DUTY FLOOR SQUEEGEES

COMMERCIAL GRADE

Oil resistant rubber blades have a higher tolerance to oil and other chemicals resulting in a longer blade life.

GENERAL PURPOSE rubber blades work on all surfaces and with all fluids, perfect for the DIYer.

HEAVY DUTY FLOOR SQUEEGEES

- Thick, pliable, non-marking rubber blades
- Epoxy coated heavy duty steel frames resist rusting
- Heavy duty industrial zinc coated stamped steel sockets
- Available in 24", 30" & 36" sizes

Straight Blade



840-24/30/36
General Purpose



841-24/30/36
Oil Resistant

Curved Blade



843-24/30/36
General Purpose



844-24/30/36
Oil Resistant

FOAM

A foam blade is ideal for smooth surfaces such as decks, patios, driveways, sidewalks and ceramic floors.



FOAM FLOOR SQUEEGEE

845-24

24" wide dual foam blade is ideal for smooth surfaces.



HEAVY DUTY FOAM FLOOR SQUEEGEE

846-30

Heavy duty 30" wide dual foam blade.



HEAVY DUTY FLOOR SQUEEGEE HANDLE

116

54" strong hardwood handle.
Fits all Mallory brand Floor Squeegees.

HANDY-PAKS[®]


H. Paulin & Co., a division of The Hillman Group Canada ULC

HANDY PAK MERCHANDISERS



**MERCHANDISER
NO.022-065**

Part Number	Size
ISO Coarse Metric Cap Screws	
024-002	M4 X 16
024-013	M5 X 16
024-014	M5 X 20
024-015	M5 X 25
024-023	M6 X 12
024-024	M6 X 16
024-025	M6 X 20
024-026	M6 X 25
024-027	M6 X 30
024-030	M6 X 45
024-045	M8 X 12
024-046	M8 X 16
024-047	M8 X 20
024-048	M8 X 25
024-049	M8 X 30
024-051	M8 X 40
024-053	M8 X 50
024-055	M8 X 60
024-057	M8 X 70
024-062	M10 X 30
024-064	M10 X 40
024-066	M10 X 50
024-068	M10 X 60
024-070	M10 X 70
Metric Flat Washers	
024-304	4 mm
024-305	5 mm
024-306	6 mm
024-308	8 mm
024-310	10 mm
Coarse Hex Nuts	
024-204	M4
024-205	M5
024-206	M6
024-208	M8
024-210	M10
024-212	M12



**PLATED CAP SCREWS
and NUT MERCHANDISER
NO.022-064**

Part Number		Size
UNC	UNF	
Plated Grade 5 Cap Screws		
023-003	023-103	1/4 x 3/4
023-005	023-105	1/4 x 1
023-007	023-107	1/4 x 1 - 1/2
023-016	023-116	5/16 x 3/4
023-018	023-118	5/16 x 1
023-020	023-120	5/16 x 1 - 1/2
023-031	023-131	3/8 x 1
023-033	023-133	3/8 x 1 - 1/2
023-035	023-135	3/8 x 2
023-044	023-144	7/16 x 1 - 1/2
023-055	023-155	1/2 x 1 - 1/2
023-057	023-157	1/2 x 2
023-059	023-159	1/2 x 2 - 1/2
Hex Nuts		
023-201	023-221	1/4
023-202	023-222	5/16
023-203	023-223	3/8
023-204	023-224	7/16
023-205	023-225	1/2



**62 PIECE ULTIMATE BIT KIT
8020-930**

- All square recess bits are 2 piece S-2 steel construction and colour coded for easy selection
- Heavy duty compact case with rubber bumpers
- Magnetic quick change chuck has a high strength alnico magnet

Used by Professionals for over 60 Years



ALL WEATHER SEAL

9132-16

The Ultimate Fix for Head Gasket, Radiator and other Coolant System Leaks

- Easy to use – pour directly into the radiator
- Blends with coolant to permanently stop existing and future leaks
- Ideal for the most extreme weather conditions – Hot or Cold
- Lubricates Water Pump Seals

THE #1 SELLER IN ANY CLIMATE

CERAMIC MOTOR SEAL

9122-16

The Performance Enthusiast and Racer's Choice

- Permanently seals engine coolant system leaks
- Seals porous castings and improves heat dissipation for added power
- Seals head and intake gaskets, aluminum and cast iron, cylinder heads and blocks

Added to radiator ONLY AFTER removing antifreeze

THORO-FLUSH

9112-16

Industrial Strength Radiator, Engine and Fuel Tank Cleaner

- Loosens and removes rust, scales, grease, oil and sludge
- Cleans auto and heavy duty truck cooling systems

Most Powerful Flush Available

*Iron-tite Products – the Leader in
Sealers, Flushes, Casting Crack Repair
and Diesel Injection Repair Tooling
since 1950*



The MechanicNet Customer Retention Program is the #1 choice of automotive service professionals.

COMMUNICATIONS - MechanicNet makes it easy to stay in touch with your customers. From service reminders to thank you notes or customer satisfaction surveys, we can tailor a solution that meets your needs. Since we can send all communications by postcard or email, you can communicate with your customer based on their preference.

WEBSITES - The right website can really help build your business. Included in your MechanicNet service is an interactive customized website that provides real value to your customers - giving them a good reason to stay loyal to your business. And because you can add graphics, pictures and personalized text, you can be sure that your site will be as great as your shop.

- Your customers can view their service history on-line, request appointments or see when their next service is due - 24/7!

MYSHOP - Manage all of your MechanicNet CRS activity on-line.

MARKETING RESOURCE CENTER - MechanicNet's Marketing and Customer Support teams have the expertise to help you develop and execute timely and impactful promotions. Reporting tools are in place to tell you just how well CRS is working for you. In addition, our reports will help you identify new business opportunities.



ASK YOUR BESTBUY MEMBER DISTRIBUTOR FOR MORE INFO!



Quality Engine Oils & Fluids



Q.A.P. ATF DEX/MERC

ORDER CODES: **FX0000415** **QDEXRON-1** **12 per Case**

- Q.A.P. DEX/MERC ATF is a suitable replacement for Allison type C-4 Fluid
- Can also be used in Ford model C-6 automatic transmissions built on or after 1977
- Compatible with all Ford automatic transmissions built on or after 1980
- Can also be used in some power steering systems
- Can be used in hydro-static and power shift transmissions where this product is recommended



Q.A.P. DEXRON® VI ATF

ORDER CODES: **FX0001715** **QDEXRONVI-1** **12 per case**

- Q.A.P. DEXRON® VI ATF is a premium synthetic blend transmission fluid
- Provides unparalleled performance in automatic transmissions in vehicle manufactured by GM
- Enhanced resistance to oxidation, shear and viscosity stability
- Prevents the formation of deposits for up to twice the service life of previous generation DEXRON® IIIH
- Excellent fluidity at low temperature allowing better cold lubrication and faster flow rates
- Very good thermal stability, protects better and longer to reduce wear and extend the transmission life
- Very good anti-corrosive and anti-foam characteristic
- Q.A.P. is DEXRON® VI approved by General Motors and is backwards compatible



Q.A.P. MULTI VEHICLE ATF

ORDER CODES: **FX0001815** **QDEXRONMULTI-1** **12 per Case**

- Q.A.P. MULTI-VEHICLE ATF is a premium synthetic blend transmission fluid
- Designed to provide unparalleled severe duty operating performance in automatic transmissions
- Enhanced resistance to oxidation and prevents the formation of gum or varnish in the transmission
- Offers excellent fluidity at low temperature allowing better cold lubrication and faster flow rates
- Very good thermal stability, protects better and longer to reduce wear and extend the transmission life
- It has a very good anti-corrosive and anti-foam characteristic
- Mercon® V approved, suitable for use in transmissions requiring ATF +4, ATF +3, Voith, ZF, and where Dexron III-H, III-G, & II are required
- May also be used as a hydraulic or power steering fluid where permitted by the manufacturer
- Not recommended for applications requiring Type F or DEXRON® VI.



Quality Engine Oils & Fluids



Q.A.P PREMIUM MOTOR OILS

ORDER CODES:	5W20	FX0002215	Q5W20-1	12 per Case
	5W30	FX0002015	Q5W30-1	12 per Case
	5W30	FX0002030	Q5W30-5	4 per Case
	10W30	FX0002115	Q10W30-1	12 per Case
	10W30	FX0002130	Q10W30-5	4 per Case

- Q.A.P engine oils are designed for use in today's demanding gasoline engines
- Exceed the requirements of the American Petroleum Institute's performance level
- Exceed current warranty requirements of domestic and foreign automobile manufacturers for an API SN or ILSAC GF-5 product
- Suitable for even the severe service typical of city delivery, taxi and police cars
- Tough enough to withstand the most severe driving conditions
- Lighter grades provide full fuel economy benefits as indicated by their Resource-Conserving rating

Q.A.P PREMIUM SYNTHETIC MOTOR OILS

ORDER CODES:	0W20	FX0002406	QSYN0W20-1X6	6 per Case
	10W30	FX0002506	QSYN10W30-1X6	6 per Case
	10W30	FX0002515	QSYN10W30-1	12 per Case
	5W20	FX0002306	QSYN5W20-1X6	6 per Case
	5W30	FX0002606	QSYN5W30-1X6	6 per Case
	5W30	FX0002615	QSYN5W30-1	12 per Case
	DEXOS 5W30	FX0002806	QSYNDEXOS-1X6	6 per Case
	European 5W40	FX0001606	QSYN5W40-1X6	6 per Case



- Q.A.P FULL SYNTHETIC 5W-30 gasoline engine oil is now dexos1 approved.
- Scientifically formulated for and licensed by General Motors
- They exceed the requirements of the American Petroleum Institute's (API)
- Q.A.P SYNTHETIC engine oils are suitable for even severe service
- High quality synthetic base stock coupled with leading edge additive technology
- Older and newer engines alike will benefit from the enhanced performance
- Engine cleanliness is maintained through a unique blend of detergents
- Q.A.P SYNTHETIC PCMO 5W20, 5W30 and 10W30 are qualified for warranty service
- Q.A.P SYNTHETIC provides proven fuel economy benefits
- Q.A.P SYNTHETIC 5W-40 is specifically formulated to meet the most stringent requirements of European manufacturers, including Volkswagen, Audi, Mercedes, BMW, and Porsche as well as European industry specifications (ACEA)
- The 5W-40 is dual purposed for both gasoline and diesel engines
- Q.A.P SYNTHETIC is compatible with multi-grade and synthetic engine oils





Quality Engine Oils & Fluids

Q.A.P CJ-4 PREMIUM DIESEL OIL

ORDER CODES:	FX0001415	Q15W40CJ4-1	12 per Case
	FX0001426	Q15W40CJ4-4	4 per Case
	FX0001440	Q15W40CJ4-19	18.9 L Pail



- Q.A.P CJ-4 PREMIUM DIESEL OIL is low ash multi-grade engine oil
- Formulated to exceed requirements of 2007 EPA compliant engines equipped with Diesel Particulate Filters (DPF) with or without catalysts and Exhaust Gas Recirculation (EGR) technology
- Multi-purpose crankcase oil exceeds API CJ-4 requirements and is backwards compatible
- Ideal for large, small and mixed fleets where multiple service categories may be recommended
- Engineered to optimize service drain intervals by
- Advanced technology to control soot, oxidation, and wear corrosion
- Higher viscosity reduces oil flow and increases pressure on the lubrication system, critical engine components stay protected
- Enhanced film strength coats internal components and protects from acid, a side effect of combustion
- Exceeds requirements for all major diesel engine manufacturers for both on and off-road applications
- Legacy engines, Caterpillar, Cummins, Mack, Volvo, Detroit Diesel, Mercedes-Benz, and International

Q.A.P GEAR OILS

ORDER CODES:	FX0000715	Q80W90-1	12 per Case
---------------------	------------------	-----------------	--------------------



- Q.A.P GEAR OILS extreme pressure (EP) automotive gear lubricants made from high viscosity base oils
- Special additives make them effective at providing high load-carrying protection
- Outstanding rust, corrosion and foam prevention
- Excellent oxidation control and thermal stability prevents the formation of sludge and deposits
- High level of protection in extreme wet and dirty environments
- For applications such as automotive, heavy duty, construction, forestry, agricultural, transmissions, drive trains and stationary equipment
- Recommended for all automotive differentials, as well as transmissions where the manufacturer specifies the use of oils that meet the performance requirements of API* MT-1
- Excellent low-temperature characteristics make them suitable for enclosed gear sets in outdoor applications
- Their high film strength gives low wear rates even in slow-speed, heavily-loaded gear sets



Q.A.P DEF (Diesel Exhaust Fluid)

ORDER CODES: FX0002910
FX0002950

Q.A.P DEF Bottle in a Box
Q.A.P DEF Drum

Single Carton
208L Drum

- Q.A.P DEF is a 32.5% aqueous Urea Solution, AUS 32
- Specifications of DIN 70070:2005 and ISO 22241 1:2006 for NOx abatement technologies
- Q.A.P DEF is certified as a Diesel Exhaust Fluid by the American Petroleum Institute
- Q.A.P DEF transforms harmful nitrogen oxide emissions from diesel powered vehicles into harmless water vapor and nitrogen
- Q.A.P DEF is contained in a separate tank and sprayed from the SCR into the exhaust gases



Q.A.P HD MULTI PURPOSE GREASE

ORDER CODES: FXG0000111 Q.A.P HD Multi Purpose 14oz 30 tubes per Case

- Q.A.P HEAVY DUTY MULTI-PURPOSE GREASE is capable high performance grease for all chassis, wheel bearing, pin & bushing, ball and universal joints
- Ideal solution to reduce the need for multiple products and reduce the risk of misapplication
- Lithium complex thickener combined with high quality base oils and additive package
- Q.A.P HD MULTI-PURPOSE GREASE has excellent mechanical stability
- It has good resistance to water
- The grease is able to give top-level protection from extreme pressure (EP) load wear
- High dropping point and excellent resistance to oxidation
- Q.A.P HD MULTI-PURPOSE GREASE meets the NLGI (National Lubricating Grease Institute) GC/LB rating
- Q.A.P HD MULTI-PURPOSE GREASE is available in a standard NLGI #2 for ease of application



Q.A.P MULTI PURPOSE GREASE

ORDER CODES: FXG0000211 Q.A.P Multi Purpose 14oz 30 tubes per Case

- Q.A.P MULTI-PURPOSE LITHIUM GREASE is capable high quality multipurpose grease for use in automotive chassis, universal joints, water pumps, roller, plain and AF bearings
- Excellent shear stability over a broad temperature range
- Q.A.P MULTI-PURPOSE LITHIUM GREASE has excellent shear stability over a broad operating temperature range
- Contains extreme pressure (EP) additives to provide superior load carrying capabilities
- Strong resistance to spin off and water resistance means it maintains protection
- Q.A.P MULTI-PURPOSE LITHIUM GREASE meets NLGI LB
- Q.A.P MULTI-PURPOSE LITHIUM GREASE is available in a standard NLGI (National Lubricating Grease Institute) #2 for ease of application by hand, pressure gun, or from a centralized greasing system



"Give some bite to your engine!"

COBRA
Performance Quality Oil



COBRA ATF


ORDER CODES: FBB0008840 COBRA ATF

18.9L Pail

COBRA GEAR OIL

ORDER CODES: FBB0001645 COBRA GEAR OIL 80W90
FBB0009840 COBRA GEAR OIL 80W90

60L Keg
18.9L Pail



COBRA HYDRAULIC OILS

ORDER CODES: FBB0009440 COBRA HYDRAULIC 22 18.9L Pail
FBB0011740 COBRA Advantage HYDRAULIC 32 18.9L Pail
FBB0011840 COBRA Advantage HYDRAULIC 46 18.9L Pail
FBB0011940 COBRA Advantage HYDRAULIC 68 18.9L Pail
FBB0010040 COBRA HYDRAULIC MULTI 18.9L Pail



COBRA UNISOLV

ORDER CODES: FBB0009140 COBRA UNISOLV

18.9L Pail

COBRA UTF

ORDER CODES: FBB0008440 COBRA UTF

18.9L Pail

OIL EATER® Cleaners Degreasers

Now available at both DC's!!!

Hungry to Clean and Seriously Green

Part Number Line Code IRQ Description

354370	Cleaner/Degreaser, (4 x 1 gallon)
353625	Cleaner/Degreaser, (12 x 32 oz) trigger
354387	Cleaner/Degreaser, (5 gallon) pail
110978	Orange/Cleaner/Degreaser, (6 x 64 oz)
119023	Orange/Cleaner Degreaser, (6 x 32oz) trigger

Approved for use in food processing facilities
(A1, A4 & A8).



Household

- Laundry Pre-Wash
- Scuff Marks
- Fiberglass
- BBQ Grills
- Stoves
- Counter Tops
- No Wax Floors
- Tub, Tile Grout

Commercial & Restaurant

- Exhaust Filters
- Exhaust Hoods
- Commercial Stoves
- Upholstery
- Wax Remover
- Counter Tops
- Carpets
- No Wax Floors

Automotive

- Driveways
- Engines & Parts
- White Wall Tires
- Car Wash

Industry & Warehouse

- Machinery
- Oil Tanks
- Pressure Washers

Hungry to Clean! Seriously Green!

Our SAFE water-based formulas dissolve grease & grime from almost any surface. Use Oil Eater® on shop floors, driveways, equipment and much more. Since they are "Ultra" concentrates they are perfect for light, medium or heavy cleaning. Just add water to meet your cleaning needs. Clean both indoors and outdoors without that "chemical" smell. Better yet, our proprietary anti-corrosion chemistry means you don't need to worry about damaging surfaces.

These products are so safe that they can be used on carpets and clothes yet are so effective they are used by industry throughout the world.

IRWIN TOOLS IN THE WAREHOUSE

Vise-Grip®

Locking Tools

No. Description



Fast Release™ Curved Jaw Locking Pliers

- 11T 10" Fast Release Curved Jaw Locking Plier
 13T 7" Fast Release Curved Jaw Locking Plier
 4935581 5" Fast Release Curved Jaw Locking Plier



Curved Jaw Locking Pliers

- 4935576 10" Curved Jaw Locking Plier
 4935578 7" Curved Jaw Locking Plier
 4935579 5" Curved Jaw Locking Plier
 502L3 10" Curved Jaw Locking Plier



Fast Release™ Straight Jaw Locking Pliers

- 1T 10" Fast Release Straight Jaw Locking Plier
 3T 7" Fast Release Straight Jaw Locking Plier



Straight Jaw Locking Pliers

- 102L3 10" Straight Jaw Locking Plier
 0302L3 7" Straight Jaw Locking Plier

Vise-Grip®


Locking Tools (Cont'd)

No. Description



Fast Release™ Curved Jaw Locking Pliers with Wire Cutters

- 5T 10" Fast Release Curved Jaw Locking Plier with wire cutter
 7T 7" Fast Release Curved Jaw Locking Plier with wire cutter
 9T 5" Fast Release Curved Jaw Locking Plier



Curved Jaw Locking Pliers with Wire Cutter

- 0502L3 10" Curved Jaw Locking Pliers with wire cutter
 0702L3 7" Curved Jaw Locking Pliers with wire cutter
 0902L3 5" Locking Pliers with wire cutter
 1002L3 4" Curved Jaw Locking Plier with wire cutter



Fast Release™ Long Nose Locking Pliers

- 14T 6" Fast Release Long Nose Locking Plier
 15T 9" Fast Release Long Nose Locking Plier



Long Nose Locking Pliers

- 1402L3 6" Long Nose Locking Plier
 1502L3 9" Long Nose Locking Plier
 1602L3 4" Long Nose Locking Plier

Vise-Grip®

Locking Tools (Cont'd)

No. Description



Fast Release™ Locking C-Clamps with Regular Tips

- 17T 6" Fast Release Locking C-Clamp
 19T 11" Fast Release Locking C-Clamp



Locking C-Clamps with Regular Tips

- 17 6" Locking C-Clamp with regular tips
 19 11" Locking C-Clamp with regular tips
 21 18" Locking C-Clamp with regular tips




Locking C-Clamps with Swivel Pads

- 18 6" Locking C-Clamp with swivel pads
 20 11" Locking C-Clamp with swivel pads
 22 18" Locking C-Clamps with swivel pads
 28 24" Locking C-Clamp with swivel pads
 31 9" Locking C-Clamp with swivel pads

**For Complete Category
 Availability Consult the
 IRWIN® Tools Catalog**


Vise-Grip® Locking Tools (Cont'd)

No. Description



Locking Wrenches

02 10" Locking Wrench (10LW)
04 7" Locking Wrench (7LW)
08 4" Locking Wrench (4LW)



Specialty Tools

12L3 12" Large Jaw Locking Plier
23 8" Locking Sheet Metal Tool
27ZR 9" Locking Chain Clamp Plier
29 7" Locking Pinch-off Tool
40EXT Chain Extension for 20R
40REP 18" Replacement Chain for 20R



Locking Tool Sets

37 2 Piece Locking Pliers Set
74 5 Piece Original Locking Pliers
76KBT 3 Piece Fast Release
Locking Plier Set
248 3 Piece Locking Wrench Set
and Clamps T-Shirt Set
538KBT 5 Piece Fast Release Locking
Plier Set
2077703 4 Piece Locking
Plier Value Set
4935580 3 Piece Original
Locking Plier Set

**For Complete Category Availability
Consult the IRWIN® Tools Catalog**

Vise-Grip® Tools (Cont'd)

No. Description



Replacement Springs

40-08 Replacement Spring
40-92 Replacement Spring



GrooveLock Pliers

No. Description
2078112 12" V Jaw GrooveLock Pliers
2078120 20" V Jaw GrooveLock Pliers
4935351 6" V Jaw GrooveLock Pliers
1775418 4 Piece GrooveLock Plier Set
2078108 8" V Jaw GrooveLock Pliers
2078110 10" V Jaw GrooveLock Pliers
2078711 3 Piece GrooveLock Plier Set
2078116 16" V Jaw GrooveLock Plier
2078712 8 Piece GrooveLock Plier Set



Pipe Wrenches

No. Description
274103 18" Cast Iron Pipe Wrench
274104 24" Cast Iron Pipe Wrench
2074110 10" Cast Iron Pipe Wrench
274001SM 11" Quick Adjusting Wrench



Adjustable Wrench

No. Description
2078615 15" Standard Adjustable Wrench

Pliers

No. Description



Lineman's Pliers

2078209 North American Lineman's Plier



Long Nose Locking Pliers

2078216 6" Long Nose Pliers
2078218 8" Long Nose Plier

Vise-Grip® Tools (Cont'd)

No. Description



Long Bent Nose Pliers

2078226 6" Long Bent Nose Pliers
2078228 8" Long Bent Nose Pliers



Groove Joint V-Jaw Pliers

2078510 10" Groove Joint V-Jaw Pliers
2078512 12" Groove Joint V-Jaw Pliers



Diagonal Cutting Pliers

2078307 7" Diagonal Cutting Pliers
2078308 8" Diagonal Cutting Plier



Miscellaneous Pliers

2078309 8" Multi-Tool
2078300 8" Self Adjusting Wire Strippers



Plier Set

2078714 8 Piece Mini Pliers Set

IRWIN®



Utility Knives & Blades

No. Description
2084100 Retractable Utility Knife
Bi-Metal 5-Pack
Utility Blades
2082200 ProTouch™ Retractable
Utility Knife
2082300 Hi-Vis Retractable
Utility Knife

LENOX VARI-BIT® STEP DRILL BITS

PART#	IN	HOLE SIZES			SHANK SIZE	
		MM	# of Hole Sizes		IN	MM
30912VB12	7/8, 1-1/8, 1-7/32, 1-1/4, 1-3/8	22.2, 28.6, 31.0, 31.8, 34.9	5		3/8	9.5
30882VB2	1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1	12.7, 14.3, 15.9, 17.5, 19.1, 20.6, 22.2, 23.8, 25.4	9		3/8	9.5
30888VB11	7/8, 1-1/8 (for 1/2 and 3/4 conduit)	22.2, 28.6 (for 12.7 and 19.1 conduit)	2		3/8	9.5
30908VB8	3/16, 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8	4.8, 6.4, 7.9, 9.5, 11.1, 12.7, 14.3, 15.9, 17.5, 19.1, 20.6, 22.2	12		3/8	9.5
30883VB3	1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4	6.4, 7.9, 9.5, 11.1, 12.7, 14.3, 15.9, 17.5, 19.1	9		3/8	9.5



30912VB12



30882VB2



30888VB11



30908VB8



30883VB3

LENOX HOLE SAW KITS & ACCESSORIES



LENOX Contractor's BIG DADDY™
SPEED SLOT® Hole Saw Kit, 26 Piece
308042000G



LENOX Electrician's SPEED SLOT®
Hole Saw Kit, 17 Piece
308021200L



LENOX Standard Hole Saw Arbors
1779801
2L T2 3.25 drill

LENOX RECIPROCATING SAW BLADES



LENOX Wood Bi-Metal
Reciprocating Saw Blades
20582956R - 5/pk
20558B956R - 25/pk
20585156R - 5/pk
227520SB956R - 50/pk

LENOX General Purpose Bi-Metal
Reciprocating Saw Blades
Long Lasting, Fast Cutting and Versatile
20580810R - 5/pk
227580SB110R - 50/pk



LENOX Metal Cutting
Reciprocating Saw Blades
20487B818R - 25/pk
227510SB618R - 50/pk
20566618R - 5/pk
20529B618R - 25/pk
20578818R - 5/pk
227540SB818R - 50/pk



1



2



3



4



5



6



7



8

1. J-B Weld – Mfr Part # 8265-SF

- An alternative to welding, soldering, and brazing.
- Will bond to most clean and dry surfaces and sets in 1-2 hours and will fully cure in 16-24 hours.
- Waterproof, petroleum, chemical, and acid resistant when fully cured.
- It can be drilled, tapped, machined, filed, sanded, and painted.
- Super strong, non-toxic, and temperature resistant up to 600°F.

2. J-B KwikWeld – Mfr Part # 8276F

- J-B KwikWeld is a fast set - cure version of J-B Weld that will set in 4 minutes and fully cure in 4-6 hours.
- Waterproof, petroleum, chemical, and acid resistant once fully cured.
- Non-toxic and is temperature resistant up to 300°F.
- Can be used on almost any surface - bronze, porcelain, ceramic, wood, marble, concrete, fiberglass, steel, iron, copper, aluminum, ABS & PVC plastics.
- When fully cured J-B Kwik can be drilled, tapped, machined, filed, sanded and painted.

3. J-B SteelStik – Mfr Part # 8267-SF

- Steel Reinforced Epoxy Putty Stick.
- Hand kneadable epoxy adhesive will plug holes and make permanent repairs on wet and dry surfaces.
- Cures completely submerged in gasoline or under water in 60 minutes.
- Can be drilled, sanded, filed, tapped, machined and painted.
- Bonds to virtually any surface including metal, wood and plastic.

4. J-B WaterWeld – Mfr Part # 8277F

- Make permanent repairs in moist or under water applications.
- Will fully cure in 60 minutes and will adhere to most any surface.
- Once cured it can be drilled, sanded, filed, tapped, machined and painted.
- Turns do-it-yourselfers into repair professionals.

5. J-B MarineWeld – Mfr Part # 50172F

- Specially formulated marine, 2-part epoxy adhesive.
- Sets in 20 minutes. Fully cured in 15-24 hours. Dries White.
- Great For: boats, personal watercraft, in/outboard engines and deck & hull accessories.
- Resealable caps - no leaks, will not dry out. No additional tools needed.
- Greater value. More than one use.

6. J-B ClearWeld – Mfr Part # 50112F

- Quick setting multi-purpose epoxy.
- Sets in 5 minutes, cures in 1 hour.
- Bonds: tile, ceramic, glass, wood and most plastics.
- Dries Clear.
- Features a no waste, no mess cap.

7. J-B Plastic Bonder – Mfr Part # 50133F

- High strength structural adhesive. Sets in 15 minutes, can be sanded in 30 minutes. Dries Tan.
- OEM automotive & HD truck approved panel adhesive.
- Great for filling dents, replacement bonding of plastics and general repairs.
- Works on thermoset & carbon fiber composites, thermoplastics, coated metals and concrete.
- Features a no waste, no mess cap.

8. J-B KwikWeld – Mfr Part # 50176F

- J-B KwikWeld is a fast set - cure version of J-B Weld that will set in 4 minutes and fully cure in 4-6 hours.
- Waterproof, petroleum, chemical, and acid resistant once fully cured.
- Non-toxic and is temperature resistant up to 300°F.
- Can be used on almost any surface - bronze, porcelain, ceramic, wood, marble, concrete, fiberglass, steel, iron, copper, aluminum, ABS & PVC plastics.
- When fully cured J-B Kwik can be drilled, tapped, machined, filed, sanded and painted.

WASHROOM & SOAPS



SCOTT® CENTER FLOW
HAND TOWELS
01010



SCOTT® SINGLEFOLD-
TOWELS
01700



SURPASS® SIGNAL
FACIAL TISSUE
03131



SCOTT® MULTI-
FOLD TOWELS
03650



KLEENEX® SLIMFOLD™
MULTI-FOLD TOWELS
04442



SCOTT® JRT JR®
JUMBO BATH TISSUE
03148



KLEENEX® COTTONELLE®
BATH TISSUE
13135



KLEENEX® FACIAL
TISSUE
21400



SCOTT® SLIMROLL™
HARD ROLL TOWELS
12388



SCOTT® HARD
ROLL TOWELS
28640

SCOTT® JRT CORELESS
JR. BATHROOM TISSUE
07006



Scott
Glass Towels
32896



KLEENEX® ANTIBACTERIAL
FOAM SKIN CLEANSER
91554



KLEENEX® MOISTURIZING
INSTANT HAND SANITIZER
93056



SCOTT® SUPER
DUTY CLEANSER
40551



SCOTT® PERFORATED
ROLLTOWEL
41482



SCOTT® STANDARD
ROLL BATHROOM
TISSUE
48040



KLEENEX® HARD
ROLL TOWELS
50500



WYPALL® MICROBAN®
MICROFIBER CLOTHS
83620



KLEENEX® GREEN
CERTIFIED FOAM
SKIN CLEANSER
91565



SCOTT®
ANTIBACTERIAL
CLEANER
92517

WIPERS & GLOVES



TRADITION* HARD
ROLL TOWELS
02021



KREW* 400
SHOP TOWELS
33046



KREW* 200
WIPERS
33845



KREW* 300 LIGHT
DUTY WIPERS
33920



KREW* 500
SHOP TOWELS
33933



KREW* 600 HEAVY
DUTY SHOP TOWELS
33944



WYPALL* TERI* X60
REINFORCED WIPERS
34015



WYPALL* SHOPPRO*
X80 SHOP TOWELS
41041



WYPALL* X70 WIPERS
41455



WYPALL* L20 WIPERS
47044



WYPALL* KIMTOWELS*
L10 WIPERS
47000



WYPALL*
WATERLESS
HAND WIPES
58310



WYPALL* X70
WIPERS IN A
BUCKET
83561



SCOTT® SHOP
TOWELS
75090
85 CT Box



SCOTT® LIGHT-DUTY
RAGS IN A BOX
41370



SCOTT® SHOP
TOWELS
75120 55 CT Roll



SCOTT® PRO
SHOP TOWEL
36699



KLEENGUARD* G40
POLYURETHANE COATED
GLOVES
13839



KLEENGUARD* BULK GRIP
GLOVES
40227 Size 9



KLEENGUARD* G10
ARCTIC BLUE NITRILE
GLOVES
90097 - M
90098 - L



KLEENGUARD G10 BLUE NITRILE
POWDER-FREE GLOVES
57372 - M
57373 - L
57374 - XL

BEAR HANDS

by/par **kleen-flo**



It's like working
in your Bear Hands.

Use the glove
the surgeons use.



Textured Fingers and Palms for 
increased feel and gripping capability.



.....  Extra strong to resist Punctures and Tears.

 Beaded Cuff and ambidextrous.

**6mil
Nitrile**
Powder-Free

Extra Tough, Thick Black Nitrile Glove
Non-Sterile



Stock #1 - Medium



Stock #2 - Large



Stock #3 - X-Large



BRAKE & PARTS KLEEN

313

Removes brake fluid, oil, grease, transmission fluid and other contaminants.

Low odour!



GAS LINE ANTI-FREEZE

409 - 150ml

Prevents frozen gas lines during winter and vapour lock during summer. Specially designed for fuel injected engines.



BRAKE FLUID

For drum, disc, ABS braking systems and clutch systems requiring a Department of Transportation 3 type fluid (DOT 3).
Conforms to CMVSS 116 and DMVSS 116.

525 - 350ml

527 - 500ml



DIESEL FUEL CONDITIONER

963

Low Sulphur

Helps restore lost lubrication from the use of low sulphur diesel fuels. Prevents freezing and icing of fuel lines and filters. Methyl hydrate free. Reduces and maintains low exhaust emissions.



DIESEL FUEL CONDITIONER

993

Eliminates varnish and sludge. Reduces corrosion. Prevents stalling and frozen fuel lines. Retards wax formation. Contains anti-gel properties.



**HEAVY DUTY OIL
STABILIZER**
20001



**HYDRAULIC BOOSTER
AND STOP LEAK**
20019



TRANSMISSION FIX
20009



**POWER STEERING
STOP LEAK**
20008



**UNIVERSAL
HYDRAULIC FLUID**
20017



**75W90 SYN
GEAR OIL**
20047



85W140 GEAR OIL
20042



80W90 GEAR OIL
20043



**75W140 SYN
GEAR OIL**
20121



FUEL TREATMENT
20020



OCTANE BOOSTER
20026



SYN HD OIL
STABILISER
20130



DEEP CLEAN FUEL
SYSTEM CLEANER
20512



ENGINE OIL
STOP LEAK
20278



FUEL STABILISER
20314



SEMI SYN
MULTI VEHICLE
TRANSMISSION FLUID
20418



ATF CONDITIONER
20441



POWER STEERING
FLUIDS WITH
CONDITIONERS
20442



LAND AND SEA SEMI
SYN 2 CYCLE OIL
20467



SYNTHETIC 2 CYCLE
SNOWMOBILE OIL
20847



SEMI SYN 2
CYCLE OIL
20110



ETHANOL
SAFEGUARD FUEL
TREATMENT
20576



SUPER COOLANT
20640



X TRA HD
GREASE TUB
20330



RED 'N' TACKY GREASE
20005



DIESEL DEEP CLEAN
20872



DIESEL ANTI GEL
10865



POWER STEERING
FLUID
20823



DOT 3 BRAKE FLUID
20826



SYNTHETIC FORK OIL
20771



20W50 SAE MC OIL
20700



75W140 V TWIN
GEAR OIL
20791



PRIMARY
CHAINCASE OIL
20790



SLICK MIST DETAIL KIT
20558



INTERIOR DETAILER
20514

TIRE N TRIM DETAILER
20513

SLICK MIST
20160

PROFESSIONAL CLEANING PRODUCTS



BW-D41100-BL
40 Qt Bucket Wringer – Blue



HW-7001F
Step-N-Go Mop Handle 54"
HW-7000F – 60"



DM-STH524
Static-H Dust Mop 24"



SP-E747
Cellulose Sponge-Scrubber



QM-7580
Q-Star Glass Cloth



BA-3220
Vortex Angle Broom



BV-421
Bi-Level Acid Resistant Brush
Grey/White Fiber



BV-300F – 10" Car/Truck
Window Brush – Plastic Block
– Green Flagged Fill



BC-110
Heavy Duty Corn Broom – stiff
BC-108
Heavy Duty Corn Boom – medium



BT-112
Upright with Chisel



DP-L800
Galaxy Lobby Dust Pan



LS-1171
Litter Scoop



WF-7003
Floor Sign "Caution Wet Floor" –
English/French



WS-CS1020
10" Car squeegee with 20"
Handle




TS-BT289-12
24 oz Round Bottle with
TS5911R
Trigger Sprayer 1.5cc / 24 oz



BW-1038
Wire Scratch Brush short handle
#BW-1037 Long handle

PROFESSIONAL CLEANING PRODUCTS



FS-MH30-RD
MOSS Heavy Duty,
Oil Resistant Floor Squeegee with
Natural Rubber – 30"/75cm – Red



FS-MH30
Floor Squeegee Heavy Duty Moss–
30"/76cm
Use FH-W360-1T handle



FS-M22
Floor Squeegee Moss-22"/55cm
Use FH-W360-1T handle



FS-S518
18"/45 cm Straight Floor
Squeegee



PB-T18 – 18" / 45 cm Tampico
Fiber
Tampico All Purpose Pushbroom
Medium Sweep



PB-G18 – 18" / 45 cm
Garage Concrete –
Medium to Heavy Duty Sweep



PB-BT18 – 18" / 45 cm Blue
Flagged Tip Fiber – Fine Sweep



PB-ST14 – Street / Barn Broom –
Extra Course
14" / 35 cm PolyPro, head only



PB-700-GB18
Ryno Push Broom 18"/45cm
Medium Sweep Brace & handle
PB-700-GB24 24"/60cm




PB-800-RB18
Ryno Push Broom 18" Stiff Sweep
with Brace & handle
PB-800-RB24 -24"/60cm



BD-1110
Scrub Brush 10"/25 cm



BV-420
Bi-Level Truck Brush – Soft 10"
Green Flagged Fill – Soft Surfaces



FS-C736
Floor Squeegee- Curved-36"/91cm
Use FH-W360-118T



MW-RF2090
Rough surface mop medium



BM-4200
Venus Upright Broom
48" handle



BA-3000
Hercules Large angle broom
48" handle

PNEUMATIC HOSE REEL



1/2" Hose Reel 33'-1/2" FNPT I/Mo 2780-33

- Spring loaded, self retracting hose reels offer a perfect solution to keep hose off the shop floor.
- Includes solid 12 gauge mounting plate to mount to benches, walls or pressure washer frames.

VALVE EXTRACTOR

All in one Valve Extractor S-443

An all in one Valve Extractor Tool to remove, inflate & install valves.



BLO-GUNS

Turbo Blo Gun with Adjustable Nozzle S-181

- Turbo series blo gun with 3/8" NPT. Aluminum body is lightweight and durable
- Maximum flow delivers 42 SCFM at 125 PSI
- Maximum working pressure of 230PSI



Turbo Blo-Gun with Adjustable Nozzle and 10" Extension S-182

- Turbo series blo gun with 3/8" NPT and 10" extension. Aluminum body is lightweight and durable
- Maximum flow delivers 40 SCFM at 125 PSI
- Maximum working pressure of 230PSI



Turbo Blo Gun Nozzle Kit – 3 piece S-183

- The three piece nozzle kit is perfect for adding versatility to Milton Turbo Blo guns
- Simply thread nozzle onto the end of the S-181 or S-182 Turbo Blo Gun



Turbo Blo-Gun Engine Cleaner S-184

- A fast and easy way to clean dirt, grime and grease.
- An essential tool for truck drivers, shops, garages and farmers

MILTON RED AIR HOSE PU HYBRID



PART#	LENGTH	THREAD
MA14500R	1/4" x 50'	1/4"NPT
MA141000R	1/4" x 100'	1/4"NPT
MA38250R	3/8" x 25'	1/4"NPT
MA38350R	3/8" x 35'	1/4"NPT
MA38500R	3/8" x 50'	1/4"NPT
MA381000R	3/8" x 100'	1/4"NPT
MA12500R	1/2" x 50'	1/4"NPT

MILTON
Red Hose

All Milton Red Air Hose PU Hybrid; Assembled with Fittings

RUST'S WORST ENEMY

POWERFUL RUST & CORROSION PROTECTION
EXCELLENT VEHICLE UNDERCOATING
SUPERIOR LUBRICANT • LONG-TERM PENETRANT

FLUID FILM®



"WOOL WAX FORMULA"

ENVIRONMENTALLY FRIENDLIER
SOLVENT FREE • NON-TOXIC

AUTO • TRUCK • FARM • HOME • MARINE • FORESTRY • MINING
INDUSTRIAL • TOOLS • BUSES • RVs • TRAILERS • ATVs • AIRCRAFT
MILITARY • SALT TRUCKS • BATTERY TERMINALS • ELECTRICAL
THE MOST UNIVERSAL PRODUCT YOU WILL EVER USE!!

- NOT WATER SOLUBLE
- REPELS & RESISTS WATER WASHOUT
- WILL NOT DRY OUT OR EVAPORATE
- APPLY OVER DRY OR DAMP SURFACES
- REDUCES STRESS CORROSION

- PREVENTS ICE & SNOW FROM BUILDING UP ON MOVING PARTS
- WORKS IN SUB-ZERO WEATHER -46°C (-50°F) TO 177°C (350°F)
- NON-CONDUCTOR OF ELECTRICITY
- WILL NOT CAUSE STATIC ELECTRICITY
- SOLVENT, TEFLON & SILICONE FREE

NATURE GIVEN MATERIAL

FLUID FILM UTILIZES THE UNIQUE MOLECULAR ACTION DERIVED FROM WOOL-WAX, A NATURE GIVEN MATERIAL (Lanolin) & other corrosion inhibiting ingredients. One of the best lubricants & corrosion control agents found in nature today. In use for over 60 years in the Highly Corrosive Marine Environments of ships & off-shore drilling rigs.

PROVIDES LONG-TERM PROTECTION FOR ALL YOUR TOOLS & EQUIPMENT **PROTECTIVE PROPERTIES START WORKING IMMEDIATELY**

FLUID FILM - developed & perfected as an unparalleled Rust & Corrosion Control System. Non-drying properties for Superior Lubrication & is a Long Term Penetrant. Once in place, stays put, forming a continuous, durable, ALWAYS ACTIVE protective barrier. Will not harm painted or plastic surfaces. Will not harm oil resistant seals. Take care when applying near rubber. If overspray occurs on seals, wipe with a clean cloth as it may cause swelling. Repels & resists water washout. Excellent waterproofing with "NO DRIP" bonding properties. FLUID FILM penetrates right through rust, stopping all metal deterioration on contact. Migrates to inaccessible areas by capillary action. Impregnates the pores of exposed metal, keeping moisture & oxygen out.

TERMINATES BOTH NATURAL & INDUSTRIAL ATMOSPHERIC CORROSION

Eliminates the destructive corrosive effects of harsh chemicals such as salt, calcium, sodium chloride, fertilizers, herbicides & pesticides & many more. FLUID FILM prevents steel from rusting; aluminum, magnesium, copper, tin, brass & zinc from oxidizing; chrome & bronze from pitting. Certified Salt Spray Test - 1800 Hrs. U.S. Navy & 10 NSN (Military Numbers).

VEHICLE UNDERCOATING APPLICATION INSTRUCTIONS

SHAKE WELL BEFORE USING. (Apply Sparingly) Apply FLUID FILM "NAS" by brush, roller, dipping or pressurized sprayer at 60 to 80 psi, (at the sprayer) with a spray nozzle orifice of 40-50 thou. **KEEP CONTAINER TIGHTLY CLOSED.**

FLUID FILM UNDERCOATING: Give the vehicle's undercarriage a blast of water to clean off any excess dirt & let the heavy water drip off for 5 minutes. Apply to the panels and doors as normal. Apply FLUID FILM right over the damp metal. If dripping occurs then you are over-applying the product. If previously undercoated, please check for product compatibility.

Aerosol (AS): # 1450 - 145 g, # 3300 - 333 g, Bulk (NAS): # 3700 - 3.78 L Can,
4300 - 18.9 L Pail, # 4500 - 208 L Drum, # 5207 - Brush Top Can - 237 ml
Stock #'s 1450, 3300 Aerosols are Canadian Food Inspection Agency Approved (CFIA # N184)

NLS PRODUCTS

Bobcaygeon, Ontario K0M 1A0 • T: (705) 738-2321 • F: (705) 738-4550
 www.nlsproducts.ca • mail@nlsproducts.ca



FF013EN



Extends The Life Of Your Tire!
Runs Tires Approx. 35% Cooler!
Maintains Consistent Tire Pressure!
Helps Eliminate Flats!



Ideal for Trucks, Farming, Lawn & Landscaping, ATV'S, Trailers, Buses, Cars, RV'S, Bicycles, Mining, Forestry & Construction Heavy Equipment!

For Air or Nitrogen filled - Tube or Tubeless Tires
Provides Better Fuel Economy • Non-Flammable • Non-Explosive



Premium Heavy Duty Tire Sealant!

LIQUITUBE™
"THE ORIGINAL LIQUID INNER TUBE"™

EASY TO INSTALL - INSTALLATION TOOL INCL.
STOPS FLAT TIRES BEFORE FLAT TIRES STOP YOU

95522 (236 ml / 8 oz.)	95566 (18.9 L / 5 gal. Pail)	95578 (208 L / 45 gal. Drum)
95533 (473 ml / 16 oz.)	95588 (Pump for 95566 Pail)	95589 (Pump for 95578 Drum)
95544 (946 ml / 32 oz.)	95577 (Combo - Pail & Pump)	95579 (1040 L / 225 gal. Tote)
95555 (3.78 L / 1 gal. Pump incl.)	95590 (Dually Reverse Chuck Installation Tool)	95599 (Pneumatic Pump for 95579 Tote)

- Permanently seals punctures
- Will often seal small sidewall punctures in Off Road Tires
- Seals 6 mm (1/4") punctures in tread area
- Seals larger punctures up to 19 mm (3/4") in heavier ply tires
- Seals most bead and rim leaks
- Effective from -55°C (-67°F) to over 93°C (200°F)
- Contains 4 Industrial Rust Inhibitors & 1 Vapour Inhibitor
- Will not corrode steel, aluminum or chrome rims
- Easy clean out for recapping & patching
- Indefinite shelf life - Never separates
- Stays pH neutral, Does not void tire warranty
- 100% water soluble
- Works in high & low pressure tires / high & low speed tires
- Will not adversely affect balance when properly installed
- Do not use with internal TPMS sensors
- Can be used with external TPMS sensors
- Not recommended for low tire pressure equalizer systems
- Do not mix with fluids, balancing powder, or other sealants
- Application Guide available on request or visit our website.

NLS PRODUCTS

Box 790, Bobcaygeon, Ontario K0M 1A0
 T: (705) 738-2321 • F: (705) 738-4550
 www.nlsproducts.ca • e: mail@nlsproducts.ca

L7ENAD0314



BreakThru

**HEAVY DUTY • PURE BLEND
FAST PENETRATING OIL**

Frees Frozen & Rusted Parts

No Silicone or Teflon


Solvent Free

**Acceptable for use in
Food Plants in Canada**

BreakThru, Fast Penetrating Oil, highly refined oil-based product that infiltrates components quickly.

• **FREES FROZEN - RUSTED PARTS:** bolts, engine parts, hinges, locks, bearings, bicycle & motorcycle chains, chains, rollers, wheels & other moving parts, aluminum, chrome & steel surfaces, guns & fishing equipment, locks, marine equipment, industrial machinery, relays, switches, tools, & MUCH MORE!

**Auto • Truck • Marine • Home
• Farm • Shop • Industry**




C10 370 g
C5 145 g



Box 790, Bobcaygeon, ON K0M 1A0
www.nlsproducts.ca • mail@nlsproducts.ca





STOCK # 16002

TECH STEEL®

STEEL REINFORCED EPOXY PUTTY

Steel Hard in 15 Minutes • Full Cure in 1 Hour

PERMANENTLY ADHERES TO:
 Steel - Aluminum - Wood - Copper
 - Cast Iron - PVC - ABS - Bronze
 - Concrete - Plastics - Glass
 - Fiberglass - Ceramics
 - Brass & Much More!!!
 • 500° temperature resistant
 • 3 year shelf life
 • Sets up under water
 • Impervious to chemicals

AUTO/TRUCK: Gas Tanks, Tailpipes, Mufflers, Intake Manifolds, Radiators, Blocks
HOME: Furniture, Appliances, Hot Tubs, Pools, Gutters, Screens, Glass, Woodwork
FARM: Farm Equipment, Fuel Tanks, Troughs, Fences, Irrigation Equipment
MARINE: Fiberglass, Aluminum, Inboard/Outboard Motors, Gas Tanks, Water Tanks
HOBBIES: Crafts, Jewelry, Ceramics, Plastics, Models, Molds, Glass, Toys
PLUMBING: PVC, ABS, Faucets, Fixtures, Porcelain, Copper, Brass, Stripped Screws

STOCK #	SIZE	CASE QTY.
16002	75 g	12
6002	75 g	1 (24 Units)
6004	150 g	12



TECH PLASTIC™

Tech Plastic® when hand mixed (kneaded) can be molded to any size, can be drilled, sawed, sanded, stained or painted. Interior & exterior applications for fast permanent repair. Excellent adhesive properties for metal or plastic repairs. Dries white, does not shrink, crack, rot or pull away, non-yellowing and rustproof. Cures underwater (fresh & saltwater), excellent for plumbing repairs on PVC, ABS, faucets, fixtures, ceramic tile, porcelain, stripped screw holes, water tanks, tubs, gutters, seal electrical wires, plastic bumpers, battery cases, fish boxes, sprinkler heads, on board fuel tank leaks, many automotive and household uses.

No Home/Marine/RV tool box is complete without Tech Plastic®

**PLASTIC FIBERGLASS REPAIR
 BEGINS TO HARDEN IN 10-15 MINUTES**

STOCK #	SIZE	CASE QUANTITY
2900	57 G	12

Why should you be forced to buy a separate primer or rust treatment for each specific job?

THE RUST STOPS HERE!



RUST DESTROYER is a **PATENTED** primer engineered to be applied directly over rusted metal, rusted painted metal, bare metal, galvanized metal, aluminum, tin and core tan steel. It converts active rust to a passive form on contact. An absorbing action in the primer film simultaneously raising the rust from the surface, enveloping all converted crystals in the primer, eliminating exposure to oxygen and moisture, which will prevent further rusting. It forms a tough shield that adheres to all paints and provides a continuous protective layer.

Stock # 73013 368 g Aerosol 6 / case
 Stock # 73016 236 ml Can 6 / case
 Stock # 73004 946 ml Can 6 / case

- Heat resistant up to 800°F (427°C)
- Apply directly over rust • No sand blasting
- No scraping to bare metal • Works with most top coat paint
- No washing before or after application
- No sanding glossy finishes to improve adhesion



Nevr-Dull THE ORIGINAL WADDING POLISH

- Cleans all metals with nothing to shake up, nothing to spill
- Great on: Brass, Copper, Steel, Aluminum, Chromium, Nickel, Pewter, Zinc, Silver & Gold
- Removes: Rust, Tar and Grime off the chrome on your vehicle

Stock # 19294 (ND 12) 142 g Can - 12 / case



Automotive
Stock # 8312



Industrial
Stock # 8812



Marine & RV
Stock # 8612

A series of premier adhesives in six popular SKU's (12 / case) to cover most of your GLOOING needs.

"GLOOZIT is an all purpose UV RESISTANT INDUSTRIAL STRENGTH ADHESIVE & SEALANT"

Once cured GLOOZIT remains flexible and is able to withstand temperature changes and the expansion and contraction of dissimilar materials. GLOOZIT bonds virtually everything.



Stock # 5100 (Black)

X-TREME TAPE®

For quick emergency repairs!
THE TAPE YOU HAVE TO X-PERIENCE!

Originally developed for the military, X-TREME TAPE is a high quality wrap made from a special silicone compound which adheres to itself when wrapped under tension.

- Automotive • Plumbing • Sports
 - Outdoor Electrical • Garden • Tools • Marine
- No Adhesive, Bonds Only to Itself Stretches 3x's Its Length
Conforms to Irregular Shapes
Forms a Permanent, Air & Water Tight Seal
Insulates to 8000 Volts (for a 20 mil wrap)
Won't Melt Up to +260° • Flexible to -54° C
Tensile Strength of 600 psi
Meets Mil Spec. MIL-I-46852C
25 mm x 3 m x 20 mil / 1" Wide x 10' Long x 20 mil



Stock # 5200 (White)



60052 (Tube)



60004 (Tube)



68001 (Cartridge)

Hylomar Gasket & Jointing Compound Universal Blue Medium			
STOCK #	SIZE	CASE QTY.	DESCRIPTION
60052	85 g Tube	1 (50)	Hylomar AF Gasket & Jointing Compound Universal Blue Medium
68001	300 ml Cartridge	1 (12)	Universal Blue Medium - SOLVENT FREE
60004	75 g Tube	1 (50)	Hylomar Aerograde Ultra Gasket & Jointing Compound Universal Blue Medium (PL32M)



Fluid Diagnostic Test Strips

**AUTOMOTIVE & LIGHT TRUCKS
RADCHEK TEST STRIPS FOR EXTENDED LIFE
AND CONVENTIONAL COOLANTS**



TESTS: Reserve alkalinity,
freeze point / boiling point and pH levels.

1570
70 STRIPS / BOTTLE



**FLUID MOISTURE TEST STRIPS FOR 5 OILS - ENGINE, ATF,
HYDRAULIC, POWER STEERING & ALL BRAKE FLUIDS**



Works in DOT 3, 4, & 5.1.

• Fluid Diagnostic Test Strips assess the
health of the fluid and identifies when a
fluid needs to be changed.

80600
12 STRIPS / CARD



AUTOMATIC TRANSMISSION FLUID (ATF) TEST STRIPS



• Highly unique, quick and affordable measure
used to detect the presence of antifreeze in ATF.
• This easy test detects from 0 - 6% antifreeze
coolant.

80900
50 STRIPS / BOTTLE



pH BRAKE FLUID TEST STRIPS - DOT 3, 4, & 5.1




Tests: Automotive and Heavy Duty
Brake Fluids. Provides reliable
results to determine the pH
condition of the Brake Fluid.
Dip and read in 30 seconds.

80700 DISPENSER / CARD
Approx. 100 Tests



LOW LEVEL - METAL WEAR TEST STRIPS
TESTS: Wear Metal in Antifreeze, Engine,
Differential, Power Steering & Transmission
Fluid Oils at very low content.
Any abnormal presence of metals signifies
immediate corrective action.

80800
50 STRIPS / BOTTLE



DIP N' READ DILUTION ELC TEST STRIPS
ORGANIC ACID TEST FOR
EXTENDED LIFE COOLANTS
Suitable for testing all OAT-based
(NOAT & HOAT) Coolants.

80400
25 STRIPS / BOTTLE



Specific Range:
Nitrite
0 - 4000 ppm



Specific Range:
Nitrite
0 - 3200 ppm



**HEAVY DUTY
RADCHEK TEST STRIPS FOR EXTENDED
LIFE AND CONVENTIONAL COOLANTS**
TESTS 4 COMPONENTS: pH levels, Glycol,
Molybdate & Nitrite up to 3200 ppm.
If required to test Nitrite 4000 ppm
use # 80200. (SEE NEXT ITEM)

2050
50 STRIPS / BOTTLE



**HEAVY DUTY
3-WAY ANTIFREEZE TEST STRIPS FOR
EXTENDED LIFE & CONVENTIONAL COOLANTS**
TESTS 3 COMPONENTS: pH levels, Glycol
& Nitrite up to 4000 ppm.



(Does not test Molybdate - If required use # 2050)
• Provides added ranges for evaluation of
protection for the supplemental additives in the
cooling system for Nitrite.

80200
50 STRIPS / BOTTLE

EGR VALVE BLOW-BY GASES TEST STRIPS
TESTS COOLANTS FOR: pH, Sulfate & Chloride Levels.



• Blow-By Gas contamination has occurred if
pH falls & Sulfate rises.
• Other contaminants are present if pH Level
rises or falls.
• Chloride Levels can rise from Poor Quality
Make-Up Water & Acid Cleaner not properly
removed from the cooling system.

Use # 2050 or # 80200 if testing pH
Level in ELC Red or Orange Coolant.

80300
10 STRIPS / BOTTLE



Box 790, Bobcaygeon, ON K0M1A0 • www.nlsproducts.ca • mail@nlsproducts.ca

ACU1PEN1015

IOL CODES	PART NUMBERS	PRODUCT DESCRIPTION, PACKAGE SIZE, SPECS.
110404	MCHYD50044	MOBIL HYDRAUL 50 4/4LC TRACTOR/DRIVELINE/HYDRAULIC FLUID (WINTER GRADE)
110410	MCHYD56210	MOBIL HYDRAUL 56 2/10L TRACTOR/DRIVELINE/HYDRAULIC FLUID (SUMMER GRADE)
121538	MCHYD560189	MOBIL HYDRAUL 56 18.9LPP TRACTOR/DRIVELINE/HYDRAULIC FLUID (SUMMER GRADE)
120483	MC1ESP030121	MOBIL 1 ESP 0W30 12/1L MB 229.31/229.51/229.52
105951	MC1EP53061	MOBIL 1 EXTENDED PERFORMANCE 5W30 6/1L EXTENDED PERFORMANCE
106001	MCGRSXHP462M104	MOBILGREASE XHP 462 MOLY10/400 EP 2 MULTI PURPOSE GREASE HEAVY DUTY WITH MOLY
110957	ESUNIREXEP240	MOBIL UNIREX EP 2 40/400 EP 2 MULTI PURPOSE GREASE GC-LB
110124	MCSATFDM045	MOBIL ATF D/M 4/5L DEX III/ MERCON
110122	MCSATFDM12	MOBIL ATF D/M 12/1L DEX III/ MERCON
121280	MOBIL1ESP5W30	MOBIL 1 ESP FORM 5W30 6/1L API SN; MB229.31/229.51; BMW LL 04; VW504.00/507.00 PORSCHE C30
120831	MCS3000530121	MOBIL SUPER 3000 FULL SYNTHETIC D1 5W30 12/1L API SN; ILSAC GF-5 DEXOS 1 APPROVED
110028	MCS3000020121	MOBIL SUPER 3000 FULL SYNTHETIC 0W20 12/1L API SN; ILSAC GF-5
105543	MOBIL5W30SYN4.4L	MOBIL 1 FORMULA 5W30 4X4.4 L API SN, ILSAC GF-5 GM DEXOS 1; HONDA/ACURA HTO-06
105396	MOBIL5W30	MOBIL 1 FORMULA 5W30 6/1 LTR API SN, ILSAC GF-5 GM DEXOS 1; HONDA/ACURA HTO-06
110548	MOBIL1SYN5W20	MOBIL 1 FORMULA 5W20 4X4.4 API SN, ILSAC GF-5 GM DEXOS 1
105736	MOBIL5W20	MOBIL 1 FORMULA 5W20 6/1 LTR API SN, ILSAC GF-5 GM DEXOS 1
105514	MOBIL0W40	MOBIL 1 FORMULA 0W40 6/1 LTR API SN MB 229.3/229.5; BMW LL 01; VW 502.00/505.00; PORSCHE A40





BLAZE
RAPID STRIP

SPEED-LOK
TR SYSTEM

Rapid
BLEND



BLAZE

RAPID STRIP DISCS



NORTON BLAZE SPEED-LOK TR RAPID STRIP DISC



Great for removing rust, undercoating, seam-sealers, and stone guards. Use in truck beds, door jambs, and hard-to-reach areas like wheel wells and undercarriage. Use to remove oxidation from tire rims and to remove rust from brake assemblies.

			RPM
DESCRIPTION	666233-	666233-	
Norton Blaze	31051	—	15,000
Norton Blaze Back-Up Pad	—	31053	12,000
PKG/CASE	55103	55105	—
	10/1	10/1	



NORTON BLAZE SPEED-LOK TR DISCS



Norton Blaze self-sharpening design is ideal for high-pressure, heavy metal removal applications.

		
GRIT	662611-	662611-
80	62324	62334
60	62322	62332
50	62320	62330
36	62318	62328
CASE	25	25



NORTON BLAZE AND NORTON VORTEX RAPID BLEND DISCS

Ideal for removing surface rust, blending out grind marks, and removing coatings from automotive surfaces. Norton Blaze (orange) can also be used to remove seam sealer and undercoating without loading. Norton Vortex (blue) is great for removing gaskets and works very well on aluminum without loading or smearing.

		
GRIT	666233-	666233-
Blaze (Orange)	38632	38633
Vortex (Blue)	34782	34783
CASE	10	10



NORTON BEAR-TEX SPEED-LOK TR RAPID PREP SURFACE BLENDING DISCS




Ideal for removing rust and oxides, blending out disc marks, and removing coatings and gasket residues from automotive surfaces. Thick, reinforced non-woven backing is impregnated with tough aluminum oxide abrasive. New resin formulation will not smear.

		
GRIT	662610-	662610-
Very Fine (320) - BLUE	09189	09192
Medium (120) - MAROON	09190	09193
Coarse (80) - BROWN	09191	09194
CASE	25	25



SPEED-LOK BACK-UP PADS

Speed-Lok TR are compatible with similar competitive attachment systems.

			
DESCRIPTION	088341-	662610-	662610-
Speed-Lok TR	64037	55103	55105
CASE	1	10	10



ADHESIVES / SEALERS / COATINGS
ADHESIVES



NORTON SPEEDGRIP 1 MINUTE

Two-part urethane (1:1) used for structural and cosmetic repairs of all plastic bumpers including TPE, TPO, TEQ, PP, and ABS.

DESCRIPTION	SIZE	636425-
1 minute	220ml	04615
CASE		6



NORTON SPEEDGRIP 5 MINUTES

Two-part urethane (1:1) adhesive used for structural and cosmetic repairs of all plastic bumpers, bumper tabs, emblems, door trims, interior and exterior plastic repairs, and cosmetic repairs including TPE, TPO, TEQ, PP, and ABS and can also be used to bond SMC or fiberglass panels.

DESCRIPTION	SIZE	636425-
5 minutes	220ml	04616
CASE		6



PANEL BONDING ADHESIVE

Superior two-part epoxy (2:1) adhesive designed to bond SMC, FRP, fiberglass, steel, and aluminum auto parts and body panels to each other and to metal frames (no primer required). It seals and bonds in one application.

DESCRIPTION	SIZE	636425-
Panel Bonding Adhesive – 30 minute	220 ml	06418
CASE		6



SPEED-GRIP
ACCESSORIES



Manual Applicator Gun –
1:1 and 2:1



Pneumatic Applicator Gun –
1:1 and 2:1



Mixing Tips
24-element tips ensure automatic mixing
for 220ml



ACCESSORIES

	200ml/220ml	220ml Tips
DESCRIPTION	636425-	636425-
Manual Applicator Gun 1:1 & 2:1	41400	–
Pneumatic Applicator Gun 1:1 & 2:1	41399	–
Mixing Tips - 24 Element (green)	–	04628
PKG/CASE	1	6/72



Wheel Protectors® Lead Wheel Weights



P-Series

Used on all standard passenger car 13"-17" steel wheels. Also available in coated (PS-Series).

Part Number	Size oz.	Pcs/box
P025	0.25	50
P050	0.50	50
P075	0.75	50
P100	1.00	50
P125	1.25	50
P150	1.50	50
P175	1.75	50
P200	2.00	50
P225	2.25	50
P250	2.50	50
P275	2.75	50
P300	3.00	50



AWN-Series

Used on most domestic vehicles equipped with alloy rims that were manufactured prior to 1995.

Part Number	Size oz.	Pcs/box
AW025N	0.25	25
AW050N	0.50	25
AW075N	0.75	25
AW100N	1.00	25
AW125N	1.25	25
AW150N	1.50	25
AW175N	1.75	25
AW200N	2.00	25
AW225N	2.25	25
AW250N	2.50	25
AW275N	2.75	25
AW300N	3.00	25



MCN-Series

Used on most domestic vehicles equipped with alloy rims.

Part Number	Size oz.	Pcs/box
MC025N	0.25	25
MC050N	0.50	25
MC075N	0.75	25
MC100N	1.00	25
MC125N	1.25	25
MC150N	1.50	25
MC175N	1.75	25
MC200N	2.00	25
MC225N	2.25	25
MC250N	2.50	25
MC275N	2.75	25
MC300N	3.00	25



LH-Series

Used primarily on late-model Chrysler cars and is designed to fit their unique wheel flange profile.

Part Number	Size oz.	Pcs/box
LH025	0.25	25
LH050	0.50	25
LH075	0.75	25
LH100	1.00	25
LH125	1.25	25
LH150	1.50	25
LH175	1.75	25
LH200	2.00	25
LH225	2.25	25
LH250	2.50	25
LH275	2.75	25
LH300	3.00	25



IAW-Series

Used primarily on most European and certain Asian vehicles equipped with alloy wheels.

Part Number	Size gram	Pcs/box
IAW005	5	25
IAW010	10	25
IAW015	15	25
IAW020	20	25
IAW025	25	25
IAW030	30	25
IAW035	35	25
IAW040	40	25
IAW045	45	25
IAW050	50	25
IAW055	55	25
IAW060	60	25



EN-Series

Used primarily on Audi, Mercedes Benz and early model Japanese vehicles equipped with alloy wheels.

Part Number	Size gram	Pcs/box
EN010	10	25
EN015	15	25
EN020	20	25
EN025	25	25
EN030	30	25
EN035	35	25
EN040	40	25
EN045	45	25
EN050	50	25
EN055	55	25
EN060	60	25



FN-Series

Used primarily on most Japanese vehicles equipped with alloy wheels that were manufactured prior to 1990.

Part Number	Size gram	Pcs/box
FN005	5	25
FN010	10	25
FN015	15	25
FN020	20	25
FN025	25	25
FN030	30	25
FN035	35	25
FN040	40	25
FN045	45	25
FN050	50	25
FN055	55	25
FN060	60	25



TN-Series

Used primarily on most light trucks equipped with decorative and larger-thickness steel wheels or alloy wheels.

Part Number	Size oz.	Pcs/box
T025N	0.25	25
T050N	0.50	25
T075N	0.75	25
T100N	1.00	25
T125N	1.25	25
T150N	1.50	25
T175N	1.75	25
T200N	2.00	25
T225N	2.25	25
T250N	2.50	25
T275N	2.75	25
T300N	3.00	25



SPRAY NINE® CLEANER/DISINFECTANT

C26822 - 650ml bottle
 C26832 - 946ml bottle
 C26804 - 4L jug
 C26820 - 20L pail
 C26845 - 208L drum
 Heavy Duty Cleaner / Disinfectant /
 Degreaser



**SPRAY NINE® GREZ-OFF®
 HEAVY DUTY DEGREASER**

C12532 - 946ml bottle
 C12501 - 3.78L jug
 C12520 - 20L pail
 C12545 - 208L drum
 Quickly breaks down heavy
 grease, oil, tar, hydraulic
 fluid, lubricants and grime



**SPRAY NINE® GLASS &
 STAINLESS STEEL CLEANER**

C23319 - 600g aerosol
 Removes dirt, dust, fingerprints,
 smudges and light grease from
 glass, stainless steel and metal
 surfaces.



**SPRAY NINE® GARAGE
 FLOOR CLEANER**

C11525 - 11.3kg pail
 Powerful alkaline detergent
 powder.



**FAST ORANGE® PUMICE LOTION
 HAND CLEANER**

25-108 - 220ml bottle
 25-217 - 1.89L bottle
 25-218 - 3.78L bottle
 The leading biodegradable,
 waterless, petroleum solvent-free
 pumice hand cleaner.



**FAST ORANGE® SMOOTH
 LOTION HAND CLEANER**

23-108 - 220ml bottle
 23-217 - 1.89L bottle
 23-218 - 3.78L bottle
 The leading biodegradable,
 waterless, petroleum
 solvent-free hand cleaner.



FAST ORANGE® PRO PUMICE LOTION HAND CLEANER

25416 - 443ml Bottle
 25418 - 3.78L Jug
 Heavy duty, professional strength hand cleaner with pumice.
 Eliminates gasoline and other foul odours.



**ULTRA CHERRY™ PUMICE
 LOTION HAND CLEANER**

21222 - 3L jug
 Professional strength handcleaner
 with fine pumice



**POLY SCRUB® LIME HAND
 CLEANER**

13104 - 1.72kg tub
 Industrial strength hand
 cleaning paste that contains
 no harsh solvents and won't
 dry out hands.



**PERMATEX® BLUE
REMOVABLE STRENGTH
THREADLOCKER**
24200 - 6ml Carded Tube
24240 - 36ml Carded Bottle
Removable strength, general
purpose threadlocker.



**PERMATEX® RED
PERMANENT STRENGTH
THREADLOCKER**
26200 - 6ml Carded Tube
26240 - 36ml Carded Bottle
Permanent, high strength
threadlocker.



**PERMATEX® HIGH TEMPERATURE
THREAD SEALANT**
59214 - 6ml Carded Tube
59234 - 50ml Carded Tube
Locks and seals threaded fittings.



**THE RIGHT STUFF® INSTANT
GASKET MAKER**
30874 - 147ml cartridge
30876 - 300ml cartridge
Seals instantly, forming a reliable,
long lasting elastomeric rubber
gasket.



**ULTRA COPPER® HIGH
TEMPERATURE GASKET MAKER**
59703 - 80ml tube
59713 - 300ml cartridge
Designed for high performance
engines or where operating
temperatures are higher



**ULTRA BLACK® SENSOR-SAFE
GASKET MAKER**
59803 - 80ml Carded Tube
59813 - 300ml Cartridge
Superior adhesion to oily surfaces
with long term durability.



PERMATEX® SILVER ANTI-SEIZE
76762 - 133g can
76765 - 241g aerosol
76764 - 454g can
Prevents rusting, cold welding
and galvanic corrosion between
assembled parts.



**PERMATEX® SUPER GLUE
INSTANT ADHESIVE**
49502 - 3ml Carded Tube
49512 - 28g Carded Bottle
Fast setting, strong adhesive for
bonding most materials.



**PERMATEX® COLD WELD
COMPOUND**
14600 - 2x28g Carded Tubes
**PERMATEX® MULTI-METAL EPOXY
STICK**
84319 - 56g Stick
Fast setting, 2-part adhesive and
filler systems used as an alternative
to welding or brazing cracked or
broken metal parts.



ULTRA GREY® SENSOR-SAFE GASKET MAKER
 59903 - 80ml Carded Tube
 59913 - 300ml Cartridge
 Performs under higher torque loads associated with engines having closely spaced bolt patterns (typically import vehicles).



PERMATEX® RED HIGH TEMPERATURE ADHESIVE SEALANT
 59403 - 80ml Carded Tube
 59413 - 300ml Cartridge
 Sensor-safe. formulated for high temp. applications or heavy-duty use.



PERMATEX® / ULTRA SLICK® CERAMIC EXTREME BRAKE LUBRICANT
 24126 - 236ml Can
 24127 - 28g Carded Tube
 24128 - 170g Tube
 100% synthetic formula loaded with ceramic solids. Prevents seizing or sticking of brake components.



PERMATEX® / ULTRA SLICK® ULTRA DISC BRAKE CALIPER LUBE
 09125 - 236ml Can
 22063 - 80ml Tube
 22028 - 170g Tube
 100% synthetic formula. High temperature lubricant to prevent seizing or sticking of disc brake components.



PERMATEX® ANAEROBIC FLANGE SEALANT
 51531 - 50ml Carded Tube
 51580 - 300ml Cartridge
 Flexible gasket sealant for flanges that move in service. superior resistance to powertrain fluids including engine oil, transmission fluid, gear lube, coolants, gasoline.



PERMATEX® CLEAR SILICONE ADHESIVE SEALANT
 59103 - 80ml Carded Tube
 59113 - 300ml Cartridge
 An excellent all-purpose RTV silicone adhesive/sealant. Use for sealing, bonding, insulating and caulking. Flexible, durable, tough, waterproof.



PERMATEX® DIELECTRIC TUNE-UP GREASE
 22066 - 28g Carded Tube
 22064 - 85g Carded Tube
 22065 - 85g Power Can
 Necessary for an effective tune-up on high energy ignition services. Prevents voltage leak around any electrical connection.

LIT PLUG KIT

STANDARD AND LIT PLUG KITS

Lit Plug Kit Part Number	Standard Kit Part Number	Heater Wattage (Watts)	Heater Voltage (V)
3100121	3100002	400	120
3100122	3100098	400	120
3100123	3100129	400	120
3100124	3100006	400	120
3100125	3100055	600	120
3100126	3100057	600	120
3100127	3100109	400	120



3100121



3100122



3100123



3100124



3100125



3100126



3100127

Lit Plug Kit Part Number	Lit Plug Replacement Cord	Standard Replacement Cord	Cord Length
3100121	3600118	3600001	5" (1.52 m)
3100122	3600116	3600006	5" (1.52 m)
3100123	3600119	3600083	5" (1.52 m)
3100124	3600117	3600005	5" (1.52 m)
3100125	3600116	3600006	5" (1.52 m)
3100126	3600116	3600006	5" (1.52 m)
3100127	3600119	3600082	5" (1.52 m)
3100129	3600119	3600083	5" (1.52 m)



3600116



3600117










3600118



3600119

SILICONE PAD HEATERS

FLEXIBLE PAD HEATERS

Part No.	Watts	Volts	Amps	Pad Size	Oil Pan Capacity	Hydraulic Fluid	Application	
3400030 CSA Approved	50	120	0.4	3.5" x 1.25"	1 – 3 U.S. Qts (1.0 – 1.9 L)	n/a	Transmissions, Home Generators, ATV, Snowmobiles, Gear Boxes & Small Engines.	
3400031 CSA Approved	125	120	1.0	3" round	3 – 6 U.S. Qts (2.9 – 5.7 L)	n/a	Small to Mid-Size Cars & Sedans. Examples: Kia, Honda, Hyundai.	
3400032 CSA Approved	125	120	1.0	6" x 1.5"	3 – 6 U.S. Qts (2.9 – 5.7 L)	n/a	Ribbed Oil Pans & Automatic Transmissions. Examples: Toyota 4Runner & European Cars.	
3400033 CSA Approved	250	120	2.1	3.75" x 4.25"	5 – 13 U.S. Qts (4.7 – 12.3 L)	10 to 30 Gallons	Most 6 Cylinder & Small Block V8 Engines. Marine Applications.	
3400034 CSA Approved	500	120	4.2	5" x 7"	13 – 27 U.S. Qts (12.3 – 25.5 L)	20 to 50 Gallons	Mid-Size Trucks, SUVs & Medium to Heavy Duty Commercial Trucks.	
3400035 CSA Approved	1000	120	8.3	6" x 10.75"	26 – 48 U.S. Qts (24.6 – 45.4 L)	50 to 100 Gallons	Mid-Size Trucks, SUVs & Medium to Heavy Duty Commercial Trucks.	
3400036 CSA Approved	60	120	0.5	5.5" x 8.5"	BATTERY WARMER (non-stick pad)	n/a	All Cars & Trucks. Most Batteries.	
3400037	100	12	8.3	12" x 4"	DIESEL FUEL FILTER WARMER (velcro wrap)	n/a	Diesel Vehicles Only Filter Housing Diameter: Minimum 3.5" (8.9 cm) Maximum 5.0" (12.7 cm)	
3400038 CSA Approved	180	120	1.5	13" x 20.5"	BATTERY WARMER (non-stick pad)	n/a	Large Battery Pad Warmer Fits under 3–4 Group 31 Batteries	
3400039	50	12	4.2	9" x 3"	DIESEL FUEL FILTER WARMER (velcro wrap)	n/a	Diesel Vehicles Only Filter Housing Diameter: Minimum 2.75" (6.98 cm) Maximum 3.75" (9.52 cm)	
3400040	100	24	8.3	12" x 4"	DIESEL FUEL FILTER WARMER (velcro wrap)	n/a	Diesel Vehicles Only Filter Housing Diameter: Minimum 3.5" (8.9 cm) Maximum 5.0" (12.7 cm)	

ARCTIC FOX PAD HEATERS

EH-3659	250	12 DC	20.8	5" x 5"	n/a	10-30 gal. (37.9-113.6L)	Typical Application: 12 v or 24 v heaters used for small to medium hydraulic tanks/oil pans
EH-3660	350	12 DC	30.8	7" x 5"	n/a	15-45 gal. (56.8-170.3L)	Typical Application: 12 v or 24 v heaters used for small to medium hydraulic tanks/oil pans
EH-4111	80	24 DC	3.4	4" x 1.5"	n/a	0.5-6 qt. (0.5-5.7 L)	Typical Application: 12 v or 24 v heaters used for small to medium hydraulic tanks/oil pans
EH-4608	80	12 DC	6.7	3.25" x 1.75"	n/a	0.5-6 qt. (0.5-5.7L)	Typical Application: 12 v or 24 v heaters used for small to medium hydraulic tanks/oil pans
EH-6282	7	12 DC	0.6	1" x 2"	n/a	n/a	Typical Application: spot heating for small valves or fittings

COOLANT & FLUID EQUIPMENT

COOLANT DAM

Simple tool that holds coolant inside the engine when other components are removed for repair or replacement.




MODEL T-1000 KIT INCLUDES

- T-1000 Assembly
- T-1025 Adapter
- A-462-2 Extension Hose
- A-536 Discharge Hose
- A-483 Hanger
- Storage Case

BENEFITS

- No need to drain the block for simple repairs
- Pressure testing without hand pumping or running the engine

COOLANT PUMPS



Part Number	Description	AMP Draw	Recommended Temp Range	GPM/ LPM	Pressure PSI/Bar
A-4350-12V	12V DC Pump	10.1	to -40°F / -40°C	10/38	8/.55
A-4350-24V	24V DC Pump	5.1	to -40°F / -40°C	10/38	8/.55

HYDRALINERS



Part Number	"A" Dimension Nominal	"B" Dimension Nominal	Surface Area Nominal	BTU/hr Nominal (1)	Typical application (ambient air temp) to -20°F / -29°C (2)	Typical application (ambient air temp) to -40°F / -40°C (2)
H-4000-8	7 inches	10 inches	105 in ²	Water 4,200	Up to 20 US gallons	Up to 8 US gallons
H-4000-8-STOR	178 mm	254 mm	8 dm ²	Oil 2,100	76 Liters	30 Liters
H-4000-12	11 inches	14 inches	180 in ²	Water 7,200	Up to 35 US gallons	Up to 14 US gallons
H-4000-12-STOR	280 mm	356 mm	12 dm ²	Oil 3,600	133 Liters	53 Liters
H-4000-16	15 inches	18 inches	250 in ²	Water 10,000	Up to 50 US gallons	Up to 19 US gallons
H-4000-16-STOR	381 mm	457 mm	16 dm ²	Oil 5,000	190 Liters	72 Liters
H-4000-20	19 inches	22 inches	315 in ²	Water 13,000	Up to 63 US gallons	Up to 25 US gallons
H-4000-20-STOR	483 mm	559 mm	20 dm ²	Oil 6,500	239 Liters	90 Liters
H-4000-24	23 inches	26 inches	385 in ²	Water 16,000	Up to 77 US gallons	Up to 30 US gallons
H-4000-24-STOR	584 mm	660 mm	24 dm ²	Oil 8,000	292 Liters	113 Liters

IN-LINE FUEL HEATERS



Part No.	Coolant Port	Fuel Port	Tube Length	Tube O.D.	Total Length	Surface Area	Pre Heat Option
I-909BT-B100	1/2" NPT	1/2" NPT	9.75"/248mm	2.0"/51mm	15.5"/394mm	100" ² /645.2cm ²	No
I-909BTEH-B100	1/2" NPT	1/2" NPT	9.75"/248mm	2.0"/51mm	18.5"/470mm	100" ² /645.2cm ²	120 VAC
I-1518BT-B100	1/2" NPT	1" NPT	18.0"/457mm	2.375"/60mm	25.5"/648mm	320" ² /2064.5cm ²	No

Part Number	Fuel Flow GPM/LPM	Mounting Hardware	Check Valve	Shut-off Thermostat	Duel Fuel Inlet	Electric Preheat	Fuel Port	Coolant Port
I-704B	0.1-1.5/0.4-5.7	Yes	No	No	No	No	1/2" NPT	1/2" NPT
I-704BTEH	0.1-1.5/0.4-5.7	Yes	No	78°-95°F 25°-35°C	No	120 VAC	1/2" NPT	1/2" NPT

SunSplash

BESTBUY

CURACAO

JAMAICA

COSTA RICA

THE ISLANDS OF THE
bahamas

SAINT LUCIA
Simply Beautiful

Where to
next?

ASK YOUR BESTBUY MEMBER DISTRIBUTOR HOW YOU CAN TAKE
PART IN THE 2017 SUNSPLASH CUSTOMER INCENTIVE PROGRAM!



3:1 BLACK DUAL WALL SHRINK TUBE
30602-91
6" x 30 pieces



4:1 DIESEL RESISTANT MAGMAFLO SHRINK TUBE
30606-91
6" x 22 pieces



4:1 MAGMAFLO SHRINK TUBE
30607-91
6" x 22 pieces



ADHESIVE LINED DUAL WALL 3:1 HEAT SHRINK TUBE - BLACK
8330-A - 3/16"
8331-A - 1/4"
8332-A - 3/8"
8333-A - 1/2"
8335-43 - 1"



ADHESIVE LINED CROSS-LINKED POLYOLEFIN DUAL WALL 4:1 HEAT SHRINK TUBE
8361-43 - 6mm
8362-43 - 8mm
8363-43 - 12mm
8364-43 - 18mm



DIESEL RESISTANT ADHESIVE LINED POLYOLEFIN DUAL WALL 4:1 HEAT SHRINK TUBE
8381-43 - 6.60mm
8382-43 - 8.64 mm
8383-43 - 11.68 mm
8384-43 - 19.30 mm



12-2GA INS CRIMP TOOL
335-31



EXTRA HD CRIMP TOOL
365-11
22-10




WIRE STRIP TOOL
455-11
26-10



CABLE CUTTER TOOL
650-11
20-1/0



PERFORMANCE CABLE TIES
7295-36 - 7.5"
7298-36 - 14"



BUTT CONNECTORS - VINYL INSULATED
1700-CS - red, 22-18 AWG
1800-CS - blue, 16-14 AWG
1900-CS - yellow, 12-10 AWG



BUTT CONNECTORS HEAT SHRINK INSULATED - VINYL
5800-CS - 22-18 AWG
5900-CS - 16-14 AWG



INDUSTRIAL GRADE ELECTRICAL PLUGS
8956-11 - Female
8957-11 - Male



METAL BAT HANDLE SWITCH
9435-BP - 12V 35A



HEAVY DUTY TOGGLE SWITCH
9436-BP
50A



IP67 SEALED DPDT SWITCH
9463-11
25A @ 12V DC,
15A @ 24V DC



**HIGH AMP PANEL/
SURFACE MOUNT**
3401-31 - 100AMP
3404-31 - 150AMP



LARGE BLADE
921-11
80/60A 12V DC



GENERAL PURPOSE
925-11
40/30A 12V DC



**GENERAL PURPOSE
RELAY & PIGTAIL**
926-91
40/30A 12V DC



**WEATHER RESISTANT
RELAY & PIGTAIL**
928-91
40/30A 12V DC



**FUSE
ASSORTMENT KIT**
33501-91
160 pieces



**FUSE ASSORTMENT
KIT WITH FUSE
PULLERS**
33503-91
152 pieces



**6 WAY FUSE
BLOCK**
3410-31



**A.T. BLADE - MIN
& STANDARD FUSE
ASSORTMENT**
60601-91



**2 BLADE MICRO FUSE
ASSORTMENT**
60604-91
35 pieces



**3 BLADE MICRO
FUSE ASSORTMENT**
60605-91
20 pieces



ADD-A-CIRCUIT FUSE HOLDER
9950-11
Use with Low Profile A.T. Blade -
MIN Fuses



ADD-A-CIRCUIT FUSE HOLDER
981-11
Use with A.T. Blade - MIN Fuses
(ATM/Mini)



ADD-A-CIRCUIT FUSE HOLDER
10200-11
Use with 2 Blade Micro Fuses



**6-1/0 UNI
BATTERY TERM**
880-31



**1-4/0 HD UNI
BATTERY TERM**
880HD-31



**2/0 AWG TWIST-ON STRAIGHT
BARREL BATTERY TERMINAL**
723-11
722-11



**2/0 AWG TWIST-ON
STRAIGHT BARREL
LUG**
726-11



**BATTERY TERMINALS -
COVERED & RELEASABLE**
897-12



PRO-TORCH™
8247-31
2400°F (1300°C)



4 IN 1 BUTANE TORCH
8257-31
Use as a torch, soldering iron, hot
air blower or shrink tube tool.



POCKET TORCH
8254-31
2400°F (1300°C)



CHASSIS & GRILLE GUARD

- 191 Gloss White
- 193 Gloss Black
- 194 Satin Black



VALSPAR

TRACTOR & IMPLEMENT

- 5339-01 IH Red
- 5339-08 Equipment Yellow
- 5339-10 Tractor Green
- 5339-24 Kkota Orange



VALSPAR WATERBASED TRAFFIC & MARKING PAINTS

- 82001 Traffic Yellow
- 82008 Red
- 82012 Fluorescent Orange
- 82004 White
- 82006 Blue
- 82007 Orange



VALSPAR GARAGE FLOOR COATING KITS

- 81020 Light Grey
- 81021 Tan
- 81052 Clear



ENGINE ENAMELS

- 200 Chevrolet Orange
- 202 Universal Grey
- 203 Universal Black
- 206 Ford Red
- 207 Aluminum
- 224 Ford Blue
- 226 Chrysler Orange
- 228 Grey Engine Primer
- 229 Clear



WRINKLE PAINT

- 217 Black Wrinkle



VALSPAR ANTI RUST ARMOR

- 21900 Gloss White
- 21924 Gloss Black
- 21951 Red Oxide Primer
- 21953 Grey Primer
- 21800G Gloss White
- 21800Q Gloss White
- 21824G Gloss Black
- 21824Q Gloss Black



TRUCK BED LINER AEROSOL & KITS

- 264 Black Truck Bed Liner
- 265G Black Truck Bed Liner, Gallon
- 265GK Truck Bed Liner Gallon Kit - Black



VALSPAR 2ND SKIN

- 17200 Black
- 17201 White
- 17202 Blue
- 17203 Red
- 17204 Smoke
- 17205 Clear



HOT PAINT

- HP-11 Black
- HP-12 White
- HP-13 Red
- HP-14 Aluminum
- HP-16 Blue



RUST CONVERTER

- 623 237ml
- 624 473ml



PREMIUM ENAMELS

- | | |
|---------------------|---------------------------------|
| T-1 Gloss Black | T-18 Grey Primer |
| T-2 Flat Black | T-19 Red Oxide Primer |
| T-4 Gloss White | T-23 Aluminum |
| T-6 Swift Red | T-29 School Bus Yellow |
| T-8 Satin Black | T-234 Red Oxide Sandable Primer |
| T-10 Machinery Grey | T-235 Grey Sandable Primer |

SPECIALTY PRIMERS

- 465 Red Spot Filler & Primer
- 466 Grey Spot Filler & Primer
- 467 Grey Flexible Spot Filler & Primer
- 470 Grey Etching Primer
- 471 Zinc Rich Primer



UNDERCOATING AEROSOL

- 272 Rubberized Undercoating
- 273 Professional Undercoating

BRAKE CALIPER PAINT

- CP-250 Bright Yellow
- CP-251 Bright Red
- CP-252 Bright Blue
- CP-253 Hi Gloss Black
- CP-254 Hi Gloss Silver



AUTO TOUCH UP KITS

34ml



AUTO TOUCH UP PENS

12.42ml

Boating, Lawn & Garden, Snowmobiling, Farm or any of your trailer needs. Make sure you're ready with PTC Trailer Hub Kits and Brake Assemblies.



- ✓ Kits include pre-assembled bearings and seals for a complete repair.
- ✓ Fix the cause; not just the symptom. If the bearing is bad, so is the hub. So replacing both is the best long term solution.
- ✓ Trailer Hub Kits are field serviceable

Trailer Hub Kits		Trailer Hub Kit Includes						PTC Hub Kit Replaces
PTC #	Description	Hub	Cotter Key	Seal	Studs	Dust Cap	Bearing	
411250	Fits 1" Spindle w/4 Studs	1	1	PT203025	4	1	PTL44643 PTL44610	Dexter 008-091 Bass Pro 13100 Red Neck 34822
581750	Fits 1-3/8" taper to 1-1/16" Spindle w/ 5 Studs	1	1	PT442251	5	1	PTLM78349 PTLM78310 PTL44649 PTL44610	Dexter 008-248 Bass Pro 13511 Red Neck 84545
512590	Fits 1" Spindle w/5 Studs	1	1	PT203025	5	1	PTL44643 PTL44610	Red Neck 348225bx Redtrailer 156b Shipshape 13210
511655	Fits 1-1/16" spindle w/ 5 Studs	1	1	PT203025	5	1	PTL44649 PTL44610	Red Neck 8-259-UCI Redtrailer 156B Shipshape 13311 Valmar 80582 Carryon 155



Trailer Wheel Bearing Protectors		Bearing Protector Kit Includes	
PTC #	Description	Wheel Protector	Grease Fitting
1980SS	fits 1.980" Hub Grease Cap Diameter	2 "Stainless Steel" trailer wheel bearing protectors	Grease fitting to permit longer bearing life

- ✓ Protect your wheel bearings from the elements to extend bearing life
- ✓ Serviceable grease fitting helps extend bearing life



Disc Brake Red Calliper Wall Clock

BESTBUY CLOCK
BBP CLOCK

What a great way to tell time! The 12" aluminum disc face houses a clock featuring all quartz movement and a contrasting brake caliper.

SILVER WATCH/ELECTRONIC BATTERIES



MERCURY FREE, CARDED 1-PACK,
1.5 VOLT
Watches, calculators, remote
controls and medical devices.
303/357-1ZM
376/377-1ZM

6V HEAVY DUTY BATTERIES



INDUSTRIAL BATTERY, SPRING TERMINALS
6V-HD



LANTERN BATTERY,
SPRING TERMINALS
944A

"D" CELL BATTERIES



ALKALINE D SIZE SHRINK-
WRAPPED 6 PACK
AL-D



ALKALINE RECLOSABLE
PRO PACK D-8
813-8RVPTP8 GENF

"C" CELL BATTERIES



ALKALINE CARDED C
2-PACK
814-2 GEN



ALKALINE C SIZE SHRINK-
WRAPPED 6 PACK
AL-C



FLOORSTAND DISPLAY
AMC100 GENF4
Preloaded and Easy to Assemble
Holds 100 mixed packs
(4) D 4pks (6) C 4pks
(48) AA 8pks (30) AAA 4pks
(12) 9V 2pks

"AA" BATTERIES



ALKALINE AA SIZE
SHRINK-WRAPPED 8 PACK - AL-AA
CARDED 4-PACK - 815-4T GENF
CARDED 8-PACK - 815-8CT GEND2



"AAA" BATTERIES



ALKALINE AAA SIZE
SHRINK-WRAPPED 8 PACK - AL-AAA
CARDED 4-PACK - 824-4 GEND
CARDED 8-PACK - 824-4T GENF



"9V" BATTERIES




ALKALINE 9V
CARDED 1-PACK - A1604-1T GENF
CARDED 2-PACK - A1604-2 GEND
4-PACK - A1604-4RVP GEND
SHRINK-WRAPPED 6-PACK - AL-9V

KEYLESS ENTRY BATTERIES



ALKALINE MERCURY FREE
CARDED 1-PACK, 12 VOLT
KE23A-1ZM
LITHIUM CARDED 1-PACK, 3.0 VOLT
KECR1616-1 KECR2016-1
KECR1616-1 KECR2025-1
KECR1620-1 KECR2032-1
KECR1632-1

HEARING AID BATTERIES



SIZE 10 8-PACK, ZERO MERCURY
L10ZA-8ZM
SIZE 312 8-PACK, ZERO MERCURY
L312ZA-8ZM



RISLONE LIQUID COPPER BLOCK SEAL AND RADIATOR STOP LEAK

31109

Rislone® Liquid Copper™ Block Seal Intake & Radiator Stop Leak seals larger leaks regular stop leaks won't. One step formula permanently repairs leaks in gaskets, radiators, heater cores, intake manifolds, blocks, heads and freeze plugs. Use on cars, trucks, vans, SUV's and RV's. One "1" Step Sealer contains an antifreeze compatible sodium silicate liquid glass formula, so no draining of the cooling system is required. It will not harm the cooling system when used properly. Use with all types of antifreeze including conventional green or blue (Silicate-based) and extended life red/orange or yellow (OAT / HOAT) coolant.



RISLONE HEAD GASKET FIX

31111

Rislone Block Seal Head Gasket Fix product is the easiest solution to stop head gasket coolant leaks. No draining of the cooling system is required. This formulation contains a combination of antifreeze compatible sodium silicate sealing liquid and various size gasket sealing particles which penetrate gaps & cracks and harden to permanently stop leaks. This seals because of the extreme heat inside the combustion chamber (2760°C) that works as a catalyst to permanently harden the material to make it stronger than the actual head gasket itself. Your vehicle is a good candidate for this product if it can idle for 20 minutes without overheating or having to add coolant. Use on ALL water cooled gasoline and diesel engines. Heavy duty formula works on aluminum and cast iron heads & blocks, along with sealing all other engine cooling system

leaks better than a traditional stop leak. This includes repairing head gaskets, cylinder heads, intake gaskets, cracked blocks and freeze plugs. Use with ALL types of antifreeze including conventional green or blue (Silicate-Based) and extended life red/orange or yellow (OAT/HOAT) coolant.



RISLONE COOLING SYSTEM REPAIR

31150

Rislone® Cooling System Repair has twice the performance of other products by not only stopping cooling system leaks, but adding future protection. It is scientifically formulated to stop coolant leaks, thereby reducing antifreeze loss, while correcting other cooling system problems helping to prevent costly repairs and breakdowns. In addition, Cooling System Repair contains Xtreme Cool™ which stops overheating and reduces water temperature. Works on all 4, 6, 8, and 10 cylinder vehicles and in any gasoline, turbocharged and diesel engines. . Use with ALL types and colors of antifreeze coolant and / or water. For most vehicles leaks stop instantly. For many vehicles, this is your last change before paying an expensive repair bill or replacing the vehicle.



RISLONE® LIQUID ALUMINUM™ COOLING SYSTEM / RADIATOR & HEATER CORE STOP LEAK

31186

Rislone® Liquid Aluminum™ Cooling System / Radiator & Heater Core Stop Leak is the best radiator stop leak money can buy. e Liquid Aluminum Cooling System Stop Leak. Scientifically formulated to permanently seal coolant leaks that are the cause of most overheating problems. Liquid Aluminum contains Xtreme Cool™ which stops overheating and reduces water temperature. Liquid Aluminum™ is part of the next generation stop leak line. It will safely and easily seal leaks in plastic, aluminum and metal (copper / steel) radiators, heater cores, gaskets and freeze plugs. Works in cars, trucks, vans, SUV's and RV's. Use with all types of coolant including yellow, orange, pink, red, blue and green silicate based & non-silicate based OAT / HOAT antifreeze and/or water. . For most vehicles leaks stop instantly.



RISLONE PELLETIZED STOP LEAK 31191

Rislone® Original Rhizex® Pelletized Formula Heavy Duty Stop Leak seals internal, external and coolant-to-oil leaks. It is specially formulated to seal larger leaks better than other stop leak products. Works safely and effectively on plastic, aluminum and metal radiators, heater cores, blocks, heads, gaskets and freeze plugs. Lubricates water pump seal and inhibits the formation of rust and scale. Compatible with both conventional green (silicate-based) and extended life red/orange or yellow (OAT) antifreeze.

- Protects the Entire Cooling System
- Stops Current and Future Leaks
- Inhibits Rust and Corrosion
- Lubricates Water Pump Seal
- Helps Control Electrolysis
- Use on Car, Trucks, Vans SUV's & RV's
- Rhizex pellets dissolve in minutes to seal radiator & other cooling system leaks



RISLONE RADIATOR STOP LEAK CONCENTRATE 31197

Rislone has millions of tiny particles to permanently seal internal and external leaks in plastic, aluminum and metal radiators, heater cores, blocks, heads, gaskets and freeze plugs. Works with ALL types of antifreeze coolant and/or water.

- Stops & Seals Coolant Leaks
- Seals Leaks in Radiators, Gaskets, Heater Cores & Freeze Plugs.



RISLONE ENGINE TREATMENT 34100

Rislone Engine Treatment is high quality penetrating lubrication oil, combined with protective engine additives and special cleaning agents. Its multi-grade formula allows the oil to flow freely and provides protection over a broader temperature range. Sludge and other harmful deposits within engines can alter tolerances, stick rings, cause noisy valves & lifters, and plug oil passages and screens. The unique Rislone formula is designed to penetrate into valve seats, bearing surfaces, piston rings and ring grooves, where sludge and varnish is likely to form. These deposits are gradually removed and held in suspension until they are trapped in the filter or removed with the next oil change. Regular use of Rislone Engine Treatment, with oil and filter changes at the proper intervals, will keep such deposits to a minimum. A cleaner engine is a better lubricated engine with less friction & wear.

REDUCES FRICTION & WEAR • QUIETS NOISY LIFTERS AND VALVES • REMOVES & PREVENTS SLUDGE

Rislone works with all petroleum-based motor oils including conventional, high kilometer and synthetic formulas.

RISLONE ENGINE REPAIR 34110

The common element between all of the engine components is the oil. Oil is the life-blood of the engine and is pumped under pressure to all the moving parts. The two main parts needing oil for lubrication are the bearings and pistons. As the engine ages and gains more miles, the oil alone can't do the job. Internally, parts don't fit as tightly as they originally did which causes noise and loss of power. Bearings wear down, seals leak, lifters tick, blow-by passes around tired rings, and power is lost. When installed, Engine Repair helps to stop and prevent these problems and will also extend the useful life of your engine. Engine oils are generally used to reduce friction between moving parts. In addition to lubricating, motor oil must cool, provide corrosion protection and be a method of removing contaminants. As lubricants degrade, their properties change, leading to increased friction and wear. Over time the natural wear that occurs inside the engine causes reduced oil pressure, loss of compression (power loss), lower fuel mileage, oil consumption (leaks & smoking) and noise (knocking & ticking). Bar's Leaks Engine Repair contains a combination of the best performance additives to repair these most common oil-related problems. Engine Repair restores lost compression and power, reduces noise and oil consumption, while improving the performance of worn cylinders, rings, bearings, and seals. For most vehicles, this is your last chance before paying an expensive repair bill or replacing the vehicle. Engine Repair can be used to top off the existing oil when low, or add a bottle when changing the oil & filter. Compatible with ALL types of engine oils, including petroleum, synthetic and high-mileage formulas.





RISLONE REAR MAIN SEAL REPAIR

34240

Most rear main seal leaks are caused by a combination of normal wear in the crankshaft & seal and the drying, hardening and shrinking of the main seal. Rislone Concentrated Rear Main Seal Repair restores the seal to like new condition and also contains additives to stop leaks in severely worn seals and crankshafts. Works with ALL gasoline and diesel engines using conventional, high mileage and synthetic oil.

- Rislone – World's Most Trusted Stop Leak Brand Since 1921
- Stops ALL Oil Leaks
- Seals Timing Cover, Cam Seal, Rear Main, and Other Hard to Stop Oil Leaks

Specifically designed to seal rear main leaks, but also works better than a conventional stop leak on all other leaks. This includes the timing cover seal, cam seals, O-Rings and other gaskets.



RISLONE AUTOMATIC TRANSMISSION REPAIR

34540

Rislone Automatic Transmission Repair reduces rough shifting and friction, while eliminating slip, controlling temperature, and repairing shudder, chatter and whining.

- Stops Slipping
- Prevents Lazy Shifts
- Reduces Rough Shifting
- Stops Shudder, Chatter and Whining
- Reduces Friction
- Stabilizes Fluid
- Conditions Seals & O-Rings
- Reduces Fluid Loss
- Prevents Future Leaks



RISLONE POWER STEERING REPAIR

34650

Rislone Power Steering Repair is a unique dual cavity bottle containing a combination of the best performance additives to repair the most common power steering fluid related problems. For most vehicles, this is your last chance before paying an expensive repair bill or replacing the vehicle.

- Stops Slipping
- Prevents Lazy Shifts
- Reduces Rough Shifting
- Stops Shudder, Chatter and Whining
- Reduces Friction
- Stabilizes Fluid
- Conditions Seals & O-Rings
- Reduces Fluid Loss
- Prevents Future Leaks



RISLONE GASOLINE FUEL SYSTEM TREATMENT

34700

Rislone Complete Gasoline Fuel System Treatment improves the quality of gas by increasing its cleaning ability, adding lubrication, removing contaminants, reducing spark knock, and helping to prevent the fuel from going bad. This one dual cavity bottle contains the same amount of additives equal to a bottle of regular fuel injector cleaner, upper cylinder lubricant, fuel stabilizer, dry gas, gas treatment and octane booster. Use with All: Unleaded, Oxygenated and Ethanol containing gasoline. Works with all Fuel Injected, Direct Injected, and Carbureted Engines.

- Increases power, performance, mileage and saves gas by cleaning & lubricating the complete fuel system.
- Helps eliminate noisy injectors & fuel pumps, rough idle, hard starting and hesitation.



RISLONE INJECTOR CLEANER WITH FUEL CONDITIONER AND TREATMENT

34701

Rislone Super Concentrated Fuel Injector Cleaner with Upper Cylinder Lubricant is the best all-around fuel additive to use with every tank of fuel. This complete fuel system tune-up helps eliminate noisy injectors & fuel pumps, rough idle, hard starting and hesitation. High performance additives maximize power, performance, kilometers and help save gas by cleaning & lubricating fuel injectors.

- Regular use, summer and winter, maintains optimum engine efficiency and power.
- Smooths rough idle and eliminates hard starts giving cleaner, quieter operation.
- Cleans fuel injectors, increases kilometers and saves on high fuel costs at the pump.
- UCL, Upper Cylinder Lubricant, helps prevent cylinder, ring & piston wear along with lubricating valves & guides giving longer engine life.
- The Fuel Conditioner & Treatment protects and lubricates all parts of the fuel system including the fuel pump and injectors allowing more power & performance.
- Use with all gasoline, flex fuel, E10 E85 ethanol, bio & diesel fuels.
- Works with all fuel injected, turbo, direct injected & carbureted engines.
- Rislone, protecting and cleaning engines since 1921.
- EZ Nozzle works in all vehicles including capless fuel tanks.



DIESEL FUEL SYSTEM TREATMENT

34740

Rislone Complete Diesel Fuel System Treatment improves the quality of diesel fuel by increasing its cleaning ability, adding lubrication, removing contaminants, fighting corrosion, and helping to prevent the fuel from gelling & going bad. This one dual cavity bottle contains the same amount of additives equal to a bottle of regular fuel injector cleaner, upper cylinder lubricant, fuel stabilizer, anti-gel, diesel treatment and Cetane booster. Use with All: ULSD Diesel, regular Diesel and Bio Diesel. Works with all Direct Injected, IDI, Intercooled, and Turbocharged engines.

- Increases power, performance, and mileage and saves fuel by cleaning & lubricating the complete fuel system.
- Decarbonizer – Removes sticky internal deposits as well as "coking" hard deposits.
- Cold Flow Improver
- Water Remover • Sulfur Substitute and Friction Modifier • Helps eliminate black smoke, fuel gelling, clogged injectors, rough idle and hard starting.



RISLONE SUPER CONCENTRATED OCTANE BOOSTER

34747

Rislone Super Concentrated Octane Booster increases octane rating to stop engine hesitation and knock & ping, while also increasing power & performance. Street legal formula works equally well on classic muscle cars, newer smaller harder working engines, off road and racing applications. Increased octane allows the engine to run optimum spark timing which not only creates more power, but in many engines reduces emissions and increases fuel mileage.

- Contains the highest concentrate of MMT Methylcyclopentadienyl Manganese Tricarbonyl allowed for street use.
- Restores lost horsepower and performance.
- Antiknock formulation stops engine knock and pings caused by low quality fuel.
- Typical results will increase octane over 20 points or 2 rating numbers.
- Works with all leaded & unleaded gasoline, ethanol and racing fuel.
- Use with all fuel injected, direct injected & carbureted street, racing, supercharged and turbo engines.



THE TEAM THAT BEATS RUST



RUST INHIBITOR

- Protects NEW & OLD Metals
- Deep Penetrating & Long Lasting
- Lubricates and Prevents Seizing
- A Proven Canadian Product Since 1973

PART # 1054 / 350 g - 12.3 oz

PART # 1043 / 180 g - 6.34 oz

PART # 1044 / 4 L - 1.06 gal U.S.



COAT & PROTECT

- Coats & Protects NEW & OLD Metals
- Wear resistant corrosion protection
- Heavy duty lubrication
- Resists severe weather conditions

PART # 10025 / 350 g - 12.3 oz

PART # 10024 / 4 L - 1.06 gal U.S.



RUST CONVERTER

Quickly converts rusted surfaces from all metals to a paintable primer.

Ideal for use on automobiles, trucks, bicycles, tools, barbecues and all metal rust.

Leaves a protective coating that inhibits further rust formation and prepares the surfaces for paint.

PART # 11006 / 283 g - 10 oz

RUST CHECK CORP. • 1-888-RUSTIES • www.rustcheck.com



Schumacher Consumer Products - Farm & Agriculture

WHEEL-STYLE STARTER/CHARGER

SF-3000

200 amp 80 amp 60 amp 44 amp 30 amp

Charges a variety of batteries: 6, 12, 18 and 24 volt. With this charger, the user no longer needs to separately charge 18 and 24 volt batteries.



WHEEL-STYLE STARTER/CHARGER

200 AMP 40 AMP 10 AMP 2 AMP

SF-4022
This charger gives fleet operations, D-I-Y'ers and professionals a wide range of charging rates, an engine start rate and the ability to analyze electrical and starting system problems. For 6 and 12 volt batteries. Fan cooled.



RED FUEL LED CORDLESS WORK LIGHT

SL360R

- Features 10 super-bright SMD LEDs
- High-powered 3 Watt directional torch
- Two swivel hooks and three covered magnets allow hands-free operation
- Multifunction switch for high/low and torch function
- Includes charging port for 120V AC and 12V chargers



125 / 15 < 40 / 2 AMP FULLY AUTOMATIC BATTERY CHARGER AND ENGINE STARTER

- Charges 6 and 12 Volt Batteries • Fully automatic, microprocessor controlled • 125 Amp 12V engine start for emergency starting • 15 < 40 Amp 6 and 12V rapid charge with self-adjusting, variable charge rates and float-mode monitoring • 2 Amp 12V trickle charge for small batteries • 12V regular automotive, deep-cycle, AGM / Gel Cell, and 6V regular batteries • Built in digital volt meter / alternator tester

10/30/200A 6/12V MANUAL BENCH TOP CHARGER W/ ENGINE START

SF-200-30

A must for heavy-duty work. High-output, portability and 6 and 12 volt capabilities make this a popular all-steel, bench-style charger. 200 amp engine start means you can start an engine in the dead of winter. Processor controlled with 8 stages of charging, scrolling digital display and designed for AGM and flooded batteries.



2/10A 12V MANUAL TRADITIONAL CHARGER

SF-1010-2

This is the versatile dual-rate manual charger for 12 volt batteries. Has a trickle charge for those overnight jobs and a 10 amp rate for faster, regular charging

- 10 amp fast charge – for everyday charging needs Charges in 3 to 5 hours
- 2 amp trickle charge – charges a small 12 volt battery in 2 to 12 hours
- CSA Certified: Model SF-1010-2

Battery Maintainers



6A FULLY AUTOMATIC BATTERY CHARGER FOR MOST 12V BATTERY TYPES

SP6

- Charges Lithium ion (LiFePO4), AGM, Standard and Gel cell batteries
- Keeps stored batteries charged
- Microprocessor controlled multi-stage charging for added precision, safety and battery life
- Float mode monitoring automatically maintains optimum battery charge
- Scrolling digital messaging provides step-by-step instructions to properly charge your battery
- LED indicates charging status



1.5 AMP BATTERY CHARGER

SE-1-12S

Keeps 6 & 12 volt batteries charged. Fully automatic.

DSR PRO SERIES - Professional Grade Shop Products

WHEEL-STYLE STARTER/CHARGER

PSW-70300A

- Fully Automatic or Manual
- For standard and AGM Batteries
- High Performance for 12V Battery Systems
- Over-sized heavy-duty selector switches
- Rotary output switch selects between:
 - » 300 Amp engine start
 - » 70 Amp rapid charge
 - » 40 & 20 Amp fast charge
 - » 4 Amp slow Charge



RED FUEL LITHIUM ION JUMP STARTER

SL1

- Jump starter, fuel pack, and backup power all in one
- 90 percent lighter than lead-acid jump starters
- Easy-to-read scrolling digital display
- 2 Amp USB port and ultra bright LED light
- Includes step-by-step instructions to properly jump start your battery



250/150A 6/12/24V Manual ProSeries Wheel Charger w/ Engine Start

PSW-61224

- Charges 6, 12 and 24 Volt batteries
- 80/40 amp rates – for 6 volt battery systems
- 60/35/1.5 amp rates – for 12 volt battery systems
- 30/10 amp rates – for 24 volt battery systems
- 2 1/4 Hour Timer
- Convenient clamp holder and rubber grip
- Oversized selector switches
- Extra long 9 foot AC line cord



10/50/125/250A 6/12V Manual ProSeries Wheel Charger w/Engine Start

PSW-2550

- 250 / 125 / 50 / 10 Amps
- Charges 6 and 12 Volt Batteries
- 2 1/4 hour timer
- Convenient clamp holder and rubber grip
- Oversized selector switches
- Extra long 9 foot AC line cord

Jump Starter and Portable Power Units

Part #	Peak Amps Portable Power™	Internal Battery
PSJ-2212	2200	22Ah x 1
PSJ-3612	3600	18Ah x 2
PSJ-4424	4400	22Ah x 2





SEA FOAM MOTOR TREATMENT

THE CHOICE OF MECHANICS FOR OVER 70 YEARS

Make the proven choice! It's no wonder mechanics everywhere rely on this product every day. Sea Foam Motor Treatment has withstood the test of time. It is a petroleum-based cleaner, lubricant, stabilizer, and moisture controller that maintains fuel and oil system components. It will not harm engine components, seals, gaskets, catalytic converters or oxygen sensors. Sea Foam Motor Treatment should be a staple in everyone's garage!

SF-16 - 473ml

SF-128 - 3.78L



TRANS TUNE

PUT THE PERFORMANCE BACK INTO YOUR TRANSMISSION, POWER STEERING OR HYDRAULIC SYSTEMS.

TT-16

Over time transmissions naturally accumulate varnish, deposits, and moisture. These contaminants may cause erratic or rough shifting. Before a costly repair try Trans Tune. It is easy to use and effective.



DEEP CREEP

SAVE TIME AND EFFORT. EFFECTIVELY USE THIS MULTI-USE PENETRATING LUBRICANT ON HUNDREDS OF SHOP AND HOUSEHOLD ITEMS.

DC-14

Loosening road tar, rust and grease is tough work! Deep Creep's fast-acting, petroleum-based formula outperforms all of the leading penetrating sprays.



SEA FOAM SPRAY

INDUSTRY LEADING TOP ENGINE CLEANER & LUBE

SS-14

Engine problems can be frustrating. Sea Foam Spray's ability to clean and maintain gasoline engines will help solve them! Safely clean air intake systems, throttle bodies, intake valves, and combustion chambers. Lubricate throttle plates and bushings. Fog and store carbureted and fuel-injected engines quickly and efficiently. As an added benefit, Sea Foam Spray is safe to use on coated parts and oxygen sensors. Experience a better running engine; try Sea Foam Spray!

BUGS-B-GONE

EFFORTLESSLY CLEAN AND SHINE THE MOST STUBBORN OF SURFACES

Cleaning bugs, sap, and grime from auto and marine surfaces is no small task. Save time and energy using a superior product! Meticulously formulated to give a "good as new" look, Bugs-B-Gone is the best bug remover and cleaner you will find. Without harming the surface, Bugs-B-Gone neutralizes the acidity in bug remains, exhaust soot, and road grime in order to loosen and remove them in seconds.

BBG-1 - 473ml

BBG-5 - 236ml

BBG-4 - 3.79L





THREAD REPAIR – INCH
5528-5



SPARK PLUG PORT REPAIR KIT
5334-14



HELI-COIL® PACKAGED INSERTS
R1185-4 – 1/4-20x.375
R4649-10 – M10x1.25

SILVERSTAR® ULTRA

*The brightest downroad halogen headlight from SYLVANIA**

Key Features:

- The brightest downroad headlight in our product line*
- More clarity – down road, side road and contrast of objects*
- Increased side road visibility*
- Increased peripheral visibility*
- Whiter light for greater contrast of objects and improved visibility of reflective objects
- For ULTRA Night Vision

*Compared with SYLVANIA BASIC



9003/H4, 9004, 9005, 9006, 9007,
H7, H1, H11, H13/9008



1500LB MOTORCYCLE JACK

T64017

This versatile motorcycle jack is the answer to all your motorcycle/ATV lifting needs. Lift any small vehicle from your bike to an ATV or even a snowmobile.



ENGINE STANDS

T25671 - 1250lbs

Sturdy design prevent these engine stands from tipping while holding the block. Front swivel castors allow you to move and position engine exactly where you need it. Four adjustable arms and 360 degree rotation allow for easy mounting.

SHOP PRESS

T51201 - 12 ton

Torin® Heavy-duty H-frame design incorporates the strength and perfection needed for straightening, stamping, bending and pressing any component that is hard to handle.



12 TON PIPE BLENDER

T31202

Bends virtually all types of pipe except conduit!



PORTA POWER

T70401 4 ton

T71001 10 ton



3.5 GALLON PARTS WASHER

T10035

For use on work benches around the shop. All parts are manually cleaned using a flow-through brush. Solvent drains through the sink tray into the reservoir.





BOTTLE JACKS

With high quality glide action pressure pump, these powerful jacks make big loads easy to lift. Handle included.

T90203	2 ton	T91203	12 ton
T90403	4 ton	T91207	12 ton (Low Profile)
T90613	6 ton	T92007A	20 ton (Low Profile)
T90603	6 ton	T92003	20 ton
T90803	8 ton	T93007	30 ton
T91003	10 ton	T95007	50 ton

PRO-SERIES 5500 2.75 TON FLOOR JACK

T82751

Lifting Range 5.12" - 19.3"

Gross Weight 78 lbs.



HYDRAULIC AIR JACKS

TA91206 - 12 ton



PRO SERIES 6000 3 TON TORIN FLOOR JACK

T83002

Lifting Range 5.12" - 20.1"

Gross weight 83.8 lbs.



PRO-SERIES 3.5 TON ONE PUMP FLOOR JACK

T83012

Lifting Range 5.75" - 19.75"

Gross Weight 88 lbs.



6 WHEEL SHOP CREEPER

TR6500

All steel construction

6 Wheel durable rotating casters

Padded bench



5 TON LONG CHASSIS SERVICE JACK

T80501

Torin® Heavy-duty long frame floor jacks are an integral part of any shop that works on medium duty equipment and trucks. Ideal for lifting heavy trucks, buses, agriculture and constructions equipment.




JACK STANDS

T42002	2 ton
T43002A	3 ton
T46002	6 ton
T41202	12 ton






PYRAMID WHEEL CHOCK
671-1047
6 x 10 x 8



**CONTOUR WHEEL CHOCK
WITH HOOK**
671-1048
8 x 7 x 10"



**WHEEL CHOCK WITH
SAFETY HANDLE**
671-1050
8 x 10 x 7.5"



**HEAVY DUTY TRIPLE
HEADER MUD FLAP**
671-4093
24 x 24 / 27 / 30"
Stock one mud flap, cuts
down to 2 other sizes



MUD FLAPS
671-4580
24 x 18"

671-4590
24 x 24"



CHEVRON MUD FLAPS
671-4583
24 x 30"

671-4585
24 x 36"

671-4588
24 x 24"

Fits truck bodies, tow trucks, HD trucks & trailers

PERSONALIZED MUDFLAPS WITH YOUR NAME AND LOGO!

Advertise Your Company!

Your company
name and logo!



MUD FLAPS
671-8156-01
9 x 16"

Fits large cars, Pickup
trucks, SUVs, Jeeps,
and Vans.



**TRIPLE HEADER
MUD FLAP**
671-8093-01
24 x 24 / 27 / 30"

Your company
name and logo!

EQUIPMENT



MIST™ II In-Car Air Quality System

590160P

Treats the problem of mold, mildew and bacteria in a vehicle's ventilation system and passenger cabin surfaces.

Kit Includes:

- 1 MiST Machine
- 24 MiST Cleaning Solutions
- POP Package



MIST™ Cleaning Solution

590250C - 100mL



Combustion Leak Tester Kit

560000

Replacement

Combustion Leak Tester Fluid

560500 - 16 oz./480 ml



SPOTGUN™ JR./UV Phazer™ BLACK (AAA) Kit

332005A

Serves up to 40 vehicles



SPOTGUN™ / UV Phazer™ BLACK (Rechargeable) Kit

414565A

Serves up to 64 vehicles



SPOTGUN™ JR. "LeakGuard" Injection Kit

480300

- Spotgun Jr. Injection system
- 2 x (1oz/30mL) Leakguard cartridge
- Storage case

LEAKGUARD™ Cartridges for Spotgun™ Jr. system

480301

1oz./30ml cartridges

480308

8oz./240ml



AIRLIFT™ Kit

550000

Eliminate airlocks in vehicle cooling systems and refills in seconds...

OEM approved worldwide!



AIRLIFT™ II HD Kit

550500HD

Refills cooling systems and eliminates airlocks. OEM approved. Storage case included.



SPOTGUN™ System Kit

471500A

Serves up to 64 vehicles

UV LEAK DETECTION LIGHTS

UV LEAK DETECTION LIGHTS

FIND THE LEAKS THAT OTHERS MISS



UV PHAZER NEO™ UV
LEAK DETECTION LIGHT
413025



UV PHAZER BLACK
(RECHARGEABLE)
413065



UV PHAZER BLACK
(AAA BATTERIES)
413075

A/C DYES

DYES

BRIGHTER DYE, FASTER DETECTION



MULTI-PURPOSE DYE
483208 - 240mL Bottle



A/C EXTENDYE CARTRIDGES
FOR SPOTGUN™ JR. SYSTEM
399020A - 1 oz. / 30 ml 4x 30ml
Services up to 40 vehicles



A/C EXTENDYE™

499108A - Spotgun™ Cartridge 240mL
499008A - Bottle 240mL



MULTI-PURPOSE DYE
B483206
6 Bottles 30mL



RADIATOR COOLANT DYE
For use with regular (green) coolant
6 Bottles 30mL
B483906
B483806 Extended Life

CHEMICALS



CARBONCLEAN
MV3
400-0020



CARBONCLEAN
MV3
400-0126



CARBONCLEAN
MV-4
400-0030



CARBONCLEAN MV-5
510ml bottles
400-0050



CARBONCLEAN MV-6
480mL bottles
400-0060

A/C OILS



8 OZ CARTRIDGES
PAG 46 488046P
PAG 100 488100P
PAG 125 488125P
HYBRID ESTER
OEM Approved 488104H
PAG 46 (For HF01234YF)
488046YF

8 OZ BOTTLES

PAG 46 488046PB



PAG 46 with Dye
488046PBD
PAG 100
488100PB
PAG 100 with Dye
488100PBD

TROUBLE LIGHT



UIVIEW CORDLESS RECHARGEABLE
LIGHT WITH SMART CHARGER
413310



WATER RESISTANT SILICONE LUBRICANT
01179



- Lubricates, waterproofs and protects.
- Quick-drying with no messy residue.
- Effective temperature range from -73° C to 260° C.

HIGH PERFORMANCE WHITE LITHIUM GREASE
01180



- Ideal for metal-to-metal applications that require heavy-duty lubrication and protection against rust and corrosion.
- Won't freeze, melt or run off.
 - Effective in temperatures from -18° C to 149° C (0° F to 300° F).

RUST RELEASE PENETRANT SPRAY
01178



- Fast acting. Helps prevent rust and corrosion from re-forming and leaves behind a lubricating layer
- Penetrates deep into tight crevices, threads and seams to break the bonds that hold stuck parts together

MACHINE AND ENGINE DEGREASER FOAMING SPRAY
01206



- Deep penetrating foaming action.
- Quickly removes dirt, grease, and grime to make machine and equipments last longer and look new.
- Powerful stream sprays up to 5 feet

DIRT & DUST RESISTANT DRY LUBE PTFE SPRAY
01209



Quick drying PTFE formula provides superior lubrication and long-lasting corrosion protection with no oily residue.

- Resists dirt, dust and oil.
- Ideal for releasing molded parts.



MULTI-PURPOSE DRIP
3-IN-ONE®, with its special drip spout, is perfect for applications that require precise control for lubrication and rust prevention.

01135 88.7ml
01138 236ml



MOTOR OIL DRIP
01145

- Engineered for 1/4 HP motors or larger
- Special blend of high-grade oils that's equivalent to SAE 20
- Oil formulation is ideal for lubricating the moving parts of electrical motors



MULTI PURPOSE TELESCOPING SPOUT
01216

- Telescoping Marksman Spout
- 15cm spout extension for hard to reach places
- Ergonomically shaped for ease of use and balance



GARAGE DOOR LUBE 02252
SILICONE LUBRICANT 01141
HIGH PERFORMANCE PENETRANT 01140
WHITE LITHIUM GREASE 01142

PRODUCT BENEFITS AND FEATURES:

3in1 Garage Door Lube – 311g

High performance lubrication for pulleys, bearings, springs, chains and door tracks. No oily mess. Works fast, quick drying.

3in1 Silicone Spray – 311g

- Ideal for metal-to-metal applications, preventing rust and corrosion, Sprays evenly as a liquid and sets dry for a thick, protective coating that won't wash off, High performance lubrication,
- Quick drying, no mess formula.

3in1 Penetrant Spray – 311g

- Fast acting formula, Loosens stuck parts, Frees rusted nuts and bolts.
- Ideal for use on nuts, bolts, threads, licks, chains and rusted things that are stuck and won't move.

3in1 White Lithium Grease Spray – 290g

- Dries fast and leaves a clear, non-staining film without stickiness or messy residue, Safe for temperature ranges between - 73 ° C to 260 ° C, Non drip formula, Water and heat resistant,
- Prevents rust and corrosion; long lasting, heavy duty lubricant.

WD-40® MULTI-USE PRODUCT

WD-40® Multi -Use Product protects metal from rust and corrosion, penetrates stuck parts, displaces moisture, dissolves adhesives and lubricates just about anything.

WD-40® Multi -Use Product - Problem Solved. Job Done Right™



- 01161 - 85g
- 01218 - 155g
- 01111 - 311g
- 01132 - 311g Big Blast
- 01153 - 325g Smart Straw
- 01122 - 342g Bonus Can
- 01110 - 3.785L
- 01219 - 591ml Trigger Pro Non Aerosol
- 01204 - 18.9 Litre Pail
- 01100 - Spray Applicator (empty)



SPOT SHOT® INSTANT CARPET STAIN REMOVER

- Removes even tough OLD stains!
- Removes tough carpet stains without scrubbing!
- Works great on Red Wine, Blood, Grape Juice, Cola, coffee and many more!

- 00927 - 496g
- 00932 - 650ml Regular
- 00936 - 650ml Pet



2000 FLUSHES AUTOMATIC TOILET BOWL CLEANER

- 2000 Flushes® is the FIRST long-lasting anti-bacterial automatic toilet bowl cleaner
- Improved, concentrated tablet delivers continuous cleaning action to sanitize, clean and deodorize

- 90102 - 100g Blue Plus Detergent
- 90616 - 35g Chlorine
- 90801 - 100g Blue Plus Bleach

Quality AUTOMOTIVE Products™

PREMIUM QUALITY

Qualité À TOUT Prix^{MD}

QUALITÉ PRIME

Filters / Filtres

Air, Oil, Fuel, Cabin Air & Transmission
Air, huile, carburant, air de cabine, transmission
GKI

Batteries / Batteries

EXIDE DropShip

Brake Cables / Câble de frein

ABQ

Brake Cleaner / Nettoyant pour frein

CRC

Brake Pads & Shoes / Sabot et plaquettes de frein

PRM

Brake Rotors & Drums / Tambour et disque de frein

YEN

Chassis Parts / Pièces de châssis

XCP

CV Boots /

Ensemble de soufflets pour joint homocinétique

MEQ

Engine Management / Gestion des moteurs

OEM

Hub Bearings / Ensembles de moyeux

MEH

Ignition Wire Sets / Ensemble filage sur mesure

MWS

Oils & Greases / Huile et graisse


IRQ

PBE Products / Produits PBE

DOM/PLA

Strut Mounts / Support jambe de suspension

MES



WE'VE GOT ALL THE **BEST** PARTS!

TUBE REPAIRS (PLASTIC BACKED)



PART#	DESCRIPTION	INCHES-MM	BOX/TUB
RB40	Small Round	(1 9/16") (40mm)	40
RB100T	Small Round Tub	(1 9/16") (40mm)	200
RB100-1000	Small Round Tub	(1 9/16") (40mm)	1000
RB30	Medium Round	(2 1/8") (55mm)	30
RB60T	Medium Round Tub	(2 1/8") (55mm)	100
RB60-1000	Medium Round Tub	(2 1/8") (55mm)	1000
RB20	Large Round	(3 1/8") (80mm)	20
RB25T	Large Round Tub	(3 1/8") (80mm)	50
RB25-500	Large Round	(3 1/8") (80mm)	500
OB30	Small Oval	(1 7/16" x 2 1/4") (37 x 58mm)	30
OB25	Medium Oval	(1-7/8" x 3-3/4") (48 x 96mm)	20
OB20	Large Oval	(2 3/8" x 4") (61 x 103mm)	20

UNIVERSAL ROUND REPAIRS (PLASTIC BACKED)



PART#	DESCRIPTION	INCHES-MM	BOX/TUB
WR0	Small Round	(1 9/16") (40mm)	35
WR0T	Small Round	(1 9/16") (40mm)	200
WR0-1000	Small Round	(1 9/16") (40mm)	1000
WR4	Medium Round	(2 1/8") (55mm)	30
WR4T	Medium Round	(2 1/8") (55mm)	100
WR4-1000	Medium Round	(2 1/8") (55mm)	1000
WR5	Large Round	(3 1/8") (80mm)	18
WR5T	Large Round	(3 1/8") (80mm)	50
WR5-500	Large Round	(3 1/8") (80mm)	500

UNIVERSAL SQUARE REPAIRS (GREY GUM/RED POLY)



PART#	DESCRIPTION	INCHES-MM	BOX/TUB
SQ1	Small Square	(1 3/4") (45mm)	40
SQ1T	Small Square	(1 3/4") (45mm)	100
SQ1-1000	Small Square	(1 3/4") (45mm)	1000
SQ2	Medium Square	(2 1/4") (58mm)	40
SQ2T	Medium Square	(2 1/4") (58mm)	80
SQ2-1000	Medium Square	(2 1/4") (58mm)	1000
SQ3	Large Square	(2 1/2") (64mm)	20
SQ3T	Large Square	(2 1/2") (64mm)	50
SQ3-500	Large Square	(2 1/2") (64mm)	1000

CORD-REINFORCED REPAIRS (PLASTIC BACKED)



PART#	DESCRIPTION	INCHES-MM	BOX/TUB
RC218	Medium Round	(2 1/8") (55mm)	25
RC218T	Medium Round	(2 1/8") (55mm)	100
RC318	Large Round	(3 1/8") (80mm)	15
RC318T	Large Round	(3 1/8") (80mm)	50
WR1	Small Rectangle	(1 3/4" x 3") (45 x 77mm)	20
WR1T	Small Rectangle	(1 3/4" x 3") (45 x 77mm)	80
WR2	Medium Rectangle	(2 3/8" x 4") (61 x 103mm)	10
WR2T	Medium Rectangle	(2 3/8" x 4") (61 x 103mm)	40
WR3	Large Rectangle	(2 7/8" x 5 3/4") (74 x 147mm)	10

"NU-FLEX" (CORD-REINFORCED BIAS PLY REPAIRS)

PART#	DESCRIPTION	PLY	INCHES-MM	BOX
F10	78° Boot	2 ply	2 7/8" x 3 5/8", (74 x 93mm)	24
F11	78° Boot	3 ply	4 1/2" x 5 1/2", (115 x 141mm)	10
F12	78° Boot	3 ply	5 1/2" x 7 1/4", (141 x 186mm)	10
F13	78° Boot	4 ply	6 3/4" x 8 3/8", (173 x 215mm)	10
F14	78° Boot	4 ply	8 1/8" x 10 1/8", (208 x 260mm)	10
F15	78° Boot	4 ply	11" x 13 1/2", (282 x 346mm)	5

AGRICULTURAL BOOTS FOR TUBE TYPE TIRES

PART#	DESCRIPTION	INCHES-MM	BOX
1L	Oval	3" x 4" (77 x 103mm)	20
2L	Oval	4" x 6" (103 x 154mm)	10
3L	Oval	5 1/2" x 7 3/4" (141 x 199mm)	10
4L	Oval	7" x 9 3/4" (180 x 250mm)	10
5L	Oval	9" x 11 3/4" (231 x 301mm)	10
1R	Round	3 3/4" (96mm)	20
2R	Round	4 1/2" (115mm)	10
3R	Round	5 1/4" (135mm)	10
4R	Round	6 1/4" (160mm)	10

RADIAL REPAIRS

PART#	STYLE	DESCRIPTION	INCHES-MM	BOX
CRX10	EURO	Radial	2 1/8" x 3" (55 x 77mm)	20
CRX10-80	EURO	Radial	2 1/8" x 3" (55 x 77mm)	80
CRX12	EURO	Radial	2 3/4" x 4 1/2" (71 x 115mm)	10
CRX14	EURO	Radial	3 3/8" x 5 1/8" (87 x 131mm)	10
CRX20	EURO	Radial	3 1/8" x 4 7/8" (80 x 125mm)	10
DRX10	USA	Radial	2 1/8" x 3" (55 x 77mm)	20
DRX10-80	USA	Radial	2 1/8" x 3" (55 x 77mm)	80
DRX12	USA	Radial	2 3/4" x 4 1/2" (71 x 115mm)	10
DRX14	USA	Radial	3 3/8" x 5 1/8" (87 x 131mm)	10
DRX20	USA	Radial	3 1/8" x 4 7/8" (80 x 125mm)	10

BIAS REPAIRS

PART#	STYLE	DESCRIPTION	INCHES-MM	BOX
WDB1	USA	Bias	2 1/2" (64mm)	20
WDB2	USA	Bias	2 7/8" (74mm)	20
WDB3	USA	Bias	4 5/8" (119mm)	10
WDB4	USA	Bias	5 3/8" (138mm)	10
WDB5	USA	Bias	7 1/8" (183mm)	10
WDB6	USA	Bias	10" (256mm)	10
WCB1	EURO	Bias	2 1/2" (64mm)	20
WCB1HD	EURO	Bias	2 3/8" (60mm)	20
WCB2	EURO	Bias	2 7/8" (74mm)	20
WCB2HD	EURO	Bias	3 1/4" (83mm)	20
WCB3	EURO	Bias	4 5/8" (119mm)	10
WCB4	EURO	Bias	5 3/8" (138mm)	10
WCB5	EURO	Bias	7 1/8" (183mm)	10
WCB6	EURO	Bias	10" (256mm)	10

PATCH/PLUG QUILL-TYPE COMBINATION REPAIRS

PART#	REPAIR SIZE	STEM SIZE	BOX
Q3	2" (51mm)	1/8" (3mm)	24
Q6	2" (51mm)	1/4" (6mm)	24

PATCH/PLUG LEAD WIRE DIPPED STEM COMBINATION REPAIRS

PART#	REPAIR SIZE	STEM SIZE	BOX
WW3	2" (51mm)	1/8" (3mm)	24
WW6	2" (51mm)	1/4" (6mm)	24
WW8	2" (51mm)	3/8" (9mm)	24
WW9	2" (51mm)	7/16" (11mm)	24

SNAP-IN TUBELESS TIRE VALVES

PART#	LENGTH	VALVE HOLE	QTY
TR412	7/8"	.453"	100
TR413	1-1/4"	.453"	100
TR414	1-1/2"	.453"	100
TR415	1-1/4"	.625"	100
TR418	2"	.453"	100
TR423	2-1/2"	.453"	100
TR425	2"	.625"	100

LEAD WIRE WRAPPED STEM INSERTS

PART#	REPAIR SIZE	BOX
WI3	1/8" (3mm)	50
WI6	1/4" (6mm)	50
WI8	5/16" (8mm)	50

DUAL CURE REINFORCED INSERTS (GREY GUM)

PART#	DESCRIPTION	INCHES-MM	STEM SIZE	BOX
WS220/24	Blue Poly	3-3/4" (96mm), 10 strand	3/16" (5mm)	50

HEAVY DUTY STRING INSERTS

PART#	DESCRIPTION	INCHES-MM	BOX
ST1930	Brown String	4" (102mm)	30
ST1933	Brown String	4" (102mm)	60
ST1934	Brown String	8" (204mm)	30
ST1935	Black String	4" (102mm)	60

"EZY-SEAL" BLACK TIRE CORDS

PART#	DESCRIPTION	INCHES-MM	BOX
WS9	Cord with closed-eye tool	7 1/4" (186mm)	50
WS9R	Cord	7 1/4" (186mm)	50

VALVE CORES AND CAPS

PART#	DESCRIPTION	QTY
C1HT	HI-Temp, short	100
C1LG	Passenger, long	100
DSV1	Inflator Cap	20
VC2	Screwdriver Cap	100
VC3L	Dome Long Skerted Cap	100
VC4	Chrome Metal Hex Head Cap	100
VC5	Green brass with O Ring	100
VC7	Chrome Plastic	100
VC8	Black Plastic Cap	100
VC8G	Green Plastic with red seal	100
VC9	Green Plastic	100
VC10	Blue plastic	100
VC12	Grey TPMS cap	100

STRING INSERTING TOOLS (SPLIT-EYE)

PART#	DESCRIPTION
TST	Chrome Plated T-Handle with 3"
TSTT	Chrome Plated T-Handle with 4"
WRN35	Replacement needle for TST, 3-1/2"
WRN45	Replacement needle for TST, 4-1/2"
SEPG	Pistol Grip short split-eye

OPEN-EYE (SIDE-LOADING) INSERTING TOOLS

PART#	DESCRIPTION
OETT	Plastic T-Handle
OEPG	Plastic Pistol Grip handle
OE7	Heavy duty screwdriver-type handle, 7"
OE11	Heavy duty screwdriver-type handle, 11"

CLOSED-EYE INSERTING TOOLS

PART#	DESCRIPTION
CEPG	Plastic Pistol Grip handle
CE7	Heavy duty screwdriver-type handle, 7"
CE11	Heavy duty screwdriver-type handle, 11"

RASP/PROBE (INJURY-CLEANING) TOOLS

PART#	DESCRIPTION
PPG	Plastic Pistol Grip handle barbed rasp
P150	Screwdriver handle barbed rasp
TSBRP	Chrome Plated T-Handle rasp
TSRBR	Replacement Barbed Rasp for TSBRP

SPIRAL PROBE TOOLS

PART#	DESCRIPTION
TSPRB	Chrome Plated T-Handle spiral probe
PRBR	Replacement spiral probe for TSPRB
SSP	Heavy duty screwdriver-type spiral probe

MARKING CRAYONS

PART#	DESCRIPTION
WB12	White Crayons
YC12	Yellow Crayons

CEMENTS

PART#	DESCRIPTION
SV8	Self-Vulc Cement, 8 oz. (235ml)
SV8BL	Blue Fast Dry Cement, 8 oz. (235ml)
SV32	Self-Vulc Cement, 32 oz. (945ml)
SV32BL	Blue Fast Dry Cement, 32 oz. (945ml)

BUFFING SOLUTION

PART#	DESCRIPTION
BU16S	Redi-Buff, spray 16 oz. (423ml)
BU32	Redi-Buff, 32 oz. (945ml)
BUG	Redi-Bluff, Gal (3.8L)

TIRE MOUNTING LUBRICANT & ACCESSORIES

PART#	DESCRIPTION	WEIGHT
TC70-5	Concentrated	8 lb. Pail (3.64kg)
TC70-6	Concentrated	25 lb. Pail (11.36kg)
TC70-7	Concentrated	40 lb. Pail (18.18kg)
TC60-5	Ready-to-Use Liquid	Gal (3.8L)
TC60-7	Ready-to-Use Liquid	5 Gal (19L)
TC77-5	Concentrated Europaste	8 lb pail (3.64kg)

METRIC TRUCK VALVES FOR ALCOA WHEELS

<i>Nickel Plated</i>		
PART#	LENGTH	DESCRIPTION
TV543D	1.38"	.389 dia. 60 deg. (TR543D)
TV544	2.86"	.389 dia. (TR544)
TV544D	1.94"	.389 dia. (TR544D)
TV545	3.50"	.389 dia. (TR545)
TV545D	2.60"	.389 dia. (TR545D)

TIRE SPREADER

PART#	DESCRIPTION
TS1	Economy Tire Spreader

BUFFING TOOLS, BITS & ADAPTERS

PART#	DESCRIPTION
BS1	Black Buffing Stone, 36 grit
BC20	2" Tungsten Carbide Buffering Wheel
BC25	2-1/2" Tungsten Carbide Buffering Wheel
BURR1/8	Carbon Burr Bit
BURR7/32	Carbon Burr Bit
BURR1/4	Carbon Burr Bit
BURR5/16	Carbon Burr Bit
BURR3/8	Carbon Burr Bit

LINER SCRAPERS, STITCHERS AND MEASURING TOOLS

PART#	DESCRIPTION
110B	Ball bearing stitcher 1/8"
115E	Economy buffer/stitcher combination
120S	Innerliner Scraper

LUBE TOOLS

PART#	DESCRIPTION
CSS	Cotton Swab, short
CSL	Cotton Swab, long
LB1	Rim Clamp Lube Bottle
LB2	Center Post Lube Bottle

BEAD SEALER & REPAIR SEALER

PART#	DESCRIPTION
BS32	Black Bead Sealer, 32 oz. (945ml)
BSG	Black Bead Sealer, Gal (3.8L)
BS5G	Black Bead Sealer, 5 Gal (19L)
RS32	Butyl Liner Repair Sealer, 32 oz. (945ml)
RS8	Butyl Liner Repair Sealer, 8 oz. (235ml)

HIGH PRESSURE SNAP-IN VALVES

PART#	DESCRIPTION
600HPT	1-1/4" .453"
602HP	2" .453"
801HP	1-1/4" .625"
802HP	2" .625"

TRUCK & BUS TUBELESS TIRE VALVES

PART#	LENGTH	DESCRIPTION
TV570	3-1/8"	(TR570) .625" side valve hole
TV571	3-3/8"	(TR571) .625" side valve hole
TV572	3-3/4"	(TR572) .625" side valve hole
TV573	4-3/8"	(TR573) .625" side valve hole
TV574	5"	(TR574) .625" side valve hole

METAL TRUCK VALVE EXTENSIONS

PART#	DESCRIPTION
TE3	3" Metal Truck Extension
TE4	4" Metal Truck Extension
TE5	5" Metal Truck Extension

AIR/LIQUID VALVE AND ACCESSORIES

PART#	DESCRIPTION
618A	Air / Liquid Valve, 48mm

PRODUCT	SUPPLIER	PAGE
2 Cycle Oil	Lucas Oil	64
Adhesives.....	Norton, Permatex.....	77,80
Air Conditioning & Cooling.....	Cliplight,Rislone,Uview.....	16,92,105
Air Fresheners.....	Car-Freshener.....	12
Air Hose	Milton.....	68
Anti-Freeze Tester.....	EZ Red	29
Assortments.....	Dynaline.....	25
ATF Conditioner	Lucas Oil	63
Batteries	Rayovac.....	91
Battery Chargers.....	Schumacher.....	97-98
Battery Hydrometer.....	EZ Red	29
Bit Kit	H Paulin.....	46
Blades.....	Irwin Tools.....	55
Blo-Guns.....	Milton.....	68
Brake Cleaner	CRC,Kleen-flo	17,61
Brake Fluid	Flo-Perm,Kleen-flo,Lucas Oil.....	30,61,65
Brake Lines.....	FMSI.....	31
Brake Lubricant.....	Permatex	81
Brooms.....	M2 Professional.....	66-67
Brushes.....	M2 Professional.....	66-67
Cable Ties	Pico.....	86
Caliper Bolts	Carlson	13
Carpet Stain Remover.....	WD-40.....	107
Casters.....	Dynaline.....	28
ChainCase oil.....	Lucas Oil	65
Chains.....	Ancra	4
Chemicals.....	CRC,Uview.....	17-18,105
Choke Conversion Kits.....	Dorman	22
Clamps.....	AP Exhaust,Irwin Tools	6,54
Clamps (Hose)	Breeze.....	10
Cleaners	Irving Blending & Packaging,Permatex,Seafoam	53,79,99
Clock	Bestbuy Distributors.....	90
Cloths	M2 Professional.....	66
Coating.....	Plasti-Kote	89
Coiled Air Products.....	Grote.....	38
Cold Weld	Permatex	80
Coolant.....	Lucas Oil	64
Coolant & Fluid Equipment.....	Phillips & Temro	84
Copper Tubing	FMSI.....	31
Corner Protectors.....	Ancra	3
Creeper.....	Torin Jacks.....	102
Crimp Tool	Pico.....	86
Cutters.....	Pico.....	86
Degreasers.....	Irving Blending & Packaging,Permatex	53,79
Detailing	Lucas Oil	65
Diesel Additives	Lucas Oil	64

PRODUCT	SUPPLIER	PAGE
Drill Bits.....	Lenox.....	56
Driver Bits.....	Dynaline.....	23
Driver Kit.....	Dynaline.....	23
Dust Pan.....	M2 Professional.....	66
Electrical.....	Grote.....	39
Engine Cleaner.....	Seafoam.....	99
Engine Degreaser.....	CRC.....	18
Engine Enamel.....	Plasti-Kote.....	88
Engine Repair.....	Rislone.....	93
Engine Stand.....	Torin Jacks.....	101
Engine Treatment.....	Rislone.....	93
Epoxy.....	J-B Weld,NLS Products.....	57,72
Exhaust Fluid.....	Irving Blending & Packaging.....	51
Fender Covers.....	Eppco.....	29
Flex Couplings.....	AP Exhaust.....	6
Floor Signs.....	M2 Professional.....	66
Fluid Film.....	NLS Products.....	69
Flush (System).....	Irontite.....	47
Fork Oil.....	Lucas Oil.....	65
Fuel Conditioner.....	CRC,Kleen-flo.....	18,61
Fuel Meters.....	GPI.....	32
Fuel Stabilizer.....	Lucas Oil.....	63
Fuel Treatment.....	Lucas Oil,Rislone.....	63,64,94,95
Funnels.....	Dynaline.....	26
Fuse Caddies.....	Cooper Bussmann.....	11
Fuses.....	Pico.....	87
Garage Floor Cleaner.....	Permatex.....	79
Gas-Line Anti-Freeze.....	Kleen-flo.....	61
Gasket Maker.....	Permatex.....	80,81
Gear Oil.....	Lucas Oil.....	62,65
Gear Pumps.....	GPI.....	32-33
Glass Cleaner.....	Permatex.....	79
Gloves.....	Groupe BBH,Kimberly-Clark,Kleen-flo.....	40-42,59,60
Grease.....	CRC,Irving Blending & Packaging,Lucas Oil,WD-40..	17,51,64,106
Hand Cleaners.....	CRC,Permatex,Kimberly-Clark.....	18,79,58
Hand Pumps.....	GPI.....	32-33
Hand Sanitizer.....	Kimberly-Clark.....	58
Handy Paks.....	H Paulin.....	46
Head Gasket Fix.....	Rislone.....	92
Hole Saw Kits.....	Lenox.....	56
Horns.....	Fiamm.....	30
Hose (Exhaust).....	Dayco.....	19
Hose (Service).....	Dayco.....	20-21
Hose reel.....	Milton.....	68
Injector Cleaner.....	Rislone.....	95
Jack Stands.....	Torin Jacks.....	102

PRODUCT	SUPPLIER	PAGE
Jacks.....	Torin Jacks.....	102
Jump Starter.....	Schumacher.....	98
Leak Detection.....	Cliplight,Uview.....	16,104,105
License Plate Cover.....	Dorman.....	22
Lighter Assemblies.....	Dorman.....	22
Lighting.....	Bayco,Cliplight,Dynaline,Grote,Schumacher,.....	7-9,14-15,28,34-
.....	Sylvania,Uview.....	37,97,100,105
LIT Plug Kits.....	Phillips & Temro.....	82
Litter Scoop.....	M2 Professional.....	66
Load Binders.....	Ancra.....	4
Lubrication.....	CRC,Dynaline,WD-40.....	17,25,106,107
Marking Paint.....	Plasti-Kote.....	88
Measuring Tape.....	Dynaline.....	23
Mop Bucket.....	M2 Professional.....	66
Mops.....	M2 Professional.....	66,67
Motor Oil.....	Irving Blending & Packaging,Noco Lubricants.....	48-50,52,75
Motor Seal.....	Irontite.....	47
Motor Treatment.....	Seafoam.....	99
Motorcycle Jack.....	Torin Jacks.....	101
Motorcycle Oil.....	Lucas Oil.....	65
Motorcycle Rack.....	Ancra.....	5
Mud Flaps.....	Triple C.....	103
Nozzle.....	GPI.....	33
Octane Booster.....	Lucas Oil,Rislone.....	63,95
Oil Drip.....	WD-40.....	106
Oil Stabilizer.....	Lucas Oil.....	62,63
Pad Heaters.....	Phillips & Temro.....	83
Paint.....	Plasti-Kote.....	88-89
Parts Washer.....	Torin Jacks.....	101
Penetrants.....	CRC.....	17
Penetrating Oil.....	NLS Products.....	71
Penetrating Spray.....	Seafoam.....	99
Pipe Blender.....	Torin Jacks.....	101
Pliers.....	Irwin Tools.....	54,55
Plugs.....	Pico.....	87
Porta Power.....	Torin Jacks.....	101
Power Steering Fluids.....	Lucas Oil.....	62,63,65
Power Steering Repair.....	Rislone.....	94
Radiator Flush Tees.....	Dorman.....	22
Radiator Stop Leak.....	Rislone.....	92,93
Ratchet Straps.....	Ancra,Dynaline.....	3,27
Rear Main System Repair.....	Rislone.....	94
Recovery Straps.....	Ancra.....	5
Repair Kits.....	Stanley Engineered Fastening.....	100
Repair Lines.....	FMSI.....	31
Rope.....	Groupe BBH.....	41

PRODUCT	SUPPLIER	PAGE
Rust Converter	Rust Check	96
Rust Prevention	CRC,Plasti-Kote,Rust Check	17,89,96
Sanding Discs	Norton	76
Saw Blades.....	Lenox	56
Scrapers (Ice).....	Hopkins	44
Sealant	NLS Products,Permatex	73,80,81
Sealant (Tire)	NLS Products	70
Shop Press	Torin Jacks.....	101
Snowbrooms.....	Hopkins	44
Snowbrushes	Hopkins	44
Sponges.....	M2 Professional.....	66
Springs	Irwin Tools.....	55
Squeegees.....	Hopkins,M2 Professional.....	45,66,67
Stainless Steel Cleaner	Permatex	79
Stop Leak	Lucas Oil	62,63
Strapping Kits.....	Dorman	22
Terminals	Grote,Pico	38,87
Test Strips.....	NLS Products	74
Thread Repair	Stanley Engineered Fastenin.....	100
Threadlocker	Permatex	80
Tire Repair Products	Western States.....	109-111
Tissue	Kimberly-Clark	58
Toilet Bowl Cleaner.....	WD-40.....	107
Torches	Pico.....	87
Touch Up Kits	Plasti-Kote	89
Towels.....	Kimberly-Clark	58-59
Trailer & Towing	Dynaline,Grote,PTC	24,38,90
Transmission Connectors	FMSI	31
Transmission Fluid / Repair	Lucas Oil,Rislone,Seafoam	62,63,64,94,99
Trigger Sprayer.....	M2 Professional.....	66
Tubing	Pico.....	86
Utiltiy Knives	Dynaline,Irwin Tools	23,55
Van Products.....	Ancra	5
Vane Pumps	GPI	32
Weather Seal	Irontite	47
Wheel Bearing Protectors.....	PTC.....	90
Wheel Chock.....	Triple C	103
Wheel Locks.....	Dynaline.....	28
Wheel Weights.....	Perfect Equipment	76
Winches	Ancra	2
Wipes.....	Kimberly-Clark	58-59
Wire & Cable	Grote.....	38
Wrenches.....	Irwin Tools.....	55
Wrinkle Paint.....	Plasti-Kote	88

Did you know we also carry these great brands?

 **Cole Hersee**



 **GERSON**[®]
Progressive With Purpose

SnappiHookers

Megular's
Since 1901

MURPHY'S

 **PROCOREDIRECT**

 **Quick-MACCALLUM**
CORPORATION

**Super
Lube**

 **Scepter**

BESTBUY 

WHERE QUALITY AND PRICE MEET HEAD-ON

PREMIUM QUALITY



HOME OF THE TRULY
INDEPENDENT SHAREHOLDER

Quality
AUTOMOTIVE
Products™

www.bestbuydistributors.ca

WWW.BESTBUYDISTRIBUTORS.CA

