



Commodities at a Glance

2017



AVAILABLE FROM:

Ancra International	2-5	Kimberly-Clark	58-59
AP Exhaust	6	Kleen-flo	60
Bayco	7-9	Lucas	61-64
Breeze Clamps.....	10	M2 Professional.....	65-66
Bussmann	11	Milton	67
Car Freshener	12	NLS	68-73
Carlson	13	Noco Lubricants (Mobil1)	74
Cliplight	14-16	Norton	75-76
CRC.....	17-19	Perfect Equipment	77
Dayco	20-22	Permatex.....	78-81
Dorman	23	Phillips & Temro.....	82-85
Bestbuy Tools of the Trade	24	Pico.....	86-89
Dynaline	25-29	Plasti-Kote	90-91
Eppco	30	Prestone	92
EZ Red	30	Bestbuy Pro.....	93
Fiamm.....	31	PTC.....	94
FloPerm	31	Rislone.....	95-98
FRAM	32	Rust Check	99
GPI.....	33	Schumacher	100-101
Grote.....	34-39	Seafoam	102
Groupe BBH	40-41	Stanley Engineered Fastening	103
Hopkins	42-43	Sylvania.....	104
H Paulin.....	44	Torin Jacks.....	105-106
Irontite	45	Triple C Rubber & Plastics	107
Irving Blending & Packaging.....	46-50	Uview.....	108-109
Irwin Tools.....	52-54	WD-40.....	110-111
JB Weld	56-57	Western States.....	113-115

Flatbed Accessories



Winch Bars

42313-10 - Standard Winch Bar
Weight: 5.0 lbs./2.27 kg.



42313-12 - Standard Combination Box End
Weight: 6.5 lbs./2.95 kg.



50015-10 - Standard Painted Ergo Bar
Weight: 5.0 lbs./2.27 kg.



50015-21 - Combination Box End Ergo Bar
Weight: 6.0 lbs./2.72 kg.



Porta Winch

49716-10
Standard outward off-set.
Weight: 11.5 lbs./5.2 kg. WLL: 5,500 lbs.



3-Bar Winch

48101-143
Bottom Mount 3 Bar, Weld-On
Weight: 11.3 lbs./5.13 kg WLL: 6,000 lbs./2,730 kg.



Web Winches

Lighter 7mm heat treated frame
Also Available in Ratcheting Models

43565-127
Web Storable Bottom Mount C Track Slider
Weight: 8.3 lbs./3.8 kg.
WLL: 6,000 lbs./2,730 kg.



43565-157
Standard Bottom Mount C Track Slider
Weight: 7.5 lbs./3.4 kg.
WLL: 6,000 lbs./2,730 kg.



49207-127
Storable Double L Track Slider
Weight: 6.8 lbs./3.09 kg.
WLL: 5,500 lbs./2,500 kg.



49207-137
Standard Double L Track Slider
Weight: 6.5 lbs./2.95 kg.
WLL: 5,500 lbs./2,500 kg.



48101-103
Side Mount 3 Bar, Weld-On
Weight: 9.5 lbs./4.3 kg
WLL: 6,000 lbs./2,730 kg.



Winch Straps WLL: 5,400 lbs. / 2,450 kg.

Good



Better



Best



41660-10-30 - 3-in. x 30-ft. Winch Strap w/ Flat Hook
41660-14-30 - 3-in. x 30-ft. Winch Strap w/ Chain Anchor
43795-10-30 - 4-in. x 30-ft. Winch Strap w/ Flat Hook
43795-11-30 - 4-in. x 30-ft. Winch Strap w/ Delta Ring
43795-15-30 - 4-in. x 30-ft. Winch Strap w/ Chain Anchor
41660-80-30 - 3-in. x 30-ft. ANCRA BLUE Strap w/Flat Hook
41660-83-30 - 3-in. x 30-ft. ANCRA BLUE Strap w/ Chain Anchor
43795-80-30 - 4-in. x 30-ft. ANCRA BLUE Strap w/ Flat Hook
43795-81-30 - 4-in. x 30-ft. ANCRA BLUE Strap w/ Delta Ring
43795-85-30 - 4-in. x 30-ft. ANCRA BLUE Strap w/ Chain Anchor
41660-90-30 - 3-in. x 30-ft. ANCRA X-TREME Strap w/ Flat Hook
41660-93-30 - 3-in. x 30-ft. ANCRA X-TREME Strap w/ Chain Anchor
43795-90-30 - 4-in. x 30-ft. ANCRA X-TREME Strap w/ Flat Hook
43795-91-30 - 4-in. x 30-ft. ANCRA X-TREME Strap w/ Delta Ring
43795-95-30 - 4-in. x 30-ft. ANCRA X-TREME Strap w/Chain Anchor

Flatbed Accessories



Ratchet Straps

Also available in 3 and 4 inch materials.

We also offer the following products in Ancra Blue and Ancra X-Treme.



45982-11
2-in. x 30-ft. Ratchet Strap w/ Flat Hooks.
WLL: 3,333 lbs./1,515 kg.



45982-34
2-in. x 30-ft. Ratchet Strap w/ Chain Anchors. Fixed End 33-in.
WLL: 3,333 lbs./1,515 kg.



45982-35
2-in. x 30-ft. Ratchet Strap w/ Delta Rings. Fixed End 18".
WLL: 3,333 lbs./1,515 kg.



45982-43
2-in. x 30-ft. Ratchet Strap w/ Wire Hooks.
WLL: 3,333 lbs./1,515 kg.

Eye to Eye Polyester Lifting Slings

- 20-EE1-9801X3 - 1" x 3'
- 20-EE2-9802X3 - 2" x 3'
- 20-EE2-9803X10 - 3" x 10'



Please see catalog for more!

Strap Corner Protectors

49584-10

12" Long Plastic. Extends approx. 3" to protect the load. Suitable for webbing up to 4" in width.
Weight: .47 lb./ .21 kg.



43986-10

High Density Polymer Suitable for webbing up to 4. 5.25" wide and extends approx. 3.5" to protect the load.
Weight: .06 lb./ .03 kg.



49913-10

Tarp Protector. Yellow plastic.
Weight: .21 lb./ .09 kg.



X-Treme Guard Corner Protectors

Constructed of High Density Polyethylene for strength and durability.

50089-12

8" x 1'. Weight: .8 lbs. / .36 kg.

50089-24

8" x 2'. Weight: 1.7 lbs. / .78 kg.

50089-36

8" x 3'. Weight: 2.7 lbs. / 1.23 kg.

50089-48

8" x 4'. Weight: 3.6 lbs. / 1.63 kg.



Natural Rubber Tarp Ties



NATURAL RUBBER

An alternative for cold weather.

- 52210C - Length: 10"
- 52215C - Length: 15"
- 52221C - Length: 21"
- 52231C - Length: 31"
- 52241C - Length: 41"

Flatbed Accessories



Transport Chain

Bulk Chain



45880-10

5/16" x 400' Wt: 408 lbs.

45880-11

3/8" x 200' Wt: 296 lbs.

45880-13

1/2" x 100' Wt: 521 lbs.

45880-12

1/4" x 400' Wt: 262 lbs.

Clevis Hooks



45946-10

5/16" Wt: .85 lbs.

45946-11

3/8" Wt: 1.10 lbs

45946-13

1/2" Wt: .210 lbs

45946-12

1/4" Wt: .40 lbs

Chain w/ Clevis



45881-10-16T

5/16" x 16' WLL: 4,700 lbs.

45881-10-20T

5/16" x 20' WLL: 4,700 lbs.

45881-10-25T

5/16" x 25' WLL: 4,700 lbs.

45881-11-16T

3/8" x 16' WLL: 6,600 lbs.

45881-11-20T

3/8" x 20' WLL: 6,600 lbs.

45881-11-25T

3/8" x 25' WLL: 6,600 lbs.

45881-13-20T

1/2" x 20' WLL: 11,300 lbs.

45881-13-25T

1/2" x 25' WLL: 11,300 lbs.

Grade 70 Transport Chain meets NACM Standards.



Also available in a pail.

Chain Corner Protectors

49377-10

Steel. Weight: 1.10 lbs. / .50 kg.



49377-11

Rubber Coated,
Extends 4" to protect load.
Weight: 1.9 lbs. / .86 kg.



49756-10

Steel. For use with chain and straps.
Weight: 1.26 lbs. / .57 kg.



Load Binders

Drop forged steel meeting FMCSA and DOT specifications. In three popular models.

Lever Load Binders

45943-10

Accepts 5/16"-3/8" Chain
WLL: 5,400 lbs.Wt. 9.0 lbs.

45943-10HD

Accepts 5/16"-3/8" Chain
WLL: 6,600 lbs.Wt. 9.4 lbs.

45943-11

Accepts 3/8"-1/2" Chain
WLL: 9,200 lbs.Wt. 11.9 lbs.

45943-13

Accepts 1/2"-5/8" Chain
WLL: 13,000 lbs.Wt. 20.8 lbs.

45943-12

Accepts 1/4"-5/16" Chain
WLL: 2,600 lbs.Wt. 3.5 lbs.



Recoilless Lever Load Binders

45943-14

Accepts 5/16"-3/8" Chain
WLL: 5,400 lbs.Wt. 9.0 lbs.



Lever Binder Locking Clip

50117-10

Securely holds binder handle.
Weight: .40 lbs. / 0.18 kg.



Ratchet Load Binders

45943-20

Accepts 5/16"-3/8" Chain
WLL: 5,400 lbs.Wt. 10.4 lbs.

45943-20HD

Accepts 5/16"-3/8" Chain
WLL: 6,600 lbs.Wt. 10.5 lbs.

45943-21

Accepts 3/8"-1/2" Chain
WLL: 9,200 lbs.Wt. 11.8 lbs.

45943-23

Accepts 1/2"-5/8" Chain
WLL: 13,000 lbs.Wt. 15.7 lbs.

45943-22

Accepts 1/4"-5/16" Chain
WLL: 2,600 lbs.Wt. 3.5 lbs.





Cargo Control Products

Recovery Straps

Heavy Duty Nylon Webbing

Easy Storage Band

900-230

2" x 30' Vehicle Recovery Strap
MVW: 9,000 lbs. / 4,082 kgs.
Break-Strength 18,000 lbs / 8,165 kgs



900-330

3" x 30' Vehicle Recovery Strap
MVW: 12,000 lbs. / 5,443 kgs.
Break-Strength 24,000 lbs / 10,866 kgs



900-430

4" x 30' Vehicle Recovery Strap
MVW: 18,000 lbs. / 8,165 kgs.
Break-Strength 36,000 lbs / 16,329 kgs



900-630

6" x 30' Vehicle Recovery Strap
MVW: 24,000 lbs. / 10,886 kgs.
Break-Strength 48,000 lbs / 21,772 kgs



TrackStar Motorcycle Rack

49603-10

Quick Connect to aircraft style
L track. Fits tire widths from
3.5" to 5.5". Comes complete
with mounting kit.



Weight: 7.0 lbs./3.18 kg.



Ratchet Tie Downs

XR115-C2P

1-1/4" x 15'. Set of 2 ratchet tie downs
(camo style) for A.T.V. Hook with Security pin.
WLL: 700 lbs. / 318 kgs.



XR115-2P

1-1/4" x 15'. Set of 2 ratchet tie downs
for A.T.V. Hook with Security pin.
WLL: 700 lbs. / 318 kgs.



XR108-2P

1-1/4" x 8'. Set of 2 ratchet tie downs
for Motorcycle. Soft ties.
WLL: 700 lbs. / 318 kgs.



Interior Van Products

48117-21-120.00

Galvanized Series E Logistic Track
Weight: 17.2 lbs./7.80 kg.
Length: 10 ft. / 3 m



48672-14

Ratchet Buckle Strap Assemblies
WLL: 1,333 lbs. / 605 kg
Length: 16 ft. / Weight: 2.40 lbs.



43638-51

Standard Duty Aluminum Series E/A Decking/Shoring
Beam. Adjustable Range: 91.9 – 102.9 in.
Weight: 18.8 lbs./8.55 kg.



43782-15

Aluminum Standard Cargo STA
Length: 89.75 – 104.5 in.
Weight: 8.95 lbs./4.07 kg.
Long Tube Diameter: 1.50 in.



520 Beards Lane, Suite A, Unit #1, Woodstock, Ontario N4S 7W3 • 1-866-962-0055 ext. 212 • www.ancra.com



FLEX COUPLING

WITHOUT NIPPLE EXTENSION

P/N W/O INNER LINER	P/N WITH INNER BRAID	FLEX LENGTH	OVERALL LENGTH	INLET DIAMETER
8810	8810IB	4"	4"	1.77"
8811	8811IB	6"	6"	1.77"
8812	8812IB	8"	8"	1.77"
8813	8813IB	10"	10"	1.77"
8814	8814IB	4"	4"	2.02"
8815	8815IB	6"	6"	2.02"
8816	8816IB	8"	8"	2.02"
8817	8817IB	10"	10"	2.02"
8818	8818IB	4"	4"	2.27"
8819	8819IB	6"	6"	2.27"
8820	8820IB	8"	8"	2.27"
8821	8821IB	10"	10"	2.27"
8822	8822IB	4"	4"	2.52"
8823	8823IB	6"	6"	2.52"
8824	8824IB	8"	8"	2.52"
8825	8825IB	10"	10"	2.52"
8826	8826IB	4"	4"	3.02"
8827	8827IB	6"	6"	3.02"
8828	8828IB	8"	8"	3.02"
8829	8829IB	10"	10"	3.02"



#8817

WITH NIPPLE EXTENSION

P/N W/O INNER LINER	P/N WITH INNER BRAID	FLEX LENGTH	OVERALL LENGTH	INLET DIAMETER
8835	8835IB	4"	8"	1.75"
8836	8836IB	6"	10"	1.75"
8837	8837IB	8"	12"	1.75"
8838	8838IB	10"	14"	1.75"
8839	8839IB	4"	8"	2.00"
8840	8840IB	6"	10"	2.00"
8841	8841IB	8"	12"	2.00"
8842	8842IB	10"	14"	2.00"
8843	8843IB	4"	8"	2.25"
8844	8844IB	6"	10"	2.25"
8845	8845IB	8"	12"	2.25"
8846	8846IB	10"	14"	2.25"
8847	8847IB	4"	8"	2.50"
8848	8848IB	6"	10"	2.50"
8849	8849IB	8"	12"	2.50"
8850	8850IB	10"	14"	2.50"
8851	8851IB	4"	8"	3.00"
8852	8852IB	6"	10"	3.00"
8853	8853IB	8"	12"	3.00"
8854	8854IB	10"	14"	3.00"

HANGERS

339816
339816S
339818S
339819S
339820S
339830



#339818S

HANGER - UNIVERSAL WIRE

339896
339897
339898
339899



#339896

UNIVERSAL CONVERTERS

	INLET/I.D.
602204	UNIVERSAL 2" W/O AIR TUBE
602205	UNIVERSAL 2 1/4" W/O AIR TUBE
602206	UNIVERSAL 2 1/2" W/O AIR TUBE
602207	UNIVERSAL 3" W/O AIR TUBE

EPA OBDII BY DESIGN

	INLET/I.D.
608204	2" W/O2 SENSOR PORT
608205	2 1/4" W/O2 SENSOR PORT
608206	2 1/2" W/O2 SENSOR PORT
608214	2" W/O2 SENSOR PORT
608215	2 1/4" W/O2 SENSOR PORT
608216	2 1/2" W/O2 SENSOR PORT

CLAMPS

H200	EXTRA HEAVY DUTY 2"
H212	EXTRA HEAVY DUTY 2 1/2"
H214	EXTRA HEAVY DUTY 2 1/4"
H234P	HEAVY DUTY 2 3/4"
H238	EXTRA HEAVY DUTY 2 3/8"
H258	EXTRA HEAVY DUTY 2 5/8"
H300	EXTRA HEAVY DUTY 3"
H312	EXTRA HEAVY DUTY 3 1/2"
H312P	HEAVY DUTY 3 1/2"
H314	EXTRA HEAVY DUTY 3 1/4"
H400	EXTRA HEAVY DUTY 4"
H400P	HEAVY DUTY 4"
H412	EXTRA HEAVY DUTY 4 1/2"
H412P	HEAVY DUTY 4 1/2"
H500	EXTRA HEAVY DUTY 5"
H500P	HEAVY DUTY 5"
H600	EXTRA HEAVY DUTY 6"
M112	DGM 1 1/2" U-BOLT
M134	DGM 1 3/4" U-BOLT
M158	DGM 1 5/8" U-BOLT
M178	DGM 1 7/8" U-BOLT
M200	DGM 2" U-BOLT
M212	DGM 2 1/2" U-BOLT
M214	DGM 2 1/4" U-BOLT
M218	DGM 2 1/8" U-BOLT
M238	DGM 2 3/8" U-BOLT
M258	DGM 2 5/8" U-BOLT
M300	DGM 3" U-BOLT
U112	STANDARD 1 1/2"
U114	STANDARD 1 1/4"
U118	STANDARD 1 1/8"
U134	STANDARD 1 3/4"
U158	STANDARD 1 5/8"
U178	STANDARD 1 7/8"
U200	STANDARD 2"
U212	STANDARD 2 1/2"
U214	STANDARD 2 1/4"



#H212

SELECT+PLUS TECHSERIES

	Neck Size	Body Dia.	Body	Overall
608704	2"	4" Rd	10"	14"
608705	2 1/4"	4" Rd	10"	14"
608706	2 1/2"	4" Rd	10"	14"
608714	2"	4" Rd	10"	14"
608715	2 1/4"	4" Rd	10"	14"
608716	2 1/2"	4" Rd	10"	14"
608734	2"	4" Rd	12"	16"
608735	2 1/4"	4" Rd	12"	16"
608736	2 1/2"	4" Rd	12"	16"
608744	2"	4" Rd	12"	16"
608745	2 1/4"	4" Rd	12"	16"
608746	2 1/2"	4" Rd	12"	16"

INTRINSICALLY SAFE POLYMER DUAL-LIGHT – NON-RECHARGEABLE
XPP-5422G

- cETLus, ATEX, IECEx and MSHA listed Intrinsically Safe for use in both above and below ground hazardous locations where explosive gases and dusts may be present
- CREE LED technology 50,000 + hours LED life
- Flashlight Lumens: 120
- Floodlight Lumens: 120
- Dual-Light Lumens: 240
- Beam Distance: 170 m
- Impact & chemical resistant
- Requires 3 AA batteries



MULTI-PURPOSE DUAL-LIGHT W/DUAL MAGNETS
NSP-2422B – Black
NSP-2422R – Red

- CREE® LED technology – 50,000+ hours LED
- Flashlight Lumens: 130
- Floodlight Lumens: 110
- Dual-Light Lumens: 235
- Beam Distance: 181 m
- Waterproof
- Impact & chemical resistant
- Powered by 3 AA premium batteries (included)



XTREME LUMENS METAL MULTI-FUNCTION TACTICAL FLASHLIGHT – RECHARGEABLE
TAC-560XL

- Super-bright Xtreme Lumens design
- CREE® LED technology – 50,000+ hours LED
- Momentary or constant-on plus 3 brightness levels & strobe
- Aircraft-grade 6061-T6 aluminum housing, bezel & tail-cap
- Waterproof
- Impact & chemical resistant
- Powered by rechargeable Lithium-ion battery (included)
- Flashlight Lumens: 800 / 350 / 140
- Beam Distance: 205 / 157 / 99 m



XTREME LUMENS POLYMER MULTI-FUNCTION DUTY/PERSONAL-SIZE DUAL-LIGHT W/MAGNET – RECHARGEABLE
NSR-9920XL

- CREE® LED technology – 50,000+ hours LED
- Waterproof
- Impact & chemical resistant
- Powered by Lithium-ion rechargeable battery (included)
- Flashlight Lumens: 650 / 300 / 100
- Floodlight Lumens: 200
- Dual-Light Lumens: 400
- Beam Distance: 275 / 200 / 146 m



INCANDESCENT WORK LIGHT W/ METAL GUARD & SINGLE OUTLET

Part No.	Cord Length (ft)	Cord Gauge	Cord Jacket
SL-425A	25	16/3	SJT
SL-426A	50	16/3	SJT

- Metal bulb guard with integrated hook
- Rated to handle up to a 75w incandescent bulb (bulb not included)
- Ergonomic handle shape
- Built in single grounded outlet (12amp)
- Exclusive 90 degree cord swivel makes it possible to stand the light upright on its base
- Push button switch



CORDED LED WORK LIGHT W/ MAGNETIC HOOK

Part No.	Cord Length (ft)	Cord Gauge	Cord Jacket
SL-2125	25	18/2	SJT

- All LED construction
- Light has 60 LEDs rated at 120 lumens arranged in a floodlight pattern
- Two built in magnets, one at the tip of the light and the other at the mid-point of the body offer hands-free options
- Included magnetic hook can be attached to either of the built in magnets for even more versatility
- Octagonal body design keeps the light in place when laid on its side



RETRACTABLE METAL CORD REEL W/ 3 OUTLETS - 10AMP

Part No.	Cord Length (ft)	Cord Gauge	Cord Jacket
SL-800	30	16/3	SJT

- 3 separate grounded outlets
- LED status light on outlet bar
- 10amp rating
- Includes mounting brackets to attach the reel to the wall or ceiling



13W FLUORESCENT WORK LIGHT ON METAL REEL

Part No.	Cord Length (ft)	Cord Gauge	Cord Jacket
SL-826	50	18/2	SVT

- Cool running 13 watt fluorescent bulb rated at 10,000 hours of use
- Similar amount of light to a 75 watt incandescent bulb but with a daylight color (6500 Kelvin)
- Electronic ballast provides instant no flicker cold weather starts
- Nylon tip double hooks for hands-free use
- Flame retardant polypropylene handle
- Includes mounting brackets for attaching the reel to the wall or ceiling



INCANDESCENT WORK LIGHT W/ METAL GUARD & SINGLE OUTLET ON METAL REEL

Part No.	Cord Length (ft)	Cord Gauge	Cord Jacket
SL-840	40	16/3	SJT

- Metal bulb guard with integrated rubber-tipped hook
- Rated to handle up to a 75w incandescent bulb (bulb not included)
- Built in single grounded outlet (10amp) makes it possible to plug a tool directly into the handle of the light
- Flame retardant polypropylene handle
- Attached to a 40 retractable cord inside of a metal reel
- Includes mounting brackets for attaching the reel to the wall or ceiling



MULTI-PURPOSE WORK LIGHT - RECHARGEABLE

SLR-2166

- Light has 60 LEDs rated at 230 lumens arranged in a floodlight pattern and 6 LEDs in the base of the handle rated at 32 lumens serving as a spotlight
- Two built-in magnets, one at the tip of the light and the other at the mid-point of the body for hands-free use
- Magnetic hook can be attached to either of the built-in magnets and can be rotated 360 degrees for even more hands-free versatility
- Octagonal body design keeps the light in place when laid on its side
- Flat bottom design allows the light to stand up
- Water resistant
- Impact & chemical resistant
- Powered by integrated Nickel Metal Hydride (NiMH) battery
- Includes both AC & DC power supply/charger



MINI-TAC FLASHLIGHT

Part No.	Flashlight Lumens	Beam Distance (meters)	Battery Type
MT-100	100	44	AAA
MT-120	140	68	AA
MT-130	140	68	AA

MT-100

MT-120

MT-130 Gooseneck



- CREE® LED technology – 50,000+ hours LED
- Momentary or constant-on flashlight
- Sharp focused flashlight beam
- Aircraft-grade 6061-T6 aluminum housing
- Type 2 hard anodized finish
- Non-slip grip
- Water resistant
- Impact & chemical resistant
- Powered by two AAA batteries (included)

NIGHTSTICK

Mini



5/16 in, 300 Series SS Band

Breeze #	Range [mm]
Carbon Plated Hex Screw	
3504	5.6 - 16 mm
3505	7.9 - 17.6 mm
3506	11 - 20 mm
3508	13 - 23 mm
300 Series SS Hex Screw	
3706	11 - 20 mm
3708	13 - 23 mm

Liner



1/2 in, 300 Series SS Band

Breeze #	Range [mm]
Carbon Plated Hex Screw	
9206H	11 - 20 mm
9210H	14 - 27 mm
300 Series SS Hex Screw	
9406H	11 - 20 mm
9408H	13 - 23 mm
9410H	14 - 27 mm
9412H	17 - 32 mm
9416H	21 - 38 mm
9420H	21 - 44 mm
9424H	27 - 51 mm
9428H	33 - 57 mm
9440H	52 - 76 mm
9448H	65 - 89 mm
9452H	71 - 95 mm
9456H	78 - 102 mm
9460H	84 - 108 mm

Power-Seal®



1/2 in, 300 Series SS Band

Breeze #	Range [mm]
Carbon Plated Hex Screw	
62006	11 - 20 mm
62008	13 - 23 mm
62010	14 - 27 mm
62012	17 - 32 mm
62016	21 - 38 mm
62020	21 - 44 mm
62024	27 - 51 mm
62028	33 - 57 mm
62032	40 - 64 mm
62036	52 - 76 mm
62040	46 - 70 mm
62044	59 - 83 mm
62048	65 - 89 mm
62052	71 - 95 mm
62056	78 - 102 mm
62060	84 - 108 mm
62064	48 - 127 mm
62072	91 - 114 mm
62080	64 - 140 mm
62088	79 - 152 mm
62096	92 - 165 mm
62104	105 - 178 mm

9/16 in, 300 Series SS Band

62128	143- 216 mm
62152	181- 254 mm
62188	238 -311 mm

1/2 in, 300 Series SS Band

Breeze #	Range [mm]
410 SS Hex Screw	
64008	13 - 23 mm
64010	14 - 27 mm
64012	17 - 32 mm
64016	21 - 38 mm
64020	21 - 44 mm
64024	27 - 51 mm

Hi-Torque™



9/16 in, 300 Series SS Band

Breeze #	Range [mm]
410 SS Hex Screw	
HTM 250	45 - 67 mm
HTM 300	57 - 79 mm
HP 2	32 - 67 mm
HP 3	54 - 105 mm
HP 4	102 -156 mm

Constant-Torque®



9/16 in, 300 Series SS Band

Breeze #	Range [mm]
Carbon Plated Hex Screw	
CT 9424	27 - 51 mm

5/8 in band All Stainless Steel

Breeze #	Range [mm]
CT 200	32 - 54 mm
CT 250	45 - 67 mm
CT 300	57 - 79 mm
CT 350	70 - 90 mm
CT 400	83 - 105 mm
CT 450	95 - 118 mm
CT 500	108 -130 mm
CT 600	133 -156 mm

Make-A-Clamp

9/16 in, 300 Series SS Band
8 6" bands /3 Adj. Fast/ 1 splice

Breeze #	Range [mm]
Carbon Plated Hex Screw	
4000	Variable

T-Bolt



3/4 in, 300 Series SS Band

Breeze #	Range [mm]
Carbon Plated Bolt	
TB 150	38.1 - 42.9 mm
TB 163	41.3 - 47.6 mm
TB 175	44.5 - 50.8 mm
TB 200	50.8 - 58.7 mm
TB 225	57.2 - 65.1 mm
TB 238	60.3 - 68.3 mm
TB 250	63.5 - 71.4 mm
TB 275	69.9 - 77.8 mm
TB 288	73.0 - 81.0 mm
TB 300	76.2 - 84.1 mm
TB 325	82.6 - 90.5 mm
TB 350	88.9 - 90.5 mm
TB 375	95.3 - 103.2 mm
TB 400	101.6 - 109.5 mm
TB 425	108.0 - 115.9 mm
TB 575	146.1 - 154.0 mm
TB 625	158.8 - 166.7 mm

T-Bolt w HD Spring



3/4 in, 300 Series SS Band

Breeze #	Range [mm]
Carbon Plated Hex Screw	
B9224-0406	103.2 - 111.1 mm

Merchandisers

Breeze #	Description
6210	ASSORTMENT
6200	EMPTY RACK

V-Band



3/4 or 7/8 in, 300 Series SS Band

Breeze #	Range [mm]
Nominal Diameter for each	
VT10288	73.152 mm
VT10321	81.534 mm
VT10350	88.9 mm
VT10382	97.028 mm
VT10388	98.552 mm
VT10406	103.124 mm
VT10413	104.902 mm
VT10419	106.426 mm
VT10425	107.95 mm
VT10450	114.3 mm
VT10450-A	114.3 mm
VT10461	117.094 mm
VT10469	119.126 mm
VT10475	120.65 mm
VT10475-A	120.65 mm
VT10481	122.17 mm
VT10491	124.714 mm
VT10494	125.476 mm
VT10510	129.54 mm
VT10525	133.35 mm
VT10530	135.15 mm
VT10565	143.51 mm
VT10581	147.574 mm

Fuel Injection Clamp



Carbon Plated Band

Breeze #	Range [mm]
FI 4	10.0 - 13.0 mm
FI 5	12.5 - 15.5 mm
FI 6	13.5 - 16.5 mm

Breeze® is a brand of the NORMA Group

Bussmann Fuse Caddies and Trays

Save Time. Save Space.



#FUSE-CADDY1

With convenient folding handle and security latch, this five-tray capacity caddy contains 275 fuses in popular ratings.

CDY10TRY-ATC
CDY10TRY-ATM
CDY10TRY-ATM-LP
CDY10TRY-MAX
CDY5TRY-FMX

Fuse Caddy Features and Benefits

- Comprehensive mix of fuses ensure that you have the right fuses on hand
- Clear trays allow you to quickly see the type of fuse you need
- Compact design makes it easy to store
- Security latch and convenient handle keep fuses secure and portable
- Tray labels provide quick identification of the tray's contents



NEW FUSE BLOCKS

PART NO	DESCRIPTION
BP/FB4-ATC	ATC 4 TERMINAL FUSE BLOCK
BP/FB6-ATC	ATC 6 TERMINAL FUSE BLOCK
BP/FB8-ATC	ATC 8 TERMINAL FUSE BLOCK
BP/FB10-ATC	ATC 10 TERMINAL FUSE BLOCK
BP/FB4-ATM	ATM 4 TERMINAL FUSE BLOCK
BP/FB6-ATM	ATM 6 TERMINAL FUSE BLOCK
BP/FB8-ATM	ATM 8 TERMINAL FUSE BLOCK
BP/FB10-ATM	ATM 10 TERMINAL FUSE BLOCK
BP/FB4-ATR	ATR 4 TERMINAL FUSE BLOCK
BP/FB6-ATR	ATR 6 TERMINAL FUSE BLOCK
BP/FB8-ATR	ATR 8 TERMINAL FUSE BLOCK
BP/FB10-ATR	ATR 10 TERMINAL FUSE BLOCK





air fresheners



BLACK ICE
U1P-10155

VANILLAROMA
U1P-10605



COPPER
CANYON
U1P-17169



KLIP STRIP
U1K-10100
Assorted Fragrances
24 pieces



PLASTIC COUNTER DISPLAY
U1D-10100
Top Selling Fragrances
144 Pieces



VENT CLIP+
BLACK ICE
CTK-52431



X-tra Strength



in a Can

*Same quality Little Trees®
fragrances in a new
misting spray!*



VANILLAROMA
UAL-09005



NEW CAR SCENT
UAL-09089



BLACK ICE
U1P-10655



NEW CAR SCENT
U1P-10689



Pump

*Little Trees® fragrances
bottled up for freshness
on the go!*




ROYAL PINE
U1P-15001-BC



CARLSON CALIPER MOUNTING BOLTS

A new product line to the aftermarket. From the brand you trust for quality parts.

Caliper Bracket Bolt Assortment #H9091					
H807 (4) Length: 1.26" Thread: M12x1.25 Hex: 17mm	H808 (4) Length: 1.58" Thread: M10x1.25 Hex: 14mm	H809 (4) Length: 1.52" Thread: M12x1.25 Hex: 17mm	H810 (4) Length: 2.33" Thread: M14x2.00 Hex: 21mm	H811 (4) Length: 2.08" Thread: M14x2.00 Hex: 21mm	H812 (4) Length: 1.83" Thread: M14x2.00 Hex: 21mm
H800 (4) Length: 1.79" Thread: M12x1.25 Hex: 18mm	H801 (4) Length: 1.90" Thread: M14x2.00 Hex: 18mm	H802 (4) Length: 1.01" Thread: M10x1.25 Hex: 14mm	H803 (4) Length: 1.58" Thread: M12x1.25 Hex: 17mm	H804 (4) Length: 2.04" Thread: M14x2.00 Hex: 18mm	H805 (4) Length: 2.16" Thread: M16x2.00 Hex: 21mm



Caliper Bracket Bolt Assortment #H9092					
H819 (4) Length: 2.12" Thread: M14x2.00 Hex: 18mm	H820 (4) Length: 2.16" Thread: M14x2.00 Hex: 15mm	H821 (4) Length: 1.73" Thread: M12x1.25 Hex: 17mm	H822 (4) Length: 1.86" Thread: M14x2.00 Hex: 19mm	H823 (4) Length: 1.64" Thread: M12x1.75 Hex: 15mm	H824 (4) Length: 1.87" Thread: M14x1.50 Hex: 18mm
H806 (4) Length: 2.26" Thread: M12x1.75 Hex: 18mm	H813 (4) Length: 1.78" Thread: M12x1.75 Hex: 15mm	H814 (4) Length: 2.29" Thread: M16x1.50 Hex: 21mm	H816 (4) Length: 1.91" Thread: M12x1.75 Hex: 15mm	H817 (4) Length: 2.07" Thread: M14x1.50 Hex: 21mm	H818 (4) Length: 2.48" Thread: M14x2.00 Hex: 21mm



HEMIMINI™

114301

1000 lumens at 4 hours runtime

500 lumens at 8 hours runtime

- 4400 mAh smart lithium ion battery, rechargeable in 3.5 hours – charge anytime
- Aircraft-grade aluminium chassis
- 180° swivel hook
- Mini-USB charger (100-240V)
- Optional magnetic cover available
- Replacement parts available



HEMIPLUS™ 2

114302

1200 Lumens at 4 hours run time

600 lumens at 8 hours run time

- 4400 mAh smart lithium ion battery, rechargeable in 4 hours – charge anytime
- Aircraft grade aluminum chassis
- 360° metal hook
- Charging port
- Removable magnetic cover included
- Replacement parts available



CLIPLIGHT EXTENDS

111130

120 lumens head / 140 lumens worklight

- Pivoting head / Magnetic base
- Telescopic worklight
- 4 AAA batteries included
- Sold as 8 pack counter display



CLIPSTRIP™

111112

140 Lumens

- Powerful pocket light
- Strip array LED technology
- 180° swivel magnetic clip
- 3 AAA batteries included
- Sold as 12 pack counter display



PIVOT TOUGH-LIGHT

111123

150 lumens / Magnetic base

- Hanging hook / 180° pivoting
- 3 AAA batteries included
- Sold as 8 pack counter display



CLIP-ON ZOOM LIGHT

111128

150 lumens / Magnetic base

- 90° pivoting
- 3 AAA batteries included
- Sold as 8 pack counter display



PIVOT™

111114

240 Lumens

- Strip array LED technology
- 5 LED top flashlight
- 360° swivel hook
- Magnetic pivoting base & back magnet
- 3 AA batteries included



33 LED PIVOT

24_458

160 Lumens

- 28 LED front | 5 LED top
- 360° swivel hook
- Magnetic pivoting base
- 3 AA batteries included



SPOTLIGHT

111121

1200 Lumens 3 hours

600 Lumens 5 hours

- 15W COB
- Aluminum body
- Magnetic stand included
- AC & DC chargers included
- Two adjustable joints on stand for different angles
- 18650 type Li-ion battery 7.4V 4000 mAh



UNDERHOOD LIGHT

111036

1200 Lumens at 4 hours run time

700 Lumens at 8 hours run time

- 36 LED
- Rechargeable lithium ion battery
- Bracket extends up to 78"
- Independent dual switches
- Magnets & hooks in handle
- AC and DC chargers included



INCANDESCENT

101307/101315

- Grounded outlet handle
- 13 amp circuit breaker
- 101307 – 23 ft | 7 m SJOW 16/3 cable
- 101315 – 50 ft | 15.3 m SJOW 16/3 cable



INCANDESCENT

100307/100310/100315

- Grounded outlet handle
- 100307 – 23 ft | 7 m SJTW 16/3 cable
- 100310 – 32 ft | 10 m SJTW 16/3 cable
- 100315 – 50 ft | 15.3 m SJTW 16/3 cable



HEMIPLUS™

114303

820 Lumens

- 8 hours cordless run time
- Patented Uni-Beam™ technology: 70° perfect beam
- 8800 mAh lithium ion battery
- Rechargeable in 4 hours – charge anytime
- Aluminum chassis, no-slip grip
- All parts user replaceable in minutes



RUGGED TRI-TAP

222315

HEAVY-DUTY CORD REEL

- Tri-tap outlet
- 15 amp circuit breaker
- 50 ft | 15.3 m SJTW 12/3 cable with adjustable stop



HEMITECH™ ONE

223112

620 Lumens

- Patented Uni-Beam™ technology: 84° perfect beam
- Single high-performance array LED
- Aluminum chassis, no-slip grip
- Sliding hook & optional magnet



HEMITECH™ ONE Corded Option

123107

25 ft | 7.6m Premium SJOW 18/2 Cable

- Cord reel 40 ft | 12.2 m Premium SJOW 18/2
- Rubber cable with adjustable stop
- Lens shield user replaceable



**SUPER SEAL™
946KIT**

- Pro A/C Stop Leak
- Permanently seals & prevents leaks
- Seals leaks in evaporators, condensers, accumulators, O-rings, gaskets, metal lines, & rubber hoses
- Compatible with all oils & refrigerants
- Hose included



**SEEKERmax™
87DCPLUS**

- High-powered UV LED
- 4 Hours run time
- Constant, strobe, or focusing beam
- Rechargeable 2200 mAh lithium-ion battery
- Rugged aluminum body



**PAO 68 OIL & PAO 68 OIL + DYE
51110/51111**

- Universal, high-quality, multi-grade synthetic oil
- Improves efficiency with quicker pull down times & lower vent temperatures
- Eliminates carrying different grades or viscosities of A/C lubricants
- Fill-up or top-up

51110 – 34 oz | 1 L

51111 – 34 oz | 1 L + UV Dye



**PURIFIER
170AIR**

- Eliminates mold, mildew, & bacteria from A/C systems & cabin interiors
- Effectively removes offensive & stubborn odors such as tobacco smoke
- Safely completes most jobs in only 20 minutes
- Programmable timer with LCD display
- Zero maintenance, no consumables



**PRO COMPACT KIT
9928KIT**

- SEEKERmax™ UV LED light
- 2 x 14 shot A/C dye cartridge
- Dye cleaner & drip guards
- UV enhancing glasses & case
- Service stickers, hose & fittings









900012B – A/C DYE
909012B – MULTI-PURPOSE DYE
990012B – RADIATOR DYE
12 x ¼ oz | 7.5 ml



900008 – A/C DYE
909008 – MULTI-PURPOSE DYE
990008 – RADIATOR DYE
8 oz | 240 ml

Models:

	CRC #s	Mobile Parts/ Brake Washer	Signature Parts Washer	Combo Brake/ Parts Washer	SuperSink Parts Washer	SuperSink XE Parts Washer	Mobile Heavyweight Parts Washer
		14161	14145	14711	14144	14710	14162
							
		SW-23	SW-25	SW-25-C	SW-28	SW-28XE	SW-37
Heavy-Duty HDPE Construction		•	•	•	•	•	•
Electric Operated Pump (300 gph)		•	•	•	•	•	•
Adjustable Thermostat (105°-115°)		•	•	•	•	•	•
Toggle Switch Controls		•	•	•	•	•	•
On-Board Diagnostics		•	•	•	•	•	•
Flow Control Timer		•	•	•	•	•	•
One Brush Station		•	•		•		•
Two Brush Stations				•		•	
Air Operated Pump				•			
Dolly		•		•			•
Detachable Control Box							•
Light Kit						•	
Parts Basket						•	
Up To 400 lbs. Load Capacity		•					
Up To 500 lbs. Load Capacity			•	•	•	•	
Up To 1000 lbs. Load Capacity							•
Certified: ETL (UL/CSA), CE, NSF		•	•	•	•	•	•

OzzyJuice®

Contaminant	SW-1 Degreasing Solution	SW-3 Truck Grade Degreasing Solution	SW-4 Heavy Duty Degreasing Solution	SW-6 Select Metals Degreasing Solution	SW-7 Parts/Brake Cleaning Solution	SW-8 Aircraft & Weapons Degreasing Solution	SW-LF Low Foam Degreasing Solution
Crude Oil	excellent	excellent	excellent	good	excellent	good	excellent
Hydraulic Transmission Fluid	excellent	excellent	excellent	excellent	excellent	excellent	excellent
Motor Oil	excellent	excellent	excellent	excellent	excellent	excellent	excellent
Solder & Flux	excellent	good	excellent	good	excellent	good	good
Bearing Grease	good	excellent	excellent	good	excellent	good	good
Automotive Grease	good	excellent	excellent	excellent	excellent	excellent	excellent
Resin Products	good	excellent	excellent	excellent	excellent	excellent	good
Fifth Wheel Grease	good	excellent	excellent	good	excellent	good	fair
Creosote	excellent	excellent	excellent	good	excellent	good	fair
Impacted Grease	good	excellent	excellent	good	excellent	good	good
Animal Fat	good	excellent	excellent	fair	good	fair	fair
Automotive Varnish	excellent	good	good	good	excellent	good	good
Burned-On Carbon	excellent	good	excellent	good	excellent	good	good
Cutting Oils	excellent	good	good	good	good	good	good
Ink/Toner	excellent	fair	good	fair	good	fair	fair
Asphalt	good	good	good	fair	good	fair	fair

OzzyMat®

14124
FL-4 Multi-Layer OzzyMat
normal to heavy particulate
(recommended usage)

14149
FL-3 Single Layer OzzyMat
light particulate
(recommended usage)

14131
OzzyBooster™
Microbial Enhancer





Brakleen® Original
75089 539 g aerosol
75090 3.785 L bottle
75091 19 L pail



Brakleen® Premium Non-Chlorinated
75088 397 g aerosol
75086 19 L pail



Brakleen® Premium Non-Chlorinated With PowerJet™ Technology
75050 397 g aerosol
75055 19 L pail



Brakleen® RD Rapid Dry Non-Chlorinated
75391 19 L pail



Disc Brake Quiet
75016 118 mL bottle
75017 255 g aerosol



Synthetic Brake & Caliper Grease
75353
340 g tub with brush
75359
227 g brush top bottle



Silaramic® Ceramic Fortified Brake System Grease
75363
255 g tub with brush



White Lithium Grease
14200 284 g aerosol



Power Lube Multi-Purpose Lubricant
75005 312 g aerosol
75007 3.785 L bottle
75009 19 L pail



Knock'er Loose™ Penetrating Solvent
73020 369 g aerosol



Heavy Duty Silicone Lubricant
75074 213 g aerosol



Freeze-Off® Super Penetrant
75222 326 g aerosol



Screwloose™
75330 312 g aerosol



Dry Graphite Lubricant
75101 320 g aerosol



SP-350™ Corrosion Inhibitor
73262 312 g aerosol
03266 19 L pail



SP-400™ Corrosion Inhibitor
73282 312 g aerosol
73286 19 L pail



Kool Tap FOAMY Cutting Fluid
74410 369 g aerosol



Copper Anti-Seize Aerosol & Lubricating Compound
72095 340 g aerosol
72901 227 g bottle



FiberLock™ Head Gasket & Block Repair
75224 946 mL bottle



Posi-Trac™ Limited Slip Gear Oil Additive
742508 207 mL tube



1Tank Power Renew® Gasoline Formula
75815 444 mL bottle



Fuel Stabilizer
75380 237 mL bottle



PhaseGuard4® STOR & GO Stabilizer & Ethanol Fuel Treatment
75141 237 mL bottle
74142 474 mL bottle



Super Turbo™ Octane Boost
75063 355 mL bottle



Fuel Injector & Carburetor Cleaner
75061 355 mL bottle



Throttle Body Klean
75078 340 g aerosol



SensorKleen™ Mass Air Flow Sensor Cleaner
75110 312 g aerosol



Engine Degreaser
75025 425 g aerosol



Clean-R-Carb®
75081 454 g aerosol



Gasket Klean™
75021 340 g aerosol



Battery Cleaner With Acid Indicator
75097 312 g aerosol



QD™ Electronic Cleaner
75012 128 g aerosol
75102 312 g aerosol



Lectra-Motive™ Electrical Parts Cleaner
75018 539 g aerosol



QC-82™ Pro-Strength Degreaser
75482 425 g aerosol



Glass Cleaner
14100 510 g aerosol



Stainless Steel Cleaner & Polish
74424 510 g aerosol



Mechanix Orange® Citrus Hand Cleaner With Pumice
74090 473 mL bottle
SL1719 3.785 L bottle



Tannery® Leather & Vinyl Cleaner
74171 283 g aerosol



Diesel Fuel Conditioner & Injector Cleaner
75202 888 mL bottle
75203 3.785 L bottle



Diesel Fuel Conditioner With Anti-Gel
75212 888 mL bottle
75213 3.785 L bottle



Diesel Fuel Anti-Gel
75221 355 mL bottle



Quick Flow™ Emergency Diesel-Gel Relief
75911 888 mL bottle



Bio-Con™ Sludge Sediment Remover
75225 355 mL bottle



1Tank Power Renew® Diesel Utility
75816 444 mL bottle



1Tank Power Renew® Diesel HD
75832 916 mL bottle



Battery Protector
75046 213 g aerosol



Jump Start® Starting Fluid With Lubricity
75671 312 g aerosol



Engine Stor™ Fogging Oil
75027 369 g aerosol



Zinc Mate™
75054 369 g aerosol



Rubberized Undercoating
75034 450 g aerosol



Ice-Off™ Windshield Spray De-Icer
75346 340 g aerosol



Bug Blast™ Wasp & Hornet Killer
72010 397 g aerosol

Dayco Service Hose



DAYCO® Small I.D. Molded Heater Hose

The Dayco Small I.D. Molded Heater Hose is designed to replace OEM coolant hose in applications where molded hose in small diameters (1" I.D. or smaller) is required. The molded configuration eliminates the need for multiple connections of hoses and clamps when added to Dayco's line of molded heater hose and assemblies.

DAYCO® Fuel Line Hose

Designed for use on all types of carbureted gasoline engines, the Dayco Fuel Line Hose offers excellent resistance to oil, gasoline, grease, and weather. The hose is constructed with a neoprene cover and nitrile tube for use with leaded, unleaded gasoline and diesel fuel.



DAYCO® Fuel Injection Hose

Designed to safely and efficiently handle the higher pressure, temperatures, and chemical problems inherent in today's hotter running, fuel injected engines, the Dayco Fuel Injection Hose is constructed with a tough fluoro-elastomer, low permeation, gasohol and diesel fuel inner tube that provides exceptional resistance to alcohol blended fuels that weaken normal fuel injection hose.

DAYCO® Windshield Washer/Vacuum Tubing

Designed to replace worn windshield washer tubing, as well as general automotive vacuum applications such as retractable headlights, sensors, etc., the Dayco Windshield Washer/Vacuum Tubing has a temperature rating of -40°F (-40°C) to +212°F (+100°C). It features a flexible, long-life EPDM rubber construction that resists normal use exposure to oil, grease, and heat deterioration, and remains flexible at low temperatures.



DAYCO® DAYPERM™ Hose

This low permeation, multi-layered rubber hose is recommended as a fuel liquid or vapor carrying component for low to medium pressure (50 psi or less, not fuel injection). The Dayco Dayperm hose is ideally suited for automotive, lawn and garden, off-road and small industrial trucks and truck fleet applications.

DAYCO® DAYPERM™ II Hose

The Dayco Dayperm II Hose is a multi-layered rubber hose with low permeation recommended for carburetion applications on small engines and older carbureted vehicles using liquid fuels. This hose meets all SAE J30R14T2 requirements and is CARB and EPA compliant. This Dayperm™ II Hose is compatible with leaded, unleaded, and gasohol fuels as well as bio-diesel fuel and ethanol blended gasoline.



DAYCO® GOLD LABEL® Silicone Heater Hose

The Dayco Gold Label Silicone Heater Hose, designed for long life in heavy duty applications, is made with special silicone compounds and reinforced with one ply of braided polyester yarn. This SAE 20R3, Class A hose is highly resistant to the deteriorating effects of oil, ozone, coolants, and coolant additives. In addition to being extremely flexible, this silicone hose has the highest temperature rating, namely -40°F (-40°C) to +350°F (+175°C), and longest service life of any Dayco heater hose product.

Dayco Garage Exhaust Hose & Accessories



DAYCO® Flare-Vent® Hose

Designed to connect the vehicle's exhaust pipe to a central exhaust system or a garage door vent, the Dayco Flare-Vent Hose features an accordion-type design for added flexibility, and a flared end for connecting one length to another. No separate connectors are required.

DAYCO® Super-Vent® Hose

Designed for overhead exhaust systems where a tight bend radius is required, the Dayco Super-Vent Hose features an accordion type construction which enables it to make turns with a small bend radius. It is available in either 4" or 5" I.D.



DAYCO® Tailpipe Adapters

Designed to interface between an auto or truck tailpipe or diesel truck stack and the garage exhaust hose itself and constructed to withstand the high tailpipe temperatures of modern vehicles, a variety of shapes and sizes of Dayco Tailpipe Adaptors are available to enable an exact match for virtually every application need. The adapters feature a universal design that will mate with the appropriate connectors.

DAYCO® Universal Bell-Shaped Adapter

Available for use with 2 1/2" and 3 1/2" hose, as well as with 2" and 3" hose. Screws over 2" or into 3" hose.



DAYCO® Universal Oval Adapter

For use on twin tailpipes and oval tailpipes. Screws over 3" or into 4" hose.

DAYCO® Universal Straight Truck Adapter

Use with tailpipe adapter for trucks and threads over 3 1/2" or into 4" hose.



DAYCO® Y-Connectors

Designed for the merging of two hoses into one typically used with dual exhaust vehicles. Available for 2", 2 1/2", 3" and 4" hose.

DAYCO® Door Port Fittings

Designed for service station and garage doors. Available for use with 2 1/2, 3" and 4" hose.



DAYCO® Splice Connectors

Designed for joining multiple lengths of exhaust hose. Available for use with 2", 2 1/2", 3" and 4" hose.

Description	part#	ID	Length	Use With	DAYCO® Fuel Line Hose (cont.)			
DAYCO® Flare-Vent® Hose					80072	3/16"	2'	Clamshell
					80073	1/4"	2'	Clamshell
	63520	2"	11'		80074	5/16"	2'	Clamshell
	63525	2 1/2"	11'		80075	3/8"	2'	Clamshell
	63530	3"	11'		80076	7/16"	2'	Clamshell
	63535	3 1/2"	11'		93036	1/2"	25'	Box
	63540	4"	11'		93037	5/8"	25'	Box
					93038	3/4"	25'	Box
DAYCO® Super-Vent® Hose					DAYCO® Fuel Injection Hose			
	63640	4"	20'		80078	1/4"	2'	Clamshell
	63650	5"	12'		80079	5/16"	2'	Clamshell
DAYCO® Tailpipe Adapter					80080	3/8"	2'	Clamshell
					80083	1/4"	10'	Box
	64025			1 1/2" O.D. to 2" O.D.	80084	5/16"	10'	Box
	64030			2" O.D. to 2 1/2" O.D.	80085	3/8"	10'	Box
	64035			2 1/2" O.D. to 3" O.D.	80088	1/4"	25'	Spool
DAYCO® Universal Bell-Shaped Adapter					80089	5/16"	25'	Spool
					80090	3/8"	25'	Spool
	64125			2 1/2" O.D. or 3 1/2" O.D.	80091	1/4"	250'	Reel
	64130			2" O.D. or 3" O.D.	80092	5/16"	250'	Reel
					80093	3/8"	250'	Reel
DAYCO® Universal Oval Adapter					DAYCO® Windshield Washer/Vacuum Tubing			
	64048			3" O.D. or 4" O.D.	80204	1/4"	50'	Spool
DAYCO® Universal Straight Truck Adapter					80205	7/64"	50'	Spool
	64140			4" hose	80206	5/32"	50'	Spool
DAYCO® Y-Connectors					80207	7/32"	50'	Spool
					80208	9/32"	50'	Spool
					80209	7/64"	6'	Clamshell
	64220			2" hose	80210	5/32"	6'	Clamshell
	64225			2 1/2" hose	80211	7/32"	6'	Clamshell
	64230			3" hose	80216	5/32"	250'	Reel
	64240			4" hose	80217	7/32"	250'	Reel
DAYCO® Door Port Fittings					DAYCO® DAYPERM™ Hose			
					80142	1/4"	2'	Clamshell
	64425			2 1/2" hose	80143	1/4"	25'	Spool
	64430			3" hose	80144	1/4"	50'	Box
	64440			4" hose	80145	1/4"	250'	Reel
DAYCO® Splice Connectors					80146	5/16"	2'	Clamshell
					80147	5/16"	25'	Spool
	64520			2" hose	80148	5/16"	50'	Box
	64525			2 1/2" hose	80149	5/16"	250'	Reel
	64530			3" hose	80150	3/8"	2'	Clamshell
	64540			4" hose	80151	3/8"	25'	Spool
	64640			4" hose	80152	3/8"	50'	Box
	64650			5" hose	80153	3/8"	250'	Reel
Description	part#	ID	Length	Packaging	DAYCO® DAYPERM™ II Hose			
					80520	1/4"	2'	Clamshell
DAYCO® Fuel Line Hose	80051	1/8"	25'	Spool	80521	1/4"	25'	Spool
	80052	1/8"	50'	Box	80522	1/4"	250'	Reel
	80053	1/8"	250'	Reel	80523	5/16"	2'	Clamshell
	80054	3/16"	25'	Spool	80524	5/16"	25'	Spool
	80055	3/16"	50'	Box	80525	5/16"	250'	Reel
	80056	3/16"	250'	Reel	80526	3/8"	2'	Clamshell
	80057	1/4"	25'	Spool	80527	3/8"	25'	Spool
	80058	1/4"	50'	Box	80528	3/8"	250'	Reel
	80059	1/4"	250'	Reel	DAYCO® GOLD LABEL® Silicone Heater Hose			
	80060	5/16"	25'	Spool	80241GL	5/8"	25'	Carton
	80061	5/16"	50'	Box	80242GL	3/4"	25'	Carton
	80062	5/16"	250'	Reel	80243GL	1/2"	25'	Carton
	80063	3/8"	25'	Spool	80244GL	1"	25'	Carton
	80064	3/8"	50'	Box	80245GL	3/8"	25'	Carton
	80065	3/8"	250'	Reel	80251GL	5/8"	50'	Carton
	80066	7/16"	25'	Spool	80252GL	3/4"	50'	Carton
	80067	7/16"	50'	Box	80253GL	1/2"	25'	Carton
	80068	7/16"	250'	Reel	80254GL	1"	50'	Carton
					80255GL	3/8"	25'	Carton



CARGO AREA LIGHT KIT

87713

Add light to your truck bed or vehicle cargo area with Dorman's Truck Bed Lighting Kit. This kit utilizes bright 5050SMD LEDs to cover your truck bed or vehicle cargo area in a brilliant white light. Everything needed to perform the installation is included.

UNI-FIT C.V. JOINT BOOT KITS



OUTER UP
TO 3.58 IN.
DIAMETER
614-001



INNER UP
TO 3.58 IN.
DIAMETER
614-002



OUTER GREATER
THAN 3.58 IN.
DIAMETER
614-003



INNER GREATER
THAN 3.58 IN.
DIAMETER
614-004



WINDSHIELD WASHER
NOZZLE KIT
47137



UNIVERSAL RESERVOIR
603-001



UNIVERSAL SEAT
HEATER ELEMENT
628-040



UNIVERSAL METAL
LICENSE PLATE FRAME
CHROME FINISH
68144



LICENSE PLATE COVER -
UNIVERSAL
68146



LICENSE PLATE
SCREW KIT
49258



OFFSET STARTER ALIGNMENT SHIM,
(1) 1/64, (1) 3/64, (1) 1/16 IN., GM
02350



STARTER ALIGNMENT SHIM, (1)
1/64, (2) 1/32 AND (2) 1/16 IN.
02336



UNIVERSAL RACK AND
PINION STEERING
BOOT KIT
03670



MASTER CYLINDER BLEEDER KIT - 22 IN.
HOSE, CLIP, AND SAE AND METRIC FITTINGS
13911



UNIVERSAL FUEL CAP TETHER
55300



DOOR LOCK ROD CLIP ASSORTMENT
75474

BESTBUY *Tools of the Trade*



- | | |
|-----------|-------------------------------|
| BB711221 | 10 PACK ROBERTSON DRIVER BITS |
| BB2558228 | ECONOMY RED CUTTER KNIFE |
| BB38325 | 25'X 1" IMPERIAL METRIC TAPE |
| BB721386 | 18 PIECE PRO DRIVER KIT |



Order yours today!

LED WORKLIGHTS



**LED WORKLIGHT
WITH HANDLE**
55052
15W
900 lumens



LED WORK LIGHT
9 WATTS 500
LUMENS
55057
3 x 3 watts with
60 degree beam
angle
Rechargeable with
Magnetic Base



**WORKLIGHT
WITH MAGNETIC
BASE & HOOK**
55081
24SMD
120 Lumens



**TWIN HEAD LED WORKLIGHT
WITH TRIPOD**
55055
36W
2400 Lumens



**TWIN FLOOD LED
WORKLIGHT WITH
TRIPOD**
55056
60W
4000 Lumens

CASTERS



FIXED CASTERS
31050 - 5"
31060 - 6"
31080 - 8"



SWIVEL CASTERS
32050 - 5"
32060 - 6"
32080 - 8"



**SWIVEL CASTERS-
BRAKE**
33050 - 5"
33060 - 6"
33080 - 8"

WHEEL LOCKS



**WHEEL LOCKS
MIDDLE DUTY**
65088



**WHEEL LOCKS
HEAVY DUTY**
65089



**WHEEL LOCKS
SUPER HEAVY DUTY**
65090

TRAILER & TOWING



PINTLE COMBINATION HITCH
11716
2"



PINTLE MOUNT
11610
7¹/₂" x 5"



TRAILER BALL
11151 1⁷/₈ x 3/4 External Thread, Packaged
11153 2 x 1 External Thread
11155 2⁵/₁₆ x 1¹/₄ External Thread



CLEVIS BALL MOUNT
11579
5000lb



BALL MOUNT
11601 2" Ball Drop
11603 6" Ball Drop



TRIPLE BALL MOUNT
11607



WHEEL CHOCK
11986 8 x 6 x 10
11985 10⁵/₈ x 7 x 4¹/₂



WHEEL CHOCK - PLASTIC
11988



SWING-WAY BOAT JACK
11466
1200 lb, 10" Lift



TOP WIND IMPLEMENT JACK
11469
5000lb, 15"



SIDE WIND IMPLEMENT JACK
11472
5000lb, 15" Lift



TUBE MOUNT TOP WIND JACK
11535
5000 lb, 15" Lift



TOP WIND IMPLEMENT JACK
11468
5000lb, 10" Lift



TRAILER COUPLER
11156 1⁷/₈ x 2
11157 1⁷/₈ x 2¹/₂
11159 2 x 2¹/₂

ASSORTMENTS



S.A.E. O-RING ASSORTMENT
00150



S.A.E. GREASE FITTING ASSORTMENT
00112



AUTO FUSE ASSORTMENT
10110

LUBRICATION



GREASE GUN - LEVER - H.D.
11082C



LEVER ACTION BARREL PUMP
11092A



HEAVY DUTY GREASE GUN - LEVER
11085A



ROTARY BARREL PUMP
11094A



PROFESSIONAL PISTOL GREASE GUN
11066



USED FLUID DRAINER 68L
11802



DIAPHRAGM PUMP FOR FUELS
11800



PISTOL GREASE GUN
11084A - with hose
11087A



PORTABLE FLUID PUMP
11097

FUNNELS



FUNNEL WITH FILTER
 13003 3" Diameter
 13005 5" Diameter
 13009 9" Diameter



SEALABLE DRAIN PAN
 14026
 10L



FUNNEL WITH FILTER AUTO
 13008
 8" Diameter



MEASURING CONTAINER
 14045
 4.5L



FUNNEL ANTI-SPLASH
 13015 5" Diameter
 13019 9" Diameter



MEASURING CONTAINER
 14045X
 4.5L with removable lid



MEDIUM FOLDABLE FUNNEL
 15009



EASY FLOW FUNNEL
 13007



LARGE FOLDABLE FUNNEL
 15014

CARGO CONTROL



RATCHET STRAP 1 x 15 - BULK
11183B



RATCHET STRAP 2 x 27 HD - BULK
11190B




RATCHET STRAP 1 1/2 x 15 - BULK
11186B



RATCHET STRAPS FLAT HOOK - BULK
12354B - 2"x25'
12353B - 2"x20'



RATCHET STRAP 1 x 15 HD - BULK
11189B



RATCHET STRAPS 2 x 30'
12343B J-Hooks 10,000lbs bulk
12344B Flat Hook 10,000lbs bulk



PROFESSIONAL MECHANICS FENDER COVER
Standard
FC1

- Expanded vinyl material
- 110 gauge thick
- Full length sewn in tool ridge
- Size: 34" x 26"

www.ezred.com



BATTERY HYDROMETER
SP101



ANTI-FREEZE TESTER
SP102



Automotive training when
and where *you* need it!



BEST Training provides Internet-based training to the automotive aftermarket. Participants have instant access to hundreds of hours of training, including Automotive Technical and Business related programming. Training lessons are presented as two-hour video based instruction. All lessons include supplementary training materials, including Student Learning Guides and Exams that augment the learning experience.

Students can access hundreds of training modules, at a schedule that best suits their needs. Programs can be taken at any time at the shop, at home or wherever the student wishes to learn. **WHEN and WHERE You Want It!**

BEST Training will include the following:

- Access to over 300 two-hour full motion video online training modules in English & French
- Training modules supported by Student Learning guides
- Post tests
- Recognition certificates
- CARSability assessment tests

ASK YOUR BESTBUY MEMBER DISTRIBUTOR FOR MORE INFO!



AM80S HORN

O.E.M. Replacement Horn.

- 125 dB of sound
- Corrosion resistant finish, universal horn that meets SAE & O.E.M. specifications
- Quick & Easy installation kit included.

72002 - High Note

72012 - Low Note



AM80S HORN FREEWAY BLASTER

Extra Loud O.E.M. Replacement Horn

- Powerful 130 dB of sound!
- Corrosion resistant finish, universal horn that meets SAE & O.E.M. specifications
- Quick & Easy installation kit included.

72102 - High Note

72112 - Low Note



HK 9 DISC HORN

O.E.M. Replacement Disc Horn.

- Powerful high frequency 130 dB of sound
- High durability, water & corrosion resistant steel housing horn
- Universal horn that meets SAE & O.E.M. specifications
- Quick & Easy installation kit included.

40310 - High Note | 40365 - Low Note



BIG HORN

65808

In addition to protecting the environment, the new unit also meets all Coast Guard requirements with a loud output of 125 dB @ one meter. Ideal for boating, construction work sites, camping, biking and sporting events.



BRAKE FLUID Features:

- Dot 3
- Available in 350ml (Part # DOT3-350), 500ml (Part # DOT3-500), 1L (Part # DOT3-1L), 3.78L (Part # DOT3-4L) and 18.9L (Part # DOT3-19L)
- Recommended for use in all hydraulic drum and disc brakes and hydraulic clutches that require dot 3 fluids
- Mixes with regular brake fluids
- Provides excellent flow at low temperatures for superior braking response
- Conforms to CMVSS 116



Vulsay Industries Ltd.

35 Regan Rd., Brampton, Ontario, Canada L7A 1B2
Inquiries (905) 495-5109 www.vulsay.com

UNIVERSAL FUEL FILTERS AVAILABLE AT BESTBUY



Filter Model	Con-struction	O.D. Body	Length Overall	Filter		Hoses	Clamps	Filter Style
				Inlet	Outlet			
G1	Nylon	1.91	3.67	1/4 Tube Connector	1/4 Tube Connector	123231 (2)	252926 (4)	106
G2	Nylon	1.91	3.67	5/16 Tube Connector	5/16 Tube Connector	115651 (2)	251037 (4)	106
G3	Nylon	1.75	3.67	3/8 Tube Connector	3/8 Tube Connector	124510 (2)	251037 (4)	106



Filter Model	Con-struction	O.D. Body	Length Overall	Filter		Hoses	Clamps	Filter Style
				Inlet	Outlet			
G15	Metal	1.94	3.88	3/8 Tube Connector	3/8 Tube Connector	421152 (2)	252926 (4)	233



Filter Model	Con-struction	O.D. Body	Length Overall	Filter		Hoses	Clamps	Filter Style
				Inlet	Outlet			
G1000	Nylon	1.89	4.2	6mm-8mm Tube Connector	6mm-8mm Tube Connector			252

IT'S NOT JUST ANOTHER OIL CHANGE,
IT'S A **FRAM®** OIL CHANGE.



EZ-8 PUMP ELECTRIC GEAR PUMPS

137100-01

The EZ-8 Pump is ideal for on-the-go fueling. This 12-volt DC fuel pump delivers 8 GPM, equivalent to standard gas stations. The system comes complete with power cord, manual unleaded nozzle, three-piece, trim-to-fit suction pipe and 10 ft of 5/8 in. hose.



M-150S-AU ELECTRIC GEAR PUMPS

110000-100

12-volt DC Aluminum Gear Pump for fuel with automatic unleaded nozzle. Up to 15 GPM / 57 LPM. UL Listed Motor, CSA Certified. Overload Protected Motor. Includes 18 ft power cord, 3/4 in. x 12 ft / 3.7 m hose, and adjustable suction pipe.



AUTOMATIC UNLEADED NOZZLE

110121-8

3/4" NPT, straight spout.
UL replacement nozzle



M-1115S-MU ELECTRIC GEAR PUMPS

110000-81

The 115 volt AC Light Duty Aluminum Gear Pump with UL Listed manual unleaded nozzle is for use with fuel. It pumps up to 12 GPM / 45 LPM. The pump and motor are Listed and CSA Certified, and the motor is Overload Protected and explosion proof.

SUPERNOVA

LED




HI COUNT
Grote

LED



Grote **Select™**

LED



SuperNova® | High Performance

Lightweight NexGen Lamps weigh 50% less than the major competitor lamps, and only requires 1/8 the amperage needed to drive an incandescent lamp.

Hi Count® | High Style

Highest visibility LED lamps around. Offer premium styling and maximum diode count.

Grote Select™ | High Value

Provide faster light-on response time that increase stopping alert distances. Low power requirements, making more voltage available to other systems.

STOP/TAIL/TURN LAMPS

PART #	DESCRIPTION
SUPERNOVA	
53252	LED, 4" STOP/TAIL/TURN, 10 DIODE, RED
53253	LED, 4" STOP/TAIL/TURN, 10 DIODE, AMBER
54332	LED S/T/T LAMP, LED, 4", RED
54333	LED S/T/T LAMP, LED, 4", AMBER
HI COUNT	
G4002	G2 LED, 4" HIGH COUNT, FEMALE, RED
G4003	G2 LED, 4" HIGH COUNT, FEMALE, AMBER
GROTE SELECT	
54342	LED S/T/T LAMP, LED 4" RED
54343	LED S/T/T LAMP, LED 4" AMBER
SUPERNOVA	
53962	LED, OVAL PLASTIC
53963	LED, OVAL GROMMET MT, AUX TURN, AMBER
SUPERNOVA 9 DIODE	
54132	STT LAMP, RED, OVAL, LED, MALE PIN, 9 DIODE
54133	STT LAMP, YELLOW, OVAL, LED, MALE PIN, 9 DIODE
SUPERNOVA NEXGEN	
54162	RED LED OVAL STT LAMP
54163	YELLOW LED OVAL AUX LAMP
HI COUNT	
G6002	HIGH COUNT 60 SERIES LED, RED
G6003	HI COUNT OVAL LED AMBER
GROTE SELECT	
54172	RED LED OVAL STT LAMP
54173	YELLOW LED OVAL AUX LAMP

CLEARANCE/MARKER LAMPS

PART #	DESCRIPTION
MICRONOVA DOT	
49322	MICRONOVA DOT, P2 W/GROMMET, RED
49332	MICRONOVA DOT, PC W/GROMMET, RED
49333	MICRONOVA DOT, PC/P2 W/GROMMET, AMBER
49412	MICRONOVA DOT, W/ADAPTOR BRACKET, RED
49413	MICRONOVA DOT, W/ADAPTOR BRACKET, AMBER
49341	MICRONOVA DOT, MARKER LAMP, ECE, WHITE
49342	MICRONOVA DOT, 12 VOLT, ECE, RED
49343	MICRONOVA DOT, 12 VOLT, ECE, AMBER
MICRONOVA	
47962	CLR/MKR, RED, LED, MICRONOVA P2 WITH GROMMET
47963	CLR/MKR, YELLOW, LED, MICRONOVA P2 WITH GROMMET
47952	CLR/MKR, RED, LED, MICRONOVA P2 WITH BEZEL
47953	CLR/MKR, YELLOW, LED, MICRONOVA P2 WITH BEZEL
47972	CLR/MKR, RED, LED, MICRONOVA PC WITH GROMMET
47973	CLR/MKR, YELLOW, LED, MICRONOVA PC WITH GROMMET
SUPERNOVA 2"	
47112	LED MARKER, 2" ROUND SEALED, RED
47113	LED MARKER, 2" ROUND SEALED, AMBER
46132	CLR/MKR LAMP, 2", RED, MKR LAMP, SUPERNOVA® LED, PC RATED
46133	CLR/MKR LAMP, 2", YELLOW, MKR LAMP, SUPERNOVA® LED, PC RATED
78433	LED, 2" ABS LAMP, AMBER
HI COUNT 2"	
G3002	G2 LED, 2" HIGH COUNT, RED
G3003	G2 LED, 2" HIGH COUNT, AMBER
SUPERNOVA BEEHIVE	
47212	LED MARKER, 2" BEEHIVE, RED
47213	LED MARKER, 2" BEEHIVE, AMBER
HI COUNT BEEHIVE	
G3092	RED 2" BEEHIVE LED LAMP
G3093	YLW 2" BEEHIVE LED LAMP
SUPERNOVA	
47122	LED MARKER, 2 1/2" ROUND SEALED, RED
47123	LED MARKER, 2 1/2" ROUND SEALED, AMBER
46142	CLR/MKR LAMP, 2.5", RED, SUPERNOVA® LED, PC RATED
46143	CLR/MKR LAMP, 2.5", AMBER, SUPERNOVA® LED, PC RATED
78423	LED, 2.5" ABS LAMP, AMBER
HI COUNT	
G1032	G2 LED, 2.5" HIGH COUNT, RED
G1033	G2 LED, 2.5" HIGH COUNT, AMBER
HI COUNT 9 DIODE	
G1092	G2 LED, 2.5" HIGH COUNT 4700, RED
G1093	G2 LED, 2.5" HIGH COUNT 4700, AMBER



Trilliant® Series of LED Work Lamps

THERE'S A RUGGED GROTE TRILLIANT® LAMP FOR ANY WORKPLACE APPLICATION

- Long-lasting, cool running, high output LED work lamp
- Field tested to survive in brutal off-road conditions
- Superior performance for mining, construction, off-road, agriculture, utility, emergency, military vehicles
- Integrated circuit protection
- ECE R10, Dir.72/245/EEC, Amended by 2006/28/EC
- Color temperature provides a natural contrast most like sunlight, reducing eye fatigue



64E01-5

Trilliant® T26

Small size combined with tough construction allows mounting in places where larger or less rugged lamps cannot fit or survive



63981-5

Trilliant® Cube

Compact 4x4, rugged design with superior LED electronic circuitry outperforms lamps twice its size and weight

PART #	DESCRIPTION	VOLTAGE	EFFECTIVE LUMEN
TRILLIANT T26 LED WORK LAMPS			
64E01-5	T26 LED WORK LAMP, PINCH MOUNT, FAR PATTERN	10 - 48	1800
64E11-5	T26 LED WORK LAMP, PINCH MOUNT, NEAR PATTERN	10 - 48	1800
64G01-5	T26 LED WORK LAMP, PENDANT MOUNT, FAR PATTERN	10 - 48	1800
64G11-5	T26 LED WORK LAMP, PENDANT MOUNT, NEAR PATTERN	10 - 48	1800
TRILLIANT CUBE WORK LAMPS			
63981-5	TRILLIANT® CUBE WORK LAMP, TRACTOR PLUS, BI-VOLTAGE	12/24	1200
63991-5	TRILLIANT® CUBE WORK LAMP, FLOOD, BI-VOLTAGE	12/24	1200
63F61	TRILLIANT® CUBE, W/FLOOD REFLECTOR, AMP SUPER SEAL CONNECTOR	12	2500
63F71	TRILLIANT® CUBE, W/WIDE FLOOD REFLECTOR, AMP SUPER SEAL CONNECTOR	12	2500
TRILLIANT LED WORK LAMPS			
63571	TRILLIANT® LED WORK LAMP, SPOT PATTERN	12/24	1300
63581	TRILLIANT® LED WORK LAMP, FLOOD PATTERN	12/24	1600
63591	TRILLIANT® LED WORK LAMP, TRAPEZOID PATTERN	12/24	1600
63E41	TRILLIANT® LED WORK LAMP, FLOOD PATTERN, W/REFLECTOR	12/24	2400



Grote Brite Zone™ NEW

LED WORK LAMPS FOR BOTH WORK AND PLAY

With rugged, durable construction and LED power that far outshines halogen, BriteZone lamps get the job done.

Boating. Mowing. Off-roading. Working. Long after the sun goes down, you need a lamp that's as tough and tireless as you are.

Grote's BriteZone range has the LED lamp to shed light on any use – even tow trucks, garbage trucks and forklifts – without breaking the bank.

Value priced to meet your budget.



BZ101-5

BZ201-5

BZ601-5

BZ301-5

PART #	DESCRIPTION	VOLTAGE	EFFECTIVE LUMEN
BRITE ZONE LED WORK LAMPS			
BZ101-5	BRITE ZONE™ ROUND LED WORK LAMP	9 – 32	1600
BZ201-5	BRITE ZONE™ SQUARE LED WORK LAMP	9 – 32	1100
BZ301-5	BRITE ZONE™ SLIM LED WORK LAMP	9 – 32	1400
BZ601-5	BRITE ZONE™ MINI SQUARE LED WORK LAMP	12 – 36	775

Grote's Warning and Hazard Lighting Solutions

Improve Visibility
Improve Safety
The Right Lighting Solution for Your Environment!



PART #	DESCRIPTION
BEACONS AND STROBE LAMPS	
76663	LED AMBER STROBE, CLASS I, LOW DOME, 12-36 VOLT
76253	LED AMBER STROBE, CLASS I, LOW DOME, 12 VOLT
77953	LED AMBER STROBE, CLASS I, HIGH DOME, 12 VOLT
76263	LED AMBER STROBE, CLASS I, LOW DOME, 24 VOLT
77963	LED AMBER STROBE, CLASS I, HIGH DOME, 24 VOLT
76683	YELLOW ROTOLED™ HYBRID BEACON, CLASS I, 12-24 VOLT
76685	BLUE ROTOLED™ HYBRID BEACON, CLASS I, 12-24 VOLT
77833	LED AMBER STROBE, CLASS II, HIGH DOME, 12 VOLT
77813	LED AMBER STROBE, CLASS II, LOW DOME, 12 VOLT
78853	LED AMBER STROBE, CLASS II, LOW DOME, 12-48 VOLT
77133	AMBER MEDIUM PROFILE PLASTIC BASE STROBE, CLASS II, 12-48 VOLT
77123	AMBER LOW PROFILE PLASTIC BASE STROBE, CLASS II, 12-48 VOLT
77473	LED AMBER MIGHTY MINI STROBE, CLASS III, 12 VOLT
77483	LED AMBER MIGHTY MINI STROBE, CLASS III, MAGNET MOUNT, 12 VOLT
77103	AMBER MIGHTY MINI STROBE, 12 – 110 VOLT
78773	LED AMBER 4 DIODE, SURFACE MOUNT, CLASS I, 12 VOLT
77463	LED AMBER 3 DIODE, SURFACE MOUNT, CLASS I, 12 VOLT
76793	LED AMBER 4 DIODE, SQUARE STROBE LIGHthead, 12-24 VOLT
77933	LED AMBER VERTEX, HIDE-AWAY STROBE LIGHT, 12 VOLT
78783	LED AMBER MATERIAL HANDLING STROBE, 12-80 VOLT
77013	AMBER MATERIAL HANDLING STROBE, 12-80 VOLT
BATTERY OPERATED WARNING LAMPS	
77913	LED AMBER 360° PORTABLE BATTERY OPERATED WARNING LAMP, 2x D BATTERIES
77923	LED AMBER DIRECTIONAL PORTABLE BATTERY OPERATED WARNING LAMP, 2x AA BATTERIES
BAR LAMPS	
76983	LED 17" LOW PROFILE BAR LAMP, CLASS I, YELLOW, 12 VOLT
76993	LED 17" LOW PROFILE MAGNETIC BAR LAMP, CLASS I, YELLOW, 12 VOLT
76943	LED 17" LOW PROFILE BAR LAMP, CLASS I, YELLOW/CLEAR LENS, 12 VOLT
76953	LED 17" LOW PROFILE MAGNETIC BAR LAMP, CLASS I, YELLOW/CLEAR LENS, 12 VOLT
76703	LED 15" LOW PROFILE REFLEX™, CLASS II, YELLOW, 12-24 VOLT
78473	LED SAFETY DIRECTOR W/35' HRNS, CLASS I, YELLOW, 12-24 VOLT



Fuse Products **NEW**

Grote Electrical Connections and Accessories proudly introduces our new offering of Fuse and Circuit Protection products. Grote has over 200 SKU's available representing the most popular and in-demand fuse and circuit protection products including a variety of assortment packs.



Coiled Air Products

Grote carries an extensive line of coiled air products required for optimum system performance. From coiled air hoses to seals and screens, our coiled air products are designed and manufactured to meet or exceed the toughest industry standards.



Terminals and Connectors

Grote's extensive line of terminal and connector products are designed to ensure proper installation as well as peak electrical performance and power delivery for your system. We also have an extensive offering of kits – ideal for a fleet maintenance facility, garage repair and DIY'ers!



Wire and Cable

Grote carries one of the widest selections of wire and cable products in the industry. Our wire and cable is available in all common gauges and colours, and is 100% made in North America which ensures the highest level of quality, performance and reliability.



Trailer Connections

Power delivery is only as good as the connections made! Developed to meet the most rigorous demands, Grote's complete line of trailer connection products provide for a wide and varied requirement.



Support and Protective products

Protection of critical wire and power systems is essential to a vehicles running performance. Grote has an extensive line of cable and power delivery management products available.



Battery Connection Products

Proper connections to a vehicles power supply are vital for efficient, effective power delivery, and Grote Battery Connection products are designed and manufactured to ensure an ideal connection every time!



Kits and Tools

Whether the need is for a small retail pack for the weekend DIY'er or a large fleet maintenance facility, Grote has the right tools and a great selection of kits.



Switches and Electrical Assemblies

Grote offers a complete line of switches and electrical assembly products. Connect a vehicles power system with the right product for the application!

DEXTERITY



Nitrile foam dipped, polyester liner, knitted wrist
051180C6 - XS
051180C7 - S
051180C8 - M
051180C9 - L
051180C10 - XL
051180C11 - XXL



Lightweight Polyurethane coated palm, polyester back, knitted wrist
051260C7 - S
051260C8 - M
051260C9 - L
051260C10 - XL



Latex dipped palm, poly knit back, brushed fleece lining
750760S
750760M
750760L
750760XL



DISPOSABLES



Nitrile disposable, 4 MIL, powder free, BLUE, 100/bx
792455S
792455M
792455L
792455XL



Nitrile disposable, 6 MIL, BLUE, diamond textured grip, powder free, 50/bx
792456DS
792456DM
792456DL
792456DXL
792456D2XL



Nitrile disposable, 7 MIL, ORANGE, diamond textured grip, powder free, 50/bx
792457DS
792457DM
792457DL
792457DXL
792457D2XL



Nitrile disposable, 8 MIL, BLACK, diamond textured grip, powder free, 50/bx
792458DS
792458DM
792458DL
792458DXL
792458D2XL



Latex disposable, 4 MIL, lightly powdered, 100/bx
7933444-L
7933444-M
7933444-S
7933444-XL

MECHANICS



Black synthetic leather palm, nylon breathable back, PVC palm patches, Velcro, lightweight
78907TRM
78907TRL
78907TRXL



Black synthetic leather palm, HIVIS nylon back, anti-vibration palm, rubber padding at back of hand, velcro, heavyduty, silicone palm patches
78914TRM
78914TRL
78914TRXL



Black synthetic leather palm, black nylon back, anti-vibration palm, rubber padding at back of hand, velcro, heavyduty
78918TRM
78918TRL
78918TRXL

NEW

WorkTuff's ECONOMICAL Polyurethane coated cut resistant gloves are the lightest cut protection gloves in the industry. Ideal for working with sharp objects / cut glass / automotive assembly, etc. Highest level of cut protection at the lowest cost in the industry.



Polyurethane coated cut resistant glove, cut level 5, industrial yarn liner
051261XS
051261S
051261M
051261L
051261XL

ROPE



Yellow jumbo polypropylene cardboard reel
A1PJ/014 - 1/4"x1300'
A1PJ/516 - 5/16"x975'
A1PJ/316 - 3/16"x2125'
A1PJ/038 - 3/8"x630'
A1PJ/012 - 1/2"x335'
A1PJ/058 - 5/8"x200'
A1PJ/034 - 3/4"x125'

MFP ROPE, assorted colours
R1DBMFP038/100 - 3/8" x 100'

Polypropylene rope is an economical lightweight rope used in many general applications. It is the only rope fiber that floats. It also resists oils, water, gasoline and other chemicals. Used in construction, household and commercial industries.

Please visit www.groupebbh.com for a complete listing of rope available through Bestbuy.

Disposable nitrile gloves



Diamond
Textured

The most durable **ANTI - SLIP**
grip disposable gloves on the market



TELESCOPIC SNOWBROOMS



**PIVOT HEAD SPORT
TELEBROOM™**
583-EP
Extends from
34" to 52".



**50" CROSSOVER
SUPER-DUTY
SNOWBROOM**
14039C
Pivoting head swivels
from broom to brush
position with the
push of a button.



**SPORT 8 UTILITY
BROOM™**
581-E
Extends from
30" to 48".



**TELE
SNOBROOM™**
511-E
Compact
telescopic snow
broom extends
from 23" to 36".

LONG REACH SNOWBRUSHES *ideal for clearing snow from all vehicles*



ULTRA MAXX®
999CT
35" long,
ergonomic



MEGA MAXX®
989-34
34" long, superior



MAXX® 35
889-35
35" extra long,
superior



**PINK SNOW
BRUSH**
886PKC
31" long



**MOSSY OAK®
SNOWBRUSH**
MOD24-886PB
31" long



REGULAR REACH SNOWBRUSHES



COOL SNOW TOOL®
532
26" long, 5 row wide. Sweeps snow
and slush with little effort.



SLIMLINE 24
523
24" long. Ideal for clearing snow
from all vehicles.



VALUE REACH SWEEP™
203
25" long wooden snowbrush
provides efficient snow removal.

EXTRA LONG SNOWBROOM



**51" ARCTIC PLOW™ WITH ICE
SCRAPER**
18833
Super wide 16+ inch "Push-Pull"
foam head clears snow quickly
& won't scratch paint.

SAFETY



ALUMINUM EMERGENCY SHOVEL
17222C

- Compact design for easy storage.
- Two in one handle design allows shovel to be used as a scoop.
- Extends to 30" for longer reach.



TRAILBLAZER ELECTRONIC DEER ALERT
27512VA
Powerful electronic signal is 10X safer than
traditional deer whistles.

PROFESSIONAL AUTOMOTIVE SQUEEGEES



PROFESSIONAL AUTOMOTIVE SQUEEGEE 12-810NY

- Plastic side guards protect glass
- 10" wide rust resistant head with durable scrub netting
- Quality rubber squeegee blade



PROFESSIONAL SQUEEGEE HANDLES

- Threaded strong hardwood construction
- Fits all Hopkins professional automotive squeegee heads

111U - 20"

112U - 30"



PROFESSIONAL AUTOMOTIVE SQUEEGEE WITH HANDLE

- Plastic side guards protect glass
- 10" wide rust resistant head with durable scrub netting
- Quality rubber squeegee blade
- 20" long threaded strong handle

10NY-24A - hardwood handle

10NYRD-26A - plastic handle

HEAVY DUTY FLOOR SQUEEGEES

COMMERCIAL GRADE

Oil resistant rubber blades have a higher tolerance to oil and other chemicals resulting in a longer blade life.

GENERAL PURPOSE rubber blades work on all surfaces and with all fluids, perfect for the DIYer.

HEAVY DUTY FLOOR SQUEEGEES

- Thick, pliable, non-marking rubber blades
- Epoxy coated heavy duty steel frames resist rusting
- Heavy duty industrial zinc coated stamped steel sockets
- Available in 24", 30" & 36" sizes

Straight Blade



840-24/30/36
General Purpose



841-24/30/36
Oil Resistant

Curved Blade



843-24/30/36
General Purpose



844-24/30/36
Oil Resistant

FOAM

A foam blade is ideal for smooth surfaces such as decks, patios, driveways, sidewalks and ceramic floors.



FOAM FLOOR SQUEEGEE

845-24

24" wide dual foam blade is ideal for smooth surfaces.



HEAVY DUTY FOAM FLOOR SQUEEGEE

846-30

Heavy duty 30" wide dual foam blade.



HEAVY DUTY FLOOR SQUEEGEE HANDLE

116

54" strong hardwood handle.
Fits all Mallory brand Floor Squeegees.

HANDY-PAKS[®]

H. Paulin & Co., a division of The Hillman Group Canada ULC

HANDY PAK MERCHANDISERS



**MERCHANDISER
NO.022-065**

Part Number	Size
ISO Coarse Metric Cap Screws	
024-002	M4 X 16
024-013	M5 X 16
024-014	M5 X 20
024-015	M5 X 25
024-023	M6 X 12
024-024	M6 X 16
024-025	M6 X 20
024-026	M6 X 25
024-027	M6 X 30
024-030	M6 X 45
024-045	M8 X 12
024-046	M8 X 16
024-047	M8 X 20
024-048	M8 X 25
024-049	M8 X 30
024-051	M8 X 40
024-053	M8 X 50
024-055	M8 X 60
024-057	M8 X 70
024-062	M10 X 30
024-064	M10 X 40
024-066	M10 X 50
024-068	M10 X 60
024-070	M10 X 70
Metric Flat Washers	
024-304	4 mm
024-305	5 mm
024-306	6 mm
024-308	8 mm
024-310	10 mm
Coarse Hex Nuts	
024-204	M4
024-205	M5
024-206	M6
024-208	M8
024-210	M10
024-212	M12



**PLATED CAP SCREWS
and NUT MERCHANDISER
NO.022-064**

Part Number		Size
UNC	UNF	
Plated Grade 5 Cap Screws		
023-003	023-103	1/4 x 3/4
023-005	023-105	1/4 x 1
023-007	023-107	1/4 x 1 - 1/2
023-016	023-116	5/16 x 3/4
023-018	023-118	5/16 x 1
023-020	023-120	5/16 x 1 - 1/2
023-031	023-131	3/8 x 1
023-033	023-133	3/8 x 1 - 1/2
023-035	023-135	3/8 x 2
023-044	023-144	7/16 x 1 - 1/2
023-055	023-155	1/2 x 1 - 1/2
023-057	023-157	1/2 x 2
023-059	023-159	1/2 x 2 - 1/2
Hex Nuts		
023-201	023-221	1/4
023-202	023-222	5/16
023-203	023-223	3/8
023-204	023-224	7/16
023-205	023-225	1/2



**62 PIECE ULTIMATE BIT KIT
8020-930**

- All square recess bits are 2 piece S-2 steel construction and colour coded for easy selection
- Heavy duty compact case with rubber bumpers
- Magnetic quick change chuck has a high strength alnico magnet

Used by Professionals for over 60 Years



ALL WEATHER SEAL

9132-16 - 1 pint

The Ultimate Fix for Head Gasket, Radiator and other Coolant System Leaks

- Easy to use – pour directly into the radiator
- Blends with coolant to permanently stop existing and future leaks
- Ideal for the most extreme weather conditions – Hot or Cold
- Lubricates Water Pump Seals

THE #1 SELLER IN ANY CLIMATE

CERAMIC MOTOR SEAL

9122-16 - 1 pint

The Performance Enthusiast and Racer's Choice

- Permanently seals engine coolant system leaks
- Seals porous castings and improves heat dissipation for added power
- Seals head and intake gaskets, aluminum and cast iron, cylinder heads and blocks

Added to radiator ONLY AFTER removing antifreeze

THORO-FLUSH

9112-16 - 1 pint

Industrial Strength Radiator, Engine and Fuel Tank Cleaner

- Loosens and removes rust, scales, grease, oil and sludge
- Cleans auto and heavy duty truck cooling systems

Most Powerful Flush Available

*Ironite Products – the Leader in
Sealers, Flushes, Casting Crack Repair
and Diesel Injection Repair Tooling
since 1950*



NEW PROGRAM

**ENCOURAGING STUDENTS IN THE
CANADIAN AUTOMOTIVE INDUSTRY**

BESTBUY
SCHOLARSHIPS

Bestbuy Distributors establishes a Scholarship Program.

Attracting bright students to build careers in our automotive industry.

For complete program details visit www.bestbuydistributors.ca



Quality Engine Oils & Fluids



Q.A.P ATF DEX/MERC

ORDER CODES: **FX0000415** **QDEXRON-1** **12 per Case**
FX0000450 **205L Drum**

Q.A.P ATF DEX MERC is a premium product specially formulated for use in automatic transmissions manufactured in 2005 and earlier. General Motors, Ford and Chrysler vehicles requiring Dexron, II, III (GM) and Mercon® (FORD) fluid.



Q.A.P DEXRON® VI ATF

ORDER CODES: **FX0001715** **QDEXRONVI-1** **12 per case**
FX0001750 **205LDrum**

Q.A.P DEXRON® VI ATF is a premium synthetic transmission fluid designed to provide unparalleled performance in automatic transmissions in vehicle manufactured by General Motors. Enhanced resistance to oxidation, shear and viscosity stability prevents the formation of deposits for up to twice the service life of previous generation DEXRON IIIH.



Q.A.P MULTI VEHICLE ATF

ORDER CODES: **FX0001815** **QDEXRONMULTI-1** **12 per Case**
FX0001850 **205L Drum**

Q.A.P MULTI-VEHICLE ATF is a premium multi vehicle transmission fluid designed to provide unparalleled severe duty operating performance in automatic transmissions. It has enhanced resistance to oxidation and prevents the formation of gum or varnish in the transmission due to high temperature instability.



Q.A.P PREMIUM MOTOR OILS

ORDER CODES:	5W-20	FX0002215	Q5W20-1	12 per Case
	5W-30	FX0002015	Q5W30-1	12 per Case
	5W-30	FX0002030	Q5W30-5	4 per Case
	10W-30	FX0002115	Q10W30-1	12 per Case
	10W-30	FX0002130	Q10W30-5	4 per Case

Q.A.P Engine Oils are designed for use in today's demanding gasoline engines. They exceed the requirements of the American Petroleum Institute's (API) current performance level, for gasoline engine oils and satisfy the current warranty requirements of domestic and foreign automobile manufacturers requiring an API SN or ILSAC GF-5 product.



Q.A.P PREMIUM SYNTHETIC MOTOR OILS

ORDER CODES:	10W-30	FX0002506	QSYN10W30-1X6	6 per Case
	DEXOS 0W-20	FX0002406	QSYN0W20-1X6	6 per Case
	DEXOS 5W-20	FX0002306	QSYN5W20-1X6	6 per Case
	DEXOS 5W-30	FX0002806	QSYNDEXOS-1X6	6 per Case
	European 5W-40	FX0001606	QSYN5W40-1X6	6 per Case

Q.A.P SYNTHETIC engine oils are designed for use in today's demanding gasoline engines. They exceed the requirements of the American Petroleum Institute's (API) current performance level, for gasoline engine oils and satisfy the current warranty requirements of domestic and foreign automobile manufacturers requiring an API SN or ILSAC GF-5 product.



Quality Engine Oils & Fluids



Q.A.P CK-4 PREMIUM DIESEL OIL

ORDER CODES:

<i>FX0003215</i>	<i>10W-30 CK4 SBLD 12X946mL</i>
<i>FX0003230</i>	<i>10W-30 CK4 SBLD 4X5L</i>
<i>FX0003240</i>	<i>10W-30 CK4 SBLD 18.9</i>
<i>FX0003250</i>	<i>10W-30 CK4 SBLD 205L</i>
<i>FX0003415</i>	<i>15W-40 CK-4 12X1QT</i>
<i>FX0003430</i>	<i>15W-40 CK-4 4X5L</i>
<i>FX0003440</i>	<i>15W-40 CK-4 18.9L</i>
<i>FX0003450</i>	<i>15W-40 CK-4 205L</i>

BestBuy Premium 15W-40 & 10W-30 CK-4 next generation oil was formulated to exceed compliance levels set forth by the EPA for 2017 and forward diesel engines. This oil was designed to provide quantifiable improvements in emissions control, wear protection, TBN retention, shear stability, fuel economy, oxidation / aeration and enhanced drain intervals with regular used oil analysis. **BestBuy Premium 15W-40 & 10W-30 CK-4** is also backwards compatible making it ideal for large, small and mixed fleet operations where multiple service categories are represented.



Q.A.P FA-4 PREMIUM DIESEL OIL

ORDER CODES:

<i>FX0003330</i>	<i>10W30 FA-4 SBLD 4X5</i>
<i>FX0003340</i>	<i>10W30 FA-4 SBLD 18.9</i>

BestBuy Premium FA-4 10W-30 Syn Blend represents the latest technology and advancements in heavy duty diesel engine oils. FA-4 compliant engines were designed to run on low viscosity oils to provide optimum fuel efficiency and environmental benefit, **BestBuy Premium FA-4 10W-30 Syn Blend** oil helps deliver up to a 1.2% increase in fuel economy when compared to 15W-40 oils with no compromise to engine durability. Increased oxidation, wear control, viscosity retention, oil economy and extended drain intervals with regular used oil analysis, are just a few of the benefits you will experience with **BestBuy Premium FA-4 10W-30 Syn Blend**.



Q.A.P GEAR OILS

ORDER CODES:

<i>FX0000715</i>	<i>Q80W90-1</i>	<i>12 per Case</i>
------------------	-----------------	--------------------

Q.A.P GEAR OILS are extreme pressure (EP) automotive gear lubricants made from high quality, high viscosity base oils. Their special additives make them effective at providing high load-carrying protection with outstanding rust, corrosion and foam prevention. Excellent oxidation control and thermal stability prevents the formation of sludge and deposits, leaving clean gears after many thousands of miles service. They also offer a high level of protection in extreme wet and dirty environments.



Q.A.P DEF (Diesel Exhaust Fluid)

ORDER CODES:

<i>FX0002910</i>	<i>Q.A.P DEF Bottle in a Box</i>	<i>Single Carton</i>
<i>FX0002950</i>	<i>Q.A.P DEF Drum</i>	<i>208L Drum</i>

Q.A.P DEF is a 32.5% aqueous Urea Solution, AUS 32, a manufactured product of technically pure urea mixed with Demin quality water designed to meet the specifications of DIN 70070:2005 and ISO 22241 1:2006 for NOx abatement technologies.



PREMIUM CK-4 DIESEL OIL



BESTBUY PRO CK-4 has always exceeded industry standards, our new CK-4 is no exception. **BESTBUY PRO CK-4** next generation oil was formulated to exceed compliance levels set forth by the EPA for 2017 and forward diesel engines. This oil was designed to provide quantifiable improvements in emissions control, wear protection, TBN retention, shear stability, fuel economy, oxidation/aeration and enhanced drain intervals with regular used oil analysis. **BESTBUY PRO CK-4** is also backwards compatible making it ideal for large, small and mixed fleet operations where multiple service categories are represented. Formulated with ultra-pure synthetic and virgin base oils coupled with superior CK-4 additive technology, **BESTBUY PRO CK-4** starts protecting your engine from the click of the ignition. Experience significantly increased wear protection, improved oxidation, enhanced fuel economy and longer oil life with **BESTBUY PRO CK-4**.

Features & Benefits

- 10% better oxidation protection than CJ-4
- Improved shear stability
- Greater viscosity retention
- Up to 23% better contamination handling
- Up to 0.89% better fuel economy
- Up to 14% less wear than CJ-4 oils
- Prevents piston deposits
- Inhibits chemical attack on non-ferrous metals
- Increased oil drain intervals with regular used oil analysis testing
- 17 Million Miles of on-road testing with 23,000 hours off-road
- Quantifiable increased wear protection for Cam's, Tappet's, Ring's, Cross Head's, Injector Screw's and so much more
- Meets or exceeds: API CK-4, API CJ-4, API CJ-4 Plus, API CI-4, API CH-4, CAT ECF-3, Ford WSS-W2C171-F1, Cummins CES 20086, Detroit Diesel DDC93K222, Mack EOS-4.5, VOLVO VDS 4.5, Renault VI RLD-4, ACEA E7-12, ACEA E9-12, MB 228.31, MAN 3575, Deutz DQC III-10 LA, JASO DH-2 MRO (meets requirements of)

Typical Results

SAE Grade Synthetic Blend	10W-30 CK-4
VISCOSITY (D-445)	
cSt @ 40°C	81.9
cSt @ 100°C	11.7
VISCOSITY INDEX (D-2270)	135.6
DENSITY (D-4502) @ 15°C (kg/l)	0.8711
POUR POINT (°C) (D-97)	-44
FLASH POINT (°C) (D-92)	208
TOTAL BASE NUMBER	10.5

Check with your sales Representative for latest product approvals. Please note, these are typical performance indicators and can change without notice.

**Available Exclusively at
Bestbuy Distributor Locations**

**Quality
AUTOMOTIVE
Products™**



BESTBUY PRO FA-4 represents the latest technology and advancements in heavy duty diesel engine oils. FA-4 compliant engines were designed to run on low viscosity oils to provide optimum fuel efficiency and environmental benefits. **BESTBUY PRO FA-4** oils will ensure up to a 1.2% increase in fuel economy with no compromise to engine durability. Increased oxidation, wear control, viscosity retention, oil economy and extended drain intervals with regular used oil analysis, are just a few of the benefits you will experience with **BESTBUY PRO FA-4**. When FA-4 oil is recommended by the OEM, fuel efficiency and operating cost benefits can be obtained greater than that of CK-4 oils.

Features & Benefits

- 10% better oxidation protection than CJ-4
- Improved shear stability
- Greater viscosity retention
- Up to 23% better contamination handling
- Inhibits chemical attack on non-ferrous metals
- 17 Million Miles of on-road testing with 23,000 hours off-road
- Quantifiable increased wear protection for Cam's, Tappet's, Ring's, Cross Head's, Injector Screw's and so much more
- 1.2% fuel economy improvement vs. leading competitor CJ-4 maintained throughout the life of the oil
- Between 14%-57% improvements in wear protection
- Extended drain capability with used oil monitoring and diagnostics
- Improved deposit control
- API FA-4, Cummins CES 20087, Detroit Diesel DDC93K223, JASO DH-2 MRO (meets the requirements of)

Typical Results

SAE Grade Synthetic Blend	10W-30 FA-4
VISCOSITY (D-445)	
cSt @ 40°C	66.6
cSt @ 100°C	9.7
VISCOSITY INDEX (D-2270)	127.1
DENSITY (D-4502) @ 15°C (kg/l)	0.8706
POUR POINT (°C) (D-97)	-43
FLASH POINT (°C) (D-92)	200
TOTAL BASE NUMBER	10.5

Check with your sales Representative for latest product approvals. Please note, these are typical performance indicators and can change without notice.

**Available Exclusively at
Bestbuy Distributor Locations**

**Quality
AUTOMOTIVE
Products™**

Quality AUTOMOTIVE Products™



Qualité À TOUT PrixSM

Code	Description	Cobra Quick Reference Guide
FBB0008840	Cobra ATF, 18.9L	Automatic transmission fluid designed to satisfy GM & Ford specs pre 2005
FBB0009840	Cobra DIFF 80W90, 18.9L	Cobra DIFF 80W90 is recommended for most auto differentials as well as transmissions where the manufacturer specifies API MT-1. Always consult your owners manual when choosing a compatible lubricant.
FBB0012240 FBB0011740 FBB0011840 FBB0011940	Cobra Hyd 22, 18.9L Cobra Hyd 32, 18.9L Cobra Hyd 46, 18.9L Cobra Hyd 68, 18.9L	Cobra HYDRAULICS is a product designed for various hydraulic systems. This oil is formulated to offer a wide operating temperature range and designed for use in colder temperatures. Cobra HYDRAULICS is NOT recommended for use with pumps that contain silver-plated parts.
FBB0008440	Cobra UTF, 18.9L	<p>Cobra UTF (Universal Tractor Fluid) is a multi-application lubricant used to lubricate the moving parts of off-highway mobile equipment. These fluids are used to lubricate the transmissions, differentials, final drive planetary gears, wet brakes and hydraulic systems of farm tractors and construction equipment that have a common fluid reservoir calling for a combination lubricant and power transmission fluid.</p> <ul style="list-style-type: none"> • Cost effective performance • Excellent field performance in a variety of tractors and equipment • Superior final drive performance • Excellent cleanliness • Superior pump wear & abrasion protection • Enhanced friction durability
FBB0010926 FBB0011226	Cobra Heavy Chain Oil 4X3.78L Cobra Light Chain Oil 4X3.78L	Cobra CHAIN Light and Heavy oils are designed especially for heavy-duty chain-saw use. Cobra CHAIN Light and Heavy are available in summer and winter grades. All grades are extremely tacky, which helps the oil resist drippage and throw-off, especially from high-speed chains. Cobra CHAIN Light and Heavy grades are dyed red to help chain-saw operators identify when the chain has enough lubrication.

You should always consult your Owners Manual when selecting any lubricant product.



**60 Years of Bringing Canadian
Distributors Together**

**Nous rassemblons les distributeurs
Canadiens depuis 60 ans**



JAMAICA



COSTA RICA

St. Kitts
follow your heart

*Where to
next?*

**ASK YOUR BESTBUY MEMBER DISTRIBUTOR HOW YOU CAN TAKE
PART IN THE NEXT SUNSPASH CUSTOMER INCENTIVE PROGRAM!**

IRWIN TOOLS IN THE WAREHOUSE

Vise-Grip®


Locking Tools

No. Description



Fast Release™ Curved Jaw Locking Pliers

- 11T 10" Fast Release Curved Jaw Locking Plier
13T 7" Fast Release Curved Jaw Locking Plier
4935581 5" Fast Release Curved Jaw Locking Plier




Curved Jaw Locking Pliers

- 4935576 10" Curved Jaw Locking Plier
4935578 7" Curved Jaw Locking Plier
4935579 5" Curved Jaw Locking Plier
502L3 10" Curved Jaw Locking Plier



Fast Release™ Straight Jaw Locking Pliers

- 1T 10" Fast Release Straight Jaw Locking Plier
3T 7" Fast Release Straight Jaw Locking Plier



Straight Jaw Locking Pliers

- 102L3 10" Straight Jaw Locking Plier
0302L3 7" Straight Jaw Locking Plier

For Complete Category Availability Consult the IRWIN® Tools Catalog

Vise-Grip®


Locking Tools (Cont'd)

No. Description



Fast Release™ Curved Jaw Locking Pliers with Wire Cutters

- 5T 10" Fast Release Curved Jaw Locking Plier with wire cutter
7T 7" Fast Release Curved Jaw Locking Plier with wire cutter
9T 5" Fast Release Curved Jaw Locking Plier



Curved Jaw Locking Pliers with Wire Cutter

- 0502L3 10" Curved Jaw Locking Pliers with wire cutter
0702L3 7" Curved Jaw Locking Pliers with wire cutter
0902L3 5" Locking Pliers with wire cutter
1002L3 4" Curved Jaw Locking Plier with wire cutter



Fast Release™ Long Nose Locking Pliers

- 14T 6" Fast Release Long Nose Locking Plier
15T 9" Fast Release Long Nose Locking Plier



Long Nose Locking Pliers

- 1402L3 6" Long Nose Locking Plier
1502L3 9" Long Nose Locking Plier
1602L3 4" Long Nose Locking Plier

Vise-Grip®

Locking Tools (Cont'd)

No. Description



Fast Release™ Locking C-Clamps with Regular Tips

- 17T 6" Fast Release Locking C-Clamp
19T 11" Fast Release Locking C-Clamp



Locking C-Clamps with Regular Tips

- 17 6" Locking C-Clamp with regular tips
19 11" Locking C-Clamp with regular tips
21 18" Locking C-Clamp with regular tips



Locking C-Clamps with Swivel Pads

- 18 6" Locking C-Clamp with swivel pads
20 11" Locking C-Clamp with swivel pads
22 18" Locking C-Clamps with swivel pads
28 24" Locking C-Clamp with swivel pads
31 9" Locking C-Clamp with swivel pads

Vise-Grip®

Locking Tools (Cont'd)

No. Description



Locking Wrenches

02 10" Locking Wrench (10LW)
04 7" Locking Wrench (7LW)
08 4" Locking Wrench (4LW)



Specialty Tools

12L3 12" Large Jaw Locking Plier
23 8" Locking Sheet Metal Tool
27ZR 9" Locking Chain Clamp Plier
29 7" Locking Pinch-off Tool
40EXT Chain Extension for 20R
40REP 18" Replacement Chain for 20R



Locking Tool Sets

37 2 Piece Locking Pliers Set
74 5 Piece Original Locking Pliers
76KBT 3 Piece Fast Release
Locking Plier Set
248 3 Piece Locking Wrench Set
and Clamps T-Shirt Set
538KBT 5 Piece Fast Release Locking
Plier Set
2077703 4 Piece Locking
Plier Value Set
4935580 3 Piece Original
Locking Plier Set

**For Complete Category Availability
Consult the IRWIN® Tools Catalog**

Vise-Grip®

Tools (Cont'd)

No. Description



Replacement Springs

40-08 Replacement Spring
40-92 Replacement Spring



GrooveLock Pliers

No. Description
2078112 12" V Jaw GrooveLock Pliers
2078120 20" V Jaw GrooveLock Pliers
4935351 6" V Jaw GrooveLock Pliers
1775418 4 Piece GrooveLock Plier Set
2078108 8" V Jaw GrooveLock Pliers
2078110 10" V Jaw GrooveLock Pliers
2078711 3 Piece GrooveLock Plier Set
2078116 16" V Jaw GrooveLock Plier
2078712 8 Piece GrooveLock Plier Set



Pipe Wrenches

No. Description
274103 18" Cast Iron Pipe Wrench
274104 24" Cast Iron Pipe Wrench
2074110 10" Cast Iron Pipe Wrench
274001SM 11" Quick Adjusting Wrench



Adjustable Wrench

No. Description
2078615 15" Standard Adjustable Wrench

Pliers

No. Description



Lineman's Pliers

2078209 North American Lineman's Plier



Long Nose Locking Pliers

2078216 6" Long Nose Pliers
2078218 8" Long Nose Plier

Vise-Grip®

Tools (Cont'd)

No. Description



Long Bent Nose Pliers

2078226 6" Long Bent Nose Pliers
2078228 8" Long Bent Nose Pliers




Groove Joint V-Jaw Pliers

2078510 10" Groove Joint V-Jaw Pliers
2078512 12" Groove Joint V-Jaw Pliers



Diagonal Cutting Pliers

2078307 7" Diagonal Cutting Pliers
2078308 8" Diagonal Cutting Plier



Miscellaneous Pliers

2078309 8" Multi-Tool
2078300 8" Self Adjusting Wire Strippers



Plier Set

2078714 8 Piece Mini Pliers Set

IRWIN®



Utility Knives & Blades

No. Description
2084100 Retractable Utility Knife
Bi-Metal 5-Pack
Utility Blades
2082200 ProTouch™ Retractable
Utility Knife
2082300 Hi-Vis Retractable
Utility Knife

LENOX VARI-BIT® STEP DRILL BITS

	HOLE SIZES			SHANK SIZE	
PART#	IN	MM	# of Hole Sizes	IN	MM
30912VB12	7/8, 1-1/8, 1-7/32, 1-1/4, 1-3/8	22.2, 28.6, 31.0, 31.8, 34.9	5	3/8	9.5
30882VB2	1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1	12.7, 14.3, 15.9, 17.5, 19.1, 20.6, 22.2, 23.8, 25.4	9	3/8	9.5
30888VB11	7/8, 1-1/8 (for 1/2 and 3/4 conduit)	22.2, 28.6 (for 12.7 and 19.1 conduit)	2	3/8	9.5
30908VB8	3/16, 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8	4.8, 6.4, 7.9, 9.5, 11.1, 12.7, 14.3, 15.9, 17.5, 19.1, 20.6, 22.2	12	3/8	9.5
30883VB3	1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4	6.4, 7.9, 9.5, 11.1, 12.7, 14.3, 15.9, 17.5, 19.1	9	3/8	9.5



30912VB12



30882VB2



30888VB11



30908VB8



30883VB3

LENOX HOLE SAW KITS & ACCESSORIES



LENOX Contractor's BIG DADDY™
SPEED SLOT® Hole Saw Kit, 26 Piece
308042000G



LENOX Electrician's SPEED SLOT®
Hole Saw Kit, 17 Piece
308021200L



LENOX Standard Hole Saw Arbors
1779801
2L T2 3.25 drill

LENOX RECIPROCATING SAW BLADES



LENOX Wood Bi-Metal
Reciprocating Saw Blades
20582956R - 5/pk
20558B956R - 25/pk
20585156R - 5/pk
227520SB956R - 50/pk

LENOX General Purpose Bi-Metal
Reciprocating Saw Blades
Long Lasting, Fast Cutting and Versatile
20580810R - 5/pk
227580SB110R - 50/pk



LENOX Metal Cutting
Reciprocating Saw Blades
20487B818R - 25/pk
227510SB618R - 50/pk
20566618R - 5/pk
20529B618R - 25/pk
20578818R - 5/pk
227540SB818R - 50/pk

Keep Ahead of the Competition



WE HAVE PROGRAM LEVELS TO SUIT ALL INDEPENDENT SERVICE PROFESSIONALS.

**Local Labour Program
North American Warranty
Roadside Assistance
BEST Training & *more!***

Visit www.bestautonetnetwork.ca or contact your local Bestbuy Member Distributor to learn more.



WE'VE GOT THE *BEST* PARTS!



WORLD'S STRONGEST BOND



J-B Weld

Mfr Part # 8265SCAN

- An alternative to welding, soldering, and brazing.



J-B KwikWeld

Mfr Part # 8276CAN

- J-B KwikWeld is a fast set - cure version of J-B Weld that will set in 4 minutes and fully cure in 4-6 hours.



MarineWeld

Mfr Part # 8272CAN

- Bonds to just about any porous and non-porous material.



J-B Weld & J-B Kwik Professional Size

J-B Weld Mfr Part # 8280CAN

J-B Kwik Mfr Part # 8270CAN

- The same as our J-B Weld & J-B Kwik in a convenient 10 oz. "shop size"



PlasticWeld

Mfr Part # 8237CAN

- Repair and rebuild any rigid and semi-flexible plastic including ABS, PVC and CPVC.



SteelStik

Mfr Part # 8267SCAN

- Steel Reinforced Epoxy Putty Stick.



WaterWeld

Mfr Part # 8277CAN

- Make permanent repairs in moist or under water applications.



HighHeat

Mfr Part # 8297CAN

- 3 times stronger than conventional epoxy putty sticks.



SuperWeld

Mfr Part # 33106CAN

- Bonds to just about any porous and non-porous material.

WORLD'S STRONGEST BOND



MinuteWeld Epoxy Syringe
Mfr Part # 50101CAN

- Stronger than super glues. Highest strength in class.



Plastic Bonder Syringe
Mfr Part # 50133CAN

- High strength structural adhesive.
- Gap filler & bonder; 3770 PSI, pliable.
- Repairs Challenging Plastics, PVC, ABS, metal, aluminum, concrete, etc.



J-B KwikWeld Epoxy Syringe
Mfr Part # 50176CAN

- J-B KwikWeld is a fast set - cure version of J-B Weld that will set in 4 minutes and fully cure in 4-6 hours.



ClearWeld Epoxy Syringe
Mfr Part # 50112CAN

- Quick setting multi-purpose epoxy.
- Sets in 5 minutes, cures in 1 hour.



New Resealable Cap

- No Leaks
- Will Not Dry out
- No Additional Tools



MarineWeld Epoxy Syringe
Mfr Part # 50172CAN

- Specially formulated marine, 2-part epoxy adhesive.

J-B Weld Perma-Lock ThreadLockers

- Seals the threads against leakage and prevents rust and corrosion.



Mfr Part # Red 6 ml 27106CAN



Mfr Part # Red 36 ml 27136CAN



Mfr Part # Blue 6 ml 24206CAN



Mfr Part # Blue 36 ml 24236CAN

WASHROOM & SOAPS



SCOTT® CENTER FLOW
HAND TOWELS
01010



SCOTT® SINGLEFOLD-
TOWELS
01700



SURPASS® SIGNAL
FACIAL TISSUE
03131




SCOTT® MULTI-
FOLD TOWELS
03650



SCOTT® JUMBO ROLL
BATH TISSUE
43863



KLEENEX® COTTONELLE®
BATH TISSUE
13135



KLEENEX® FACIAL
TISSUE
21400



SCOTT® SLIMROLL™
HARD ROLL TOWELS
12388



SCOTT® HARD
ROLL TOWELS
43844



TRADITION® HARD
ROLL TOWELS
02021

SCOTT® JRT CORELESS
JR. BATHROOM TISSUE
07006



SCOTT
GLASS TOWELS
32896



SCOTT® ANTIBACTERIAL
FOAM SOAP
14230



KLEENEX® MOISTURIZING
INSTANT HAND SANITIZER
93056



SCOTT® SUPER
DUTY CLEANSER
40551



SCOTT® PERFORATED
ROLL TOWEL
41482



SCOTT® STANDARD
ROLL BATHROOM
TISSUE
48040



KLEENEX® HARD
ROLL TOWELS
50500



WYPALL® MICROBAN®
MICROFIBER CLOTHS
83620



KLEENEX® GREEN
CERTIFIED FOAM
SKIN CLEANSER
91565



SCOTT® SHOP
TOWELS
1/4 FOLD
44180

WIPERS & GLOVES



KREW* 400
SHOP TOWELS
33046



KREW* 200
WIPERS
33845



KREW* 300 LIGHT
DUTY WIPERS
33920



KREW* 500
SHOP TOWELS
33933



KREW* 600 HEAVY
DUTY SHOP TOWELS
33944



WYPALL* TERI* X60
REINFORCED WIPERS
34015



WYPALL* SHOPPRO*
X80 SHOP TOWELS
41041



WYPALL* X70 WIPERS
41455



WYPALL* L20 WIPERS
47044



WYPALL* KIMTOWELS*
L10 WIPERS
47000



WYPALL*
WATERLESS
HAND WIPES
58310



WYPALL* X70
WIPERS IN A
BUCKET
83561



SCOTT® SHOP
TOWELS
75090
85 CT Box



SCOTT® LIGHT-DUTY
RAGS IN A BOX
41370



SCOTT® SHOP
TOWELS
75120 55 CT Roll



SCOTT® HD
SHOP TOWEL
32992



KLEENGUARD* G40
POLYURETHANE COATED
GLOVES
13838 - Size 8
13839 - Size 9
13840 - Size 10
13841 - Size 11



KLEENGUARD*
BULK GRIP
GLOVES
40226 - Size 8
40227 - Size 9
40228 - Size 10
40229 - Size 11



KLEENGUARD* G10
ARCTIC BLUE NITRILE
GLOVES
90097 - M
90098 - L
90099 - XL



KLEENGUARD G10 BLUE NITRILE
POWDER-FREE GLOVES
57372 - M
57373 - L
57374 - XL

DIRECT INJECTION PROBLEMS SOLVED.



DIRECT INJECTION 101

- Attacks Intake Valve Deposits
- Cleans the Intake Manifold and Air Induction System

DIRECT INJECTION 102

- Cleanses the inside of the motor
- Removes GDI Soot accumulation prior to adding fresh oil.

DIRECT INJECTION 103

- Returns Fouled Injectors to 98% Flow
- Eliminates the need for complex equipment and procedures.

Contact your Kleen-Flo Representative today.

Visit www.kleenflo.com for training and instructional videos.



FUEL TREATMENT
20020



OCTANE BOOSTER
20026



SYN HD OIL
STABILIZER
20130



DEEP CLEAN FUEL
SYSTEM CLEANER
20512



ENGINE OIL
STOP LEAK
20278



FUEL STABILIZER
20314



COMPLETE ENGINE
TREATMENT
20016



BRAKE PARTS
CLEANER
20906



SEMI SYN
MULTI VEHICLE
TRANSMISSION FLUID
20418



ATF CONDITIONER
20441



POWER STEERING
FLUIDS WITH
CONDITIONERS
20442



**HEAVY DUTY OIL
STABILIZER**
20001



**HYDRAULIC BOOSTER
AND STOP LEAK**
20019



TRANSMISSION FIX
20009



**POWER STEERING
STOP LEAK**
20008



**UNIVERSAL
HYDRAULIC FLUID**
20017



**75W90 SYN
GEAR OIL**
20047



85W140 GEAR OIL
20042



80W90 GEAR OIL
20043



**75W140 SYN
GEAR OIL**
20121



POWER STEERING
FLUID
20823



DOT 3 BRAKE FLUID
20826



SYNTHETIC FORK OIL
20771



20W50 SAE MC OIL
20700



75W140 V TWIN
GEAR OIL
20791



PRIMARY
CHAINCASE OIL
20790



SLICK MIST DETAIL KIT
20558



INTERIOR DETAILER
20514

TIRE N TRIM DETAILER
20513

SLICK MIST
20160



LAND AND SEA SEMI
SYN 2 CYCLE OIL
20467



SYNTHETIC 2 CYCLE
SNOWMOBILE OIL
20847



SEMI SYN 2
CYCLE OIL
20110



ETHANOL
SAFEGUARD FUEL
TREATMENT
20576



SUPER COOLANT
20640



X TRA HD
GREASE TUB
20330



RED 'N' TACKY GREASE
20005




DIESEL DEEP CLEAN
20872




DIESEL ANTI GEL
20866 - 1.82L

PROFESSIONAL CLEANING PRODUCTS



FS-MH30-RD
MOSS Heavy Duty,
Oil Resistant Floor Squeegee with
Natural Rubber – 30"/75cm – Red



FS-MH30
Floor Squeegee Heavy Duty Moss–
30"/76cm
Use FH-W360-1T handle



FS-M22
Floor Squeegee Moss-22"/55cm
Use FH-W360-1T handle



FS-S518
18"/45 cm Straight Floor
Squeegee



PB-T18 – 18" / 45 cm Tampico
Fiber
Tampico All Purpose Pushbroom
Medium Sweep



PB-G18 – 18" / 45 cm
Garage Concrete –
Medium to Heavy Duty Sweep



PB-BT18 – 18" / 45 cm Blue
Flagged Tip Fiber – Fine Sweep



PB-ST14 – Street / Barn Broom –
Extra Course
14" / 35 cm PolyPro, head only



PB-700-GB18
Ryno Push Broom 18"/45cm
Medium Sweep Brace & handle
PB-700-GB24 24"/60cm




PB-800-RB18
Ryno Push Broom 18" Stiff Sweep
with Brace & handle
PB-800-RB24 -24"/60cm



BD-1110
Scrub Brush 10"/25 cm



BV-420
Bi-Level Truck Brush – Soft 10"
Green Flagged Fill – Soft Surfaces



FS-C736
Floor Squeegee- Curved-36"/91cm
Use FH-W360-118T



MW-RF2090
Rough surface mop medium



BM-4200
Venus Upright Broom
48" handle



BA-3000
Hercules Large angle broom
48" handle

PROFESSIONAL CLEANING PRODUCTS



BW-D41100-BL
40 Qt Bucket Wringer – Blue



HW-7001F
Step-N-Go Mop Handle 54"
HW-7000F – 60"



DM-STH524
Static-H Dust Mop 24"



SP-E747
Cellulose Sponge-Scrubber



QM-7580
Q-Star Glass Cloth



BA-3220
Vortex Angle Broom



BV-421
Bi-Level Acid Resistant Brush
Grey/White Fiber



BV-300F – 10" Car/Truck
Window Brush – Plastic Block
– Green Flagged Fill



BC-110
Heavy Duty Corn Broom – stiff
BC-108
Heavy Duty Corn Boom – medium



BT-112
Upright with Chisel



DP-L800
Galaxy Lobby Dust Pan



LS-1171
Litter Scoop



WF-7003
Floor Sign "Caution Wet Floor" –
English/French



WS-CS1020
10" Car squeegee with 20"
Handle



TS-BT289-12
24 oz Round Bottle with
TS5911R
Trigger Sprayer 1.5cc / 24 oz



BW-1038
Wire Scratch Brush short handle
#BW-1037 Long handle

HI-FLO V-STYLE 1/4" MNPT STEEL PLUG

760-1

HI-FLO V-STYLE 1/4" MNPT STEEL PLUG 2/CD

S-760-1



HI-FLO V-STYLE 1/4" FNPT STEEL PLUG

761-1

HI-FLO V-STYLE 1/4" FNPT STEEL PLUG 2/cd

S-761-1



HI-FLO V-STYLE 'A,M,V' 1/4" FNPT BRASS BODY

764

HI-FLO V-STYLE 'A,M,V' 1/4" FNPT BRASS BODY

S-764



PUSH TO CONNECT 1/4" OD KIT

2340KIT

PUSH TO CONNECT 3/8" OD KIT

2360KIT

PUSH TO CONNECT 1/2" OD KIT

2370KIT



COBRA FLEX PU HYBRID

MA14250R

1/4" x 25' w/ 1/4" NPT

MA14500R

1/4" x 50' w/ 1/4" NPT

MA141000R

1/4" x 100' w/ 1/4" NPT

MA38250R

3/8" X 25' w/ 1/4" NPT

MA38350R

3/8" X 35' w/ 1/4" NPT

MA38500R

3/8" X 50' w/ 1/4" NPT

MA381000R

3/8" X 100' w/ 1/4" NPT

MA12500R

1/2" X 50' w/ 3/8" NPT



Cobra Flex pneumatic air hoses provide superior flexibility and lay flat. Unlike standard rubber air hoses, the Milton Cobra Flex is made from a hybrid polyvinyl chloride material, which is perfect to eliminate kinking. This unique compressed air hose differs from the competition, as Cobra Flex relies on sturdy brass metal hose ends as opposed to soft aluminum.

RUST'S WORST ENEMY

POWERFUL RUST & CORROSION PROTECTION
EXCELLENT VEHICLE UNDERCOATING
SUPERIOR LUBRICANT • LONG-TERM PENETRANT

FLUID FILM®



"WOOL WAX FORMULA"

ENVIRONMENTALLY FRIENDLIER
SOLVENT FREE • NON-TOXIC

AUTO • TRUCK • FARM • HOME • MARINE • FORESTRY • MINING • INDUSTRIAL • RVs
BUSES • TRAILERS • CHAINS • ATVs • AIRCRAFT • MILITARY • SALT TRUCKS • CABLES
BATTERY TERMINALS • TOOLS • FERTILIZER SPREADER • ELECTRICAL CONNECTORS

THE MOST UNIVERSAL PRODUCT YOU WILL EVER USE!!

- NOT WATER SOLUBLE
- REPELS & RESISTS WATER WASHOUT
- WILL NOT DRY OUT OR EVAPORATE
- APPLY OVER DRY OR DAMP SURFACES
- REDUCES STRESS CORROSION

- PREVENTS ICE & SNOW FROM BUILDING UP ON MOVING PARTS
- WORKS IN SUB-ZERO WEATHER -46°C (-50°F) TO 177°C (350°F)
- NON-CONDUCTOR OF ELECTRICITY
- WILL NOT CAUSE STATIC ELECTRICITY
- SOLVENT, TEFLON & SILICONE FREE

NATURE GIVEN MATERIAL

FLUID FILM UTILIZES THE UNIQUE MOLECULAR ACTION DERIVED FROM WOOL-WAX, A NATURE GIVEN MATERIAL (Lanolin) & other corrosion inhibiting ingredients. One of the best lubricants & corrosion control agents found in nature today. In use for over 60 years in the Highly Corrosive Marine Environments of ships & off-shore drilling rigs.

PROVIDES LONG-TERM PROTECTION FOR ALL YOUR TOOLS & EQUIPMENT **PROTECTIVE PROPERTIES START WORKING IMMEDIATELY**

FLUID FILM - developed & perfected as an unparalleled Rust & Corrosion Control System. Non-drying properties for Superior Lubrication & is a Long Term Penetrant. Once in place, stays put, forming a continuous, durable, ALWAYS ACTIVE protective barrier. Will not harm most paint or plastic surfaces. Will not harm oil resistant seals. Take care when applying near rubber. Overspray must be wiped with a clean, dry cloth as it may cause swelling. Repels & resists water washout. Displaces moisture. Excellent waterproofing with "NO DRIP" bonding properties. FLUID FILM penetrates right through rust, stopping all metal deterioration on contact. Migrates to inaccessible areas by capillary action. Impregnates the pores of exposed metal, keeping moisture & oxygen out. Certified Salt Spray Test - 1800 Hrs. U.S. Navy & 10 Military GSA National Stock Numbers (NSN).

TERMINATES BOTH NATURAL & INDUSTRIAL ATMOSPHERIC CORROSION

Eliminates the destructive corrosive effects of harsh minerals & chemicals such as salt, salt air, brine solution, acid, calcium, sodium chloride, fertilizers, herbicides & pesticides. FLUID FILM prevents steel from rusting; aluminum, magnesium, copper, tin, brass & zinc from oxidizing; chrome & bronze from pitting.

VEHICLE UNDERCOATING APPLICATION INSTRUCTIONS

SHAKE WELL BEFORE USING. (Apply Sparingly) Apply FLUID FILM "NAS" by brush, roller, dipping or pressurized sprayer at 60 to 80 psi, (at the sprayer) with a spray nozzle orifice of 40-50 thou. **KEEP CONTAINER TIGHTLY CLOSED.**

FLUID FILM UNDERCOATING: Give the vehicle's undercarriage a blast of water to clean off any excess dirt & let the heavy water drip off for 5 minutes. Apply to the panels and doors as normal. Apply FLUID FILM right over the damp metal. If dripping occurs then you are over-applying the product. If previously undercoated, please check for product compatibility.

Aerosol (AS): # 1450 - 145 g, # 3300 - 333 g, Bulk (NAS): # 3700 - 3.78 L Can,
4300 - 18.9 L Pail, # 4500 - 208 L Drum, # 5207 - Brush Top Can - 237 ml
All above are Canadian Food Inspection Agency Approved (CFIA # N184)





Extends The Life Of Your Tire!
Runs Tires Approx. 35% Cooler!
Maintains Consistent Tire Pressure!
Helps Eliminate Flats!
Lasts The Life Of The Tire!



Ideal for Trucks, Farming, Lawn & Landscaping, ATV'S, Trailers, Buses, Cars, RV'S, Bicycles, Mining, Forestry & Construction Heavy Equipment!

For Air or Nitrogen filled - Tubeless Tires
Provides Better Fuel Economy • Non-Flammable • Non-Explosive



Premium Heavy Duty Tire Sealant!

LIQUITUBE®
"THE ORIGINAL LIQUID INNER TUBE"®

EASY TO INSTALL - INSTALLATION TOOL INCL.
STOPS FLAT TIRES BEFORE FLAT TIRES STOP YOU

95522 (236 ml / 8 oz.)

95533 (473 ml / 16 oz.)

95544 (946 ml / 32 oz.)

95555 (3.78 L / 1 gal. Pump incl.)

95566 (18.9 L / 5 gal. Pail)

95588 (Pump for **95566** Pail)

95577 (Combo - Pail & Pump)

95590 (Dually Reverse Chuck Installation Tool)

95578 (208 L / 45 gal. Drum)

95589 (Pump for **95578** Drum)

95579 (1040 L / 225 gal. Tote)

95599 (Pneumatic Pump for **95579** Tote)

- Permanently seals punctures
- Will often seal small sidewall punctures in Off Road Tires
- Seals 6 mm (1/4") punctures in tread area
- Seals larger punctures up to 19 mm (3/4") in heavier ply tires
- Seals most bead and rim leaks
- Effective from -57°C (-70°F) to over 93°C (200°F)
- Contains 4 Industrial Rust Inhibitors & 1 Vapour Inhibitor
- Will not corrode steel, aluminum or chrome rims
- Easy clean out for recapping & patching
- Indefinite shelf life - Never separates
- Stays pH neutral, Does not void tire warranty
- 100% water soluble

- Works in high & low pressure tires / high & low speed tires
- Will not adversely affect balance when properly installed
- Works with TPMS sensors
- Install directly into tire not through the TPMS
- Can be used with external TPMS sensors
- Not recommended for low tire pressure equalizer systems
- Do not mix with fluids, balancing powder, or other sealants
- Application Guide available on request or visit our website, www.nlsproducts.ca.

NLS PRODUCTS

Box 790, Bobcaygeon, Ontario K0M 1A0
 T: (705) 738-2321 • F: (705) 738-4550
www.nlsproducts.ca • mail@nlsproducts.ca

LTENAD0216

NORTHLAND™

BreakThru

**HEAVY DUTY • PURE BLEND
FAST PENETRATING OIL**

Frees Frozen & Rusted Parts
No Silicone or Teflon
Solvent Free

**Acceptable for use in
Food Plants in Canada**


BreakThru, Fast Penetrating Oil, highly refined oil-based product that infiltrates components quickly.

- **FREES FROZEN - RUSTED PARTS:** bolts, engine parts, hinges, locks, bearings, bicycle & motorcycle chains, chains, rollers, wheels & other moving parts, aluminum, chrome & steel surfaces, guns & fishing equipment, locks, marine equipment, industrial machinery, relays, switches, tools, & MUCH MORE!

**Auto • Truck • Marine • Home
• Farm • Shop • Industry**

C10 370 g
C5 145 g

NORTHLAND
BreakThru
 HEAVY DUTY • PURE BLEND
 FAST PENETRATING OIL
 Frees Frozen & Rusted Parts
 CONTAINS NO SILICONE OR TEFLON
 Solvent Free / Sans solvant
 SUPER AGENT • MÉLANGE PUR
 HUILE À PÉNÉTRATION RAPIDE
 Libère les pièces gelées et rouillées
 NE CONTIENT NI SILICONE NI TEFLON
 DANGER
 EXTREME DANGER
 EXTREMELY FLAMMABLE. CONTENTS UNDER PRESSURE.
 TRÈS INFLAMMABLE. CONTENU SOUS PRESSION.
 IRRITANT.



TECH STEEL
STEEL REINFORCED EPOXY PUTTY
MASTIC ÉPOXYDE RENFORCÉ D'ACIER

Stock # 16002
75g/2.7oz

Permanently Adheres to:
Steel, Aluminum, Wood,
Copper, Cast Iron, PVC,
ABS, Bronze, Concrete,
Plastics, Fiberglass,
Glass, Ceramics, Brass

Steel Hard in 15 Minutes
Full Cure in 1 Hour

IMPERVIOUS to most Chemicals

AUTOMOBILE
TRUCK CAMION
FARM FERME
PLUMBING PLUMBIÈRE

Adhère de façon permanente à:
Acier, aluminium, bois,
cuivre, fonte, CPV, ABS,
bronze, béton, plastique,
fibres de verre, verre,
céramique, laiton.
Imperméable à la plupart
des produits chimiques

HOME MAISON
MARINE

Deviens dur comme l'acier en 15 minutes
Vulcanisation complète en 1 heure

**ONE PRODUCT DOES IT ALL
UN PRODUIT POUR TOUT**

TECH STEEL®

STEEL REINFORCED EPOXY PUTTY

Steel Hard in 15 Minutes • Full Cure in 1 Hour

PERMANENTLY ADHERES TO:
Steel - Aluminum - Wood - Copper
- Cast Iron - PVC - ABS - Bronze
- Concrete - Plastics - Glass
- Fiberglass - Ceramics
- Brass & Much More!!!
• 500° temperature resistant
• 3 year shelf life
• Sets up under water
• Impervious to chemicals

AUTO/TRUCK: Gas Tanks, Tailpipes, Mufflers, Intake Manifolds, Radiators, Blocks
HOME: Furniture, Appliances, Hot Tubs, Pools, Gutters, Screens, Glass, Woodwork
FARM: Farm Equipment, Fuel Tanks, Troughs, Fences, Irrigation Equipment
MARINE: Fiberglass, Aluminum, Inboard/Outboard Motors, Gas Tanks, Water Tanks
HOBBIES: Crafts, Jewelry, Ceramics, Plastics, Models, Molds, Glass, Toys
PLUMBING: PVC, ABS, Faucets, Fixtures, Porcelain, Copper, Brass, Stripped Screws

STOCK #	SIZE	CASE QTY.
16002	75 g	12
6002	75 g	1 (24 Units)
6004	150 g	12

STOCK # 16002



TECH PLASTIC
PLASTIC FIBERGLASS REPAIR
REPARATION DE RÈVE EN VERRE PLASTIQUE

TECH PLASTIC™


Tech Plastic® when hand mixed (kneaded) can be molded to any size, can be drilled, sawed, sanded, stained or painted. Interior & exterior applications for fast permanent repair. Excellent adhesive properties for metal or plastic repairs. Dries white, does not shrink, crack, rot or pull away, non-yellowing and rustproof. Cures underwater (fresh & saltwater), excellent for plumbing repairs on PVC, ABS, faucets, fixtures, ceramic tile, porcelain, stripped screw holes, water tanks, tubs, gutters, seal electrical wires, plastic bumpers, battery cases, fish boxes, sprinkler heads, on board fuel tank leaks, many automotive and household uses.

No Home/Marine/RV tool box is complete without Tech Plastic®

STOCK #	SIZE	CASE QUANTITY
2900	57 G	12


**PLASTIC FIBERGLASS REPAIR
BEGINS TO HARDEN IN 10-15 MINUTES**

Why should you be forced to buy a separate primer or rust treatment for each specific job?



RUST DESTROYER is a **PATENTED** primer engineered to be applied directly over rusted metal, rusted painted metal, bare metal, galvanized metal, aluminum, tin and core tan steel. It converts active rust to a passive form on contact. An absorbing action in the primer film simultaneously raising the rust from the surface, enveloping all converted crystals in the primer, eliminating exposure to oxygen and moisture, which will prevent further rusting. It forms a tough shield that adheres to all paints and provides a continuous protective layer.

THE RUST STOPS HERE!



Stock # 73013 368 g Aerosol 6 / case
Stock # 73016 236 ml Can 6 / case
Stock # 73004 946 ml Can 6 / case

- Heat resistant up to **800°F (427°C)**
- Apply directly over rust • No sand blasting
- No scraping to bare metal • Works with most top coat paint
- No washing before or after application
- No sanding glossy finishes to improve adhesion



NEVR-DULL

Nevr-Dull THE ORIGINAL WADDING POLISH

- Cleans all metals with nothing to shake up, nothing to spill
- Great on: Brass, Copper, Steel, Aluminum, Chromium, Nickel, Pewter, Zinc, Silver & Gold
- Removes: Rust, Tar and Grime off the chrome on your vehicle

Stock # 19294 (ND 12) 142 g Can - 12 / case



Box 790, Bobcaygeon, ON
T: 705-738-2321 • F: 705-738-4550
mail@nlsproducts.ca • www.nlsproducts.ca





Automotive
Stock # 8312



Industrial
Stock # 8812



Marine & RV
Stock # 8612


A series of premier adhesives in six popular SKU's (12 / case) to cover most of your GLOOING needs.

"GLOOZIT is an all purpose UV RESISTANT INDUSTRIAL STRENGTH ADHESIVE & SEALANT"


Once cured GLOOZIT remains flexible and is able to withstand temperature changes and the expansion and contraction of dissimilar materials. GLOOZIT bonds virtually everything.

APPLY AT ROOM TEMPERATURE.

RECOMMENDED AMBIENT & SURFACE TEMPERATURE OF 4°C (40°F) TO 32°C (90°F)



Stock # 5100 (Black)



For quick emergency repairs!
THE TAPE YOU HAVE TO X-PERIENCE!

Originally developed for the military, X-TREME TAPE is a high quality wrap made from a special silicone compound which adheres to itself when wrapped under tension.

Automotive • Plumbing • Sports
• Outdoor Electrical • Garden • Tools • Marine

No Adhesive, Bonds Only to Itself Stretches 3x's Its Length

Conforms to Irregular Shapes

Forms a Permanent, Air & Water Tight Seal

Insulates to 8000 Volts (for a 20 mil wrap)

Won't Melt Up to +260° • Flexible to -54° C

Tensile Strength of 600 psi

Meets Mil Spec. MIL-I-46852C

25 mm x 3 m x 20 mil / 1" Wide x 10' Long x 20 mil



Stock # 5200 (White)



60052 (Tube)



60004 (Tube)



68001 (Cartridge)

Hylomar Gasket & Jointing Compound Universal Blue Medium			
STOCK #	SIZE	CASE QTY.	DESCRIPTION
60052	85 g Tube	1 (50)	Hylomar AF Gasket & Jointing Compound
68001	300 ml Cartridge	1 (12)	Universal Blue Medium - SOLVENT FREE
60004	75 g Tube	1 (50)	Hylomar Aerograde Ultra Gasket & Jointing Compound Universal Blue Medium (PL32M)





Coolant Acronyms:
 Inorganic Acid Technology (IAT)
 Nitrite Organic Acid Technology (NOAT)
 Hybrid Organic Acid Technology (HOAT)
 Organic Acid Technology (OAT)

Acustrip Fluid Diagnostic Test Strips

AUTOMOTIVE & LIGHT TRUCKS



RADCHEK TEST STRIPS FOR EXTENDED LIFE & CONVENTIONAL COOLANTS
 TESTS: Reserve Alkalinity, pH levels & Glycol (freeze point / boiling point).
 TESTS: IAT, NOAT, HOAT, OAT

1570
 70 STRIPS / BOTTLE



FLUID MOISTURE TEST STRIPS FOR 5 OILS - ATF, ENGINE (GAS & DIESEL) OIL, POWER STEERING, HYDRAULIC, ALL BRAKE FLUIDS, Synthetic & Conventional DOT 3, 4, & 5.1
 • Fluid Diagnostic Test Strips assess the health of the fluid and identifies when a fluid needs to be changed.
 • Detects moisture content from 0 - 5%.



80600
 10 STRIPS / CARD



STANDARD HEAVY DUTY RADCHEK TEST STRIPS FOR EXTENDED LIFE COOLANTS
 TESTS 4 COMPONENTS: pH levels, Glycol, Molybdate & Nitrite up to 3200 ppm.
 TESTS: OAT, NOAT, HOAT

2050
 50 STRIPS / BOTTLE

Specific Range:
 Nitrite 0 - 3200 ppm



TESTS FOR COOLANT PRESENCE IN ENGINE (Gas & Diesel) OIL & AUTOMATIC TRANSMISSION FLUID
 • Highly unique, quick & affordable measure.
 • Detects coolant presence from 0 - 6%.

80900
 50 STRIPS / BOTTLE



RED HD ELC COOLANT TEST STRIPS for pH, Glycol & Nitrite.
 Essential to test Nitrite level up to 4000 ppm in Red HD ELC.



• Provides added ranges for evaluation of protection for the supplemental additives in the cooling system for Nitrite.
 TESTS: OAT, NOAT & HOAT

80200
 50 STRIPS / BOTTLE

Specific Range:
 Nitrite 0 - 4000 ppm



pH BRAKE FLUID TEST STRIPS
 Synthetic & Conventional DOT 3, 4, & 5.1
 TESTS: Automotive and Heavy Duty Brake Fluids. Provides reliable results to determine the pH condition of the Brake Fluid. Dip and read in 30 seconds.

80700 DISPENSER / CARD
 Approx. 100 Tests



ORGANIC ACID (OAT), NITRITE ORGANIC ACID (NOAT) & HYBRID ORGANIC ACID (HOAT) ELC HD TEST STRIPS
 TESTS: Glycol, Nitrite, pH & **Essential Test** for Carboxylate Acid Inhibitors. Protect against liner pitting, corrosion & coolant dilution.

80240
 25 STRIPS / BOTTLE

Testing The 3 O's!



LOW LEVEL - WEAR METAL IONS TEST STRIPS
 TESTS: Wear Metal Ions in Coolant, Engine (Gas & Diesel) Oils, Differential, Power Steering, Transmission & Brake Fluid at very low content.
 Any abnormal presence of **METAL IONS** allows immediate corrective action.
 Test Range from 10 - 1000 ppm.

80800
 50 STRIPS / BOTTLE



HEAVY DUTY HYDROCARBON TEST STRIPS
 Use to detect the presence of Oil in Diesel Exhaust Fluid (DEF), ALL Coolant & Water.

80508
 50 STRIPS / BOTTLE



Box 790, Bobcaygeon, ON K0M1A0 • www.nlsproducts.ca • mail@nlsproducts.ca

ACU1PEN0716

IOL CODES	PART NUMBERS	PRODUCT DESCRIPTION, PACKAGE SIZE, SPECS.
110404	MCHYD50044	MOBIL HYDRAUL 50 4/4LC TRACTOR/DRIVELINE/HYDRAULIC FLUID (WINTER GRADE)
110410	MCHYD56210	MOBIL HYDRAUL 56 2/10L TRACTOR/DRIVELINE/HYDRAULIC FLUID (SUMMER GRADE)
121538	MCHYD560189	MOBIL HYDRAUL 56 18.9LPP TRACTOR/DRIVELINE/HYDRAULIC FLUID (SUMMER GRADE)
	121218	MOBIL 1 ESP 0W30 6/1
105951	MC1EP53061	MOBIL 1 EXTENDED PERFORMANCE 5W30 6/1L EXTENDED PERFORMANCE
106001	MCGRSXHP462M104	MOBILGREASE XHP 462 MOLY10/400 EP 2 MULTI PURPOSE GREASE HEAVY DUTY WITH MOLY
110957	ESUNIREXEP240	MOBIL UNIREX EP 2 40/400 EP 2 MULTI PURPOSE GREASE GC-LB
110124	MCSATFDM045	MOBIL ATF D/M 4/5L DEX III/ MERCON
110122	MCSATFDM12	MOBIL ATF D/M 12/1L DEX III/ MERCON
121280	MOBIL1ESP5W30	MOBIL 1 ESP FORM 5W30 6/1L API SN; MB229.31/229.51; BMW LL 04; VW504.00/507.00 PORSCHE C30
120831	MCS3000530121	MOBIL SUPER 3000 FULL SYNTHETIC D1 5W30 12/1L API SN; ILSAC GF-5 DEXOS 1 APPROVED
110028	MCS3000020121	MOBIL SUPER 3000 FULL SYNTHETIC 0W20 12/1L API SN; ILSAC GF-5
105543	MOBIL5W30SYN4.4L	MOBIL 1 FORMULA 5W30 4X4.4 L API SN, ILSAC GF-5 GM DEXOS 1; HONDA/ACURA HTO-06
105396	MOBIL5W30	MOBIL 1 FORMULA 5W30 6/1 LTR API SN, ILSAC GF-5 GM DEXOS 1; HONDA/ACURA HTO-06
110548	MOBIL1SYN5W20	MOBIL 1 FORMULA 5W20 4X4.4 API SN, ILSAC GF-5 GM DEXOS 1
105736	MOBIL5W20	MOBIL 1 FORMULA 5W20 6/1 LTR API SN, ILSAC GF-5 GM DEXOS 1
105514	MOBIL0W40	MOBIL 1 FORMULA 0W40 6/1 LTR API SN MB 229.3/229.5; BMW LL 01; VW 502.00/505.00; PORSCHE A40
11156	MOBIL0W20	MOBIL 1 FORMULA 0W20 6X1L
105777	MOBIL1-5W40TD-1	MOBIL1 5W40 TURBO DIESEL 1
105659	121366	MOBIL 1 MX4T, FOR ALL 4 STROKE MOTORCYCLE, M/C 10W40 6/1L
	MOIVTWIN205061	MOBIL 1 20W50 V-TWIN, FOR V TWIN MOTORCYCLE, 1L
	MO103061	MOBIL 1 RACING 0W30 6X1 L
	MO105061	MOBIL 1 RACING 0W50 6X1 L

Special pricing available on all Mobil1 lubricant products. Ask us for details.





ADHESIVES / SEALERS / COATINGS
ADHESIVES



NORTON SPEEDGRIP 1 MINUTE

Two-part urethane (1:1) used for structural and cosmetic repairs of all plastic bumpers including TPE, TPO, TE0, PP, and ABS.

DESCRIPTION	SIZE	636425-
1 minute	220ml	04615
CASE		6



NORTON SPEEDGRIP 5 MINUTES

Two-part urethane (1:1) adhesive used for structural and cosmetic repairs of all plastic bumpers, bumper tabs, emblems, door trims, interior and exterior plastic repairs, and cosmetic repairs including TPE, TPO, TE0, PP, and ABS and can also be used to bond SMC or fiberglass panels.

DESCRIPTION	SIZE	636425-
5 minutes	220ml	04616
CASE		6



PANEL BONDING ADHESIVE

Superior two-part epoxy (2:1) adhesive designed to bond SMC, FRP, fiberglass, steel, and aluminum auto parts and body panels to each other and to metal frames (no primer required). It seals and bonds in one application.

DESCRIPTION	SIZE	636425-
Panel Bonding Adhesive - 30 minute	220 ml	06418
CASE		6

ACCESSORIES

	200ml/220ml	220ml Tips
DESCRIPTION	636425-	636425-
Manual Applicator Gun 1:1 & 2:1	41400	--
Pneumatic Applicator Gun 1:1 & 2:1	41399	--
Mixing Tips - 24 Element (green)	--	04628
PKG/CASE	1	6/72



TEXTURED 7 MIL NITRILE (ORANGE)	
Medium	90708
Large	90709
X-Large	90710
XX-Large	90711
Qty/Case	50



BLAZE
RAPID STRIP

SPEED-LOK
TR SYSTEM

Rapid
BLEND

BLAZE
RAPID STRIP DISCS



NORTON BLAZE SPEED-LOK TR RAPID STRIP DISC

Great for removing rust, undercoating, seam-sealers, and stone guards. Use in truck beds, door jambs, and hard-to-reach areas like wheel wells and undercarriage. Use to remove oxidation from tire rims and to remove rust from brake assemblies.

			RPM
DESCRIPTION	666233-	666233-	
Norton Blaze	31051	-	15,000
Norton Blaze	-	31053	12,000
Back-Up Pad	55103	55105	-
PKG/CASE	10/1	10/1	



NORTON BLAZE SPEED-LOK TR DISCS

Norton Blaze self-sharpening design is ideal for high-pressure, heavy metal removal applications.

		
GRIT	662611-	662611-
80	62324	62334
60	62322	62332
50	62320	62330
36	62318	62328
CASE	25	25



NORTON BLAZE AND NORTON VORTEX RAPID BLEND DISCS

Ideal for removing surface rust, blending out grind marks, and removing coatings from automotive surfaces. Norton Blaze (orange) can also be used to remove seam sealer and undercoating without loading. Norton Vortex (blue) is great for removing gaskets and works very well on aluminum without loading or smearing.

		
GRIT	666233-	666233-
Blaze (Orange)	38632	38633
Vortex (Blue)	34782	34783
CASE	10	10



NORTON BEAR-TEX SPEED-LOK TR RAPID PREP SURFACE BLENDING DISCS

Ideal for removing rust and oxides, blending out disc marks, and removing coatings and gasket residues from automotive surfaces. Thick, reinforced non-woven backing is impregnated with tough aluminum oxide abrasive. New resin formulation will not smear.

		
GRIT	662615-	662615-
Very Fine (320) - BLUE	09189	09192
Medium (120) - MAROON	09190	09193
Coarse (80) - BROWN	09191	09194
CASE	25	25



SPEED-LOK BACK-UP PADS

Speed-Lok TR are compatible with similar competitive attachment systems.

			
DESCRIPTION	608341-	602610-	662610-
Speed-Lok TR	64037	55103	55105
CASE	1	10	10



Wheel Protectors® Lead Wheel Weights



P-Series

Used on all standard passenger car 13"-17" steel wheels. Also available in coated (PS-Series).

Part Number	Size oz.	Pcs/box
P025	0.25	50
P050	0.50	50
P075	0.75	50
P100	1.00	50
P125	1.25	50
P150	1.50	50
P175	1.75	50
P200	2.00	50
P225	2.25	50
P250	2.50	50
P275	2.75	50
P300	3.00	50



AWN-Series

Used on most domestic vehicles equipped with alloy rims that were manufactured prior to 1995.

Part Number	Size oz.	Pcs/box
AW025N	0.25	25
AW050N	0.50	25
AW075N	0.75	25
AW100N	1.00	25
AW125N	1.25	25
AW150N	1.50	25
AW175N	1.75	25
AW200N	2.00	25
AW225N	2.25	25
AW250N	2.50	25
AW275N	2.75	25
AW300N	3.00	25



MCN-Series

Used on most domestic vehicles equipped with alloy rims.

Part Number	Size oz.	Pcs/box
MC025N	0.25	25
MC050N	0.50	25
MC075N	0.75	25
MC100N	1.00	25
MC125N	1.25	25
MC150N	1.50	25
MC175N	1.75	25
MC200N	2.00	25
MC225N	2.25	25
MC250N	2.50	25
MC275N	2.75	25
MC300N	3.00	25



LH-Series

Used primarily on late-model Chrysler cars and is designed to fit their unique wheel flange profile.

Part Number	Size oz.	Pcs/box
LH025	0.25	25
LH050	0.50	25
LH075	0.75	25
LH100	1.00	25
LH125	1.25	25
LH150	1.50	25
LH175	1.75	25
LH200	2.00	25
LH225	2.25	25
LH250	2.50	25
LH275	2.75	25
LH300	3.00	25



IAW-Series

Used primarily on most European and certain Asian vehicles equipped with alloy wheels.

Part Number	Size gram	Pcs/box
IAW005	5	25
IAW010	10	25
IAW015	15	25
IAW020	20	25
IAW025	25	25
IAW030	30	25
IAW035	35	25
IAW040	40	25
IAW045	45	25
IAW050	50	25
IAW055	55	25
IAW060	60	25



EN-Series

Used primarily on Audi, Mercedes Benz and early model Japanese vehicles equipped with alloy wheels.

Part Number	Size gram	Pcs/box
EN010	10	25
EN015	15	25
EN020	20	25
EN025	25	25
EN030	30	25
EN035	35	25
EN040	40	25
EN045	45	25
EN050	50	25
EN055	55	25
EN060	60	25



FN-Series

Used primarily on most Japanese vehicles equipped with alloy wheels that were manufactured prior to 1990.

Part Number	Size gram	Pcs/box
FN005	5	25
FN010	10	25
FN015	15	25
FN020	20	25
FN025	25	25
FN030	30	25
FN035	35	25
FN040	40	25
FN045	45	25
FN050	50	25
FN055	55	25
FN060	60	25



TN-Series

Used primarily on most light trucks equipped with decorative and larger-thickness steel wheels or alloy wheels.

Part Number	Size oz.	Pcs/box
T025N	0.25	25
T050N	0.50	25
T075N	0.75	25
T100N	1.00	25
T125N	1.25	25
T150N	1.50	25
T175N	1.75	25
T200N	2.00	25
T225N	2.25	25
T250N	2.50	25
T275N	2.75	25
T300N	3.00	25



PERMATEX® BLUE MEDIUM STRENGTH THREADLOCKER

24200 - 6ml Carded Tube
24240 - 36ml Carded Bottle
24215 - 10g Carded Tube Gel Twist
Medium strength, general purpose threadlocker.



PERMATEX® RED HIGH STRENGTH THREADLOCKER

26200 - 6ml Carded Tube
26240 - 36ml Carded Bottle
27115 - 10g Carded Tube Gel Twist
High strength threadlocker.



PERMATEX® HIGH TEMPERATURE THREAD SEALANT

59214 - 6ml Carded Tube
59234 - 50ml Carded Tube
Locks and seals threaded fittings.



THE RIGHT STUFF® INSTANT GASKET MAKER

30874 - 147ml Cartridge
30876 - 300ml Cartridge
Seals instantly, forming a reliable, long lasting elastomeric rubber gasket.



PERMATEX® ULTRA COPPER® HIGH TEMPERATURE GASKET MAKER

59703 - 80ml Carded Tube
59713 - 300ml Cartridge
Designed for high performance engines or where operating temperatures are higher



PERMATEX® ULTRA BLACK® SENSOR-SAFE GASKET MAKER

59803 - 80ml Carded Tube
59813 - 300ml Cartridge
Superior adhesion to oily surfaces with long term durability.



PERMATEX® SILVER ANTI-SEIZE

76762 - 133g Can
76765 - 241g Aerosol
76764 - 454g Can
Prevents rusting, cold welding and galvanic corrosion between assembled parts.



PERMATEX® COPPER ANTI-SEIZE

09127 - 226g Brush-Top Can
09124 - 454g Brush-Top Can
Prevents seizing, corrosion and galling where high temperature conditions exist.



PERMATEX® SUPER GLUE INSTANT ADHESIVE

49502 - 2g Carded Tube
49512 - 28g Carded Bottle
Fast setting, strong adhesive for bonding most materials.



PERMATEX® BLACK RTV ADHESIVE SEALANT

59203 - 80ml Carded Tube
59213 - 300ml Cartridge
Sensor-safe. Resists auto and shop fluids. Use for sealling, bonding, insulating, caulking, making gaskets.



PERMATEX® COLD WELD COMPOUND

14600 - 2x28g Carded Tubes

PERMATEX® STEEL WELD™ EPOXY STICK

84319 - 56g Stick

Fast setting, 2-part adhesive and filler systems used as an alternative to welding or brazing cracked or broken metal parts.



PERMATEX® ANAEROBIC GASKET MAKER

51850 - 80ml Carded Tube

51845 - 300ml Cartridge

OEM specific. Designed for superior performance on aluminum flanges.



PERMATEX® 5 MINUTE GENERAL PURPOSE EPOXY

84111 - 25ml Carded Syringe

Easy to use 2-part dispensing syringe. Can be drilled, machined and painted. Clear appearance. Sets in 5 minutes.



PERMATEX® FLOW-MIX™ 5 MINUTE EPOXY

84114 - 14ml Carded Syringe

Easy to use Self-Mixing. Can be drilled, machined and painted. Clear appearance. Sets in 5 minutes.



RAIN-X® ORIGINAL GLASS TREATMENT

BCRX11212CN - 207ml Bottle

BCRX11413CN6 - 473ml Trigger Bottle

Repels rain, sleet and snow. Ideal for both auto and marine.



SLIME® HEAVY DUTY INFLATOR, 3 MINUTE

42007

12 volt, 15' coiled air hose, built in gauge and light.



BLACK MAGIC® TIRE WET® SHINE #3

36081 - 425g Aerosol

Clear liquid leaves a "wet look", ultra high gloss shine.



BLACK MAGIC® TIRE FOAM CLEANER #1

36201 - 510g Aerosol

Cleans, shines and protects in one step. Leaves a deep matte black shine - no wiping required.



BLACK MAGIC® TIRE FOAM CLEANER #2

36202 - 510g Aerosol

One step tire care, spray on and walk away. Cleans, shines and protects tires.





PERMATEX® ULTRA GREY® SENSOR-SAFE GASKET MAKER

59903 - 80ml Carded Tube
59913 - 300ml Cartridge
Performs under higher torque loads associated with engines having closely spaced bolt patterns (typically import vehicles).



PERMATEX® RED HIGH TEMPERATURE GASKET MAKER

59403 - 80ml Carded Tube
59413 - 300ml Cartridge
Sensor-safe. formulated for high temp. applications or heavy-duty use.



PERMATEX® CERAMIC EXTREME BRAKE LUBRICANT

24126 - 236ml Brush-Top Can
Loaded with ceramic solids. Prevents seizing or sticking of brake components.



PERMATEX® SYNTHETIC BRAKE LUBRICANT

09125 - 236ml Brush-Top Can
22063 - 80ml Carded Tube
100% synthetic formula. High temperature lubricant to prevent seizing or sticking of disc brake components.



PERMATEX® ANAEROBIC FLANGE SEALANT

51550 - 50ml Carded Tube
51580 - 300ml Cartridge
Flexible gasket sealant for flanges that move in service. superior resistance to powertrain fluids including engine oil, transmission fluid, gear lube, coolants, gasoline.



PERMATEX® SILICONE CERAMIC BRAKE LUBRICANT

24122 - 236ml Brush-Top Can
24127 - 28ml Carded Tube
Compatible with all rubber and plastics.
Fortified with high-temperature, high concentration ceramic solids.
Temperature range: -46°C to 1649°C (-50°F to 3000°F)



PERMATEX® DIELECTRIC TUNE-UP GREASE

22066 - 28g Carded Tube
22064 - 85g Carded Tube
22065 - 85g Power Can
Necessary for an effective tune-up on high energy ignition services. Prevents voltage leak around any electrical connection.



PERMATEX® CLEAR SILICONE ADHESIVE SEALANT

59103 - 80ml Carded Tube
59113 - 300ml Cartridge
An excellent all-purpose RTV silicone adhesive/sealant. Use for sealing, bonding, insulating and caulking. Flexible, durable, tough, waterproof.



SPRAY NINE® CLEANER/DISINFECTANT
 C26822 - 650ml Bottle
 C26832 - 946ml Bottle
 C26804 - 4L Jug
 C26820 - 20L Pail
 C26845 - 208L Drum
 Heavy Duty Cleaner / Disinfectant /
 Degreaser



**SPRAY NINE® GREZ-OFF®
 HEAVY DUTY DEGREASER**
 C12532 - 946ml Bottle
 C12501 - 3.78L Jug
 C12520 - 20L Pail
 C12545 - 208L Drum
 Quickly breaks down heavy
 grease, oil, tar, hydraulic
 fluid, lubricants and grime



**SPRAY NINE® GLASS &
 STAINLESS STEEL CLEANER**
 C23319 - 600g Aerosol
 Removes dirt, dust, fingerprints,
 smudges and light grease from
 glass, stainless steel and metal
 surfaces.



**SPRAY NINE® GARAGE
 FLOOR CLEANER**
 C11525 - 11.3kg Pail
 Powerful alkaline detergent
 powder.



**FAST ORANGE® PUMICE LOTION
 HAND CLEANER**
 25-108 - 220ml Bottle
 25-217 - 1.89L Jug
 25-218 - 3.78L Jug
 25117 - 443ml Bottle
 The leading biodegradable,
 waterless, petroleum solvent-free
 pumice hand cleaner.



**FAST ORANGE® SMOOTH
 LOTION HAND CLEANER**
 23-108 - 220ml Bottle
 23-217 - 1.89L Jug
 23-218 - 3.78L Jug
 23117 - 443ml Bottle
 The leading biodegradable,
 waterless, petroleum
 solvent-free hand cleaner.



FAST ORANGE® PRO PUMICE LOTION HAND CLEANER
 25416 - 443ml Bottle
 25418 - 3.78L Jug
 Heavy duty, professional strength hand cleaner with pumice.
 Eliminates gasoline and other foul odours.



**ULTRA CHERRY™ PUMICE
 LOTION HAND CLEANER**
 21222 - 3L Jug
 Professional strength handcleaner
 with fine pumice



**POLY SCRUB® LIME HAND
 CLEANER**
 13104 - 1.81kg Tub
 Industrial strength hand
 cleaning paste that contains
 no harsh solvents and won't
 dry out hands.

COOLANT DAM

Simple tool that holds coolant inside the engine when other components are removed for repair or replacement.



Model T-1000


BENEFITS

- Creates a vacuum, holding coolant inside the engine without hand pumping or running the engine
- Quickly converts the unit from vacuum to a pressure tester
- No need to drain the block for simple repairs
- Coolant Filling

WHEN TO USE

- Changing Heater Hoses
- Changing Fan Sensors
- Changing Temperature Sensors
- Installing Shut-off Valves for Fuel Warmers & Separators
- Replacing Cab Heater Cores
- Replacing Heater Control Valves

COOLANT PUMPS



Part Number	Description	AMP Draw	Recommended Temp Range	GPM/ LPM	Pressure PSI/Bar
A-4350-12V	12V DC Pump	10.1	to -40°F / -40°C	10/38	8/.55
A-4350-24V	24V DC Pump	5.1	to -40°F / -40°C	10/38	8/.55

HYDRALINERS



Pre heat the hydraulic system with or without the engine running by utilizing the engine coolant.

Part Number	Tube Immersion Length	Total Length	Surface Area Nominal	BTU/hr Nominal (1)	Typical application (ambient air temp) to -20°F / -29°C (2)	Typical application (ambient air temp) to -40°F / -40°C (2)
H-4000-16	15"	18"	250 in ²	Water 10,000	Up to 50 US gallons	Up to 19 US gallons
H-4000-16-STOR	381 mm	457 mm	16 dm ²	Oil 5,000	190 Liters	72 Liters
H-4000-20	19"	22"	315 in ²	Water 13,000	Up to 63 US gallons	Up to 25 US gallons
H-4000-20-STOR	483 mm	559 mm	20 dm ²	Oil 6,500	239 Liters	90 Liters
H-4000-24	23"	26"	385 in ²	Water 16,000	Up to 77 US gallons	Up to 30 US gallons
H-4000-24-STOR	584 mm	660 mm	24 dm ²	Oil 8,000	292 Liters	113 Liters

Tube immersion lengths are available from 7" to 23". View the complete line in the Arctic Fox catalog at www.phillipsandtemro.com.

IN-LINE FUEL HEATERS



Coolant based heat exchanger that prevents fuel gelling and maintains uptime, easily retro-fitted and optional 120V electric preheat available.

Part No.	Coolant Port	Fuel Port	Tube Length	Tube O.D.	Total Length	Surface Area	Pre Heat Option
I-909BT-B100	1/2" NPT	1/2" NPT	9.75"/248mm	2.0"/51mm	15.5"/394mm	100"²/645.2cm²	No
I-909BTEH-B100	1/2" NPT	1/2" NPT	9.75"/248mm	2.0"/51mm	18.5"/470mm	100"²/645.2cm²	120 VAC
I-1518BT-B100	1/2" NPT	1" NPT	18.0"/457mm	2.375"/60mm	25.5"/648mm	320"²/2064.5cm²	No

View the complete line of fuel and fluid heaters in the Arctic Fox catalog at www.phillipsandtemro.com.

CIRCULATION HEATERS

SERIES 41



Applications:

- Industrial, Agriculture, and Off-Road

Features:

- Thermostatically controlled: Opens at 190°F (88°C), closes at 151°F (66°C)
- Vertical installation only. Dimensions: 2-3/4" x 8-1/2" (7cm x 21.6cm)
- Heavy Duty 3-wire 5 ft. (1.52m) attached cord, 2000W heater has 22" attached cord
- Rugged cast aluminum construction is corrosion and impact resistant



Part No.	Watts	Volts	Amps	Plug Configuration	Inlet/Outlet Size	Replacement Element	Thermostat
2204010	750	120	16	A	5/8"	2204061	2204266
2204029	1000	120	12	A	5/8"	2204088	2204266
2204037	1500	120	8	A	5/8"	2204096	2204266
3300091	2000	120	6	C	5/8"	3300093	2204266
Replacement Part	1000	240	24	B	–	–	2204266
Replacement Part	1500	240	16	B	–	2240126	2204266

View the complete line of circulation heaters in the Zerostart catalog at www.phillipsandtemro.com.

LIT PLUGS



Applications:

- Automotive industry and Light Truck

Features:

- LED Light is visible from 50' to monitor from a distance
- Visual que that indicates power to the heater
- Offered on popular aftermarket block and cartridge heater kits
- Cord may be purchased separately and added to existing heater
- CSA approved



Replacement Cords

Lit Cord	Std Cord	Cord Length
3600116	3600006	5" (1.52m)
3600117	3600005	5" (1.52m)
3600118	3600001	5" (1.52m)
3600119	3600082	5" (1.52m)
3600119	3600083	5" (1.52m)



3600116



3600117



3600118



3600119

Model year application available in the Zerostart catalog at www.phillipsandtemro.com.

CARTRIDGE HEATERS

Fits Dodge, Jeep and Chrysler Applications



Part No. 3100128
Replacement Cord: 3600120





Part No. 3100131
Replacement Cord: 3600121

Model year application available in the Zerostart catalog at www.phillipsandtemro.com.



FLEXIBLE PAD HEATERS



Part No.	Watts	Volts	Amps	Pad Size	Oil Pan Capacity	Hydraulic Fluid	Application
3400031	125	120	1.0	3" round	3 – 6 U.S. Qts (2.9 – 5.7 L)	n/a	Small to Mid-Size Cars & Sedans. Examples: Kia, Honda, Hyundai.
3400030	50	120	0.4	3.5" x 1.25"	1 – 3 U.S. Qts (1.0 – 1.9 L)	n/a	Transmissions, Home Generators, ATV, Snowmobiles, Gear Boxes & Small Engines.
3400032	125	120	1.0	6" x 1.5"	3 – 6 U.S. Qts (2.9 – 5.7 L)	n/a	Ribbed Oil Pans & Automatic Transmissions. Examples: Toyota 4Runner & European Cars.
3400033	250	120	2.1	3.75" x 4.25"	5 – 13 U.S. Qts (4.7 – 12.3 L)	10 to 30 Gallons	Most 6 Cylinder & Small Block V8 Engines. Marine Applications.
3400034	500	120	4.2	5" x 7"	13 – 27 U.S. Qts (12.3 – 25.5 L)	20 to 50 Gallons	Mid-Size Trucks, SUVs & Medium to Heavy Duty Commercial Trucks.
3400035	1000	120	8.3	6" x 10.75"	26 – 48 U.S. Qts (24.6 – 45.4 L)	50 to 100 Gallons	Mid-Size Trucks, SUVs & Medium to Heavy Duty Commercial Trucks.
 3400036	60	120	0.5	5.5" x 8.5"	BATTERY WARMER (non-stick pad)	n/a	All Cars & Trucks. Most Batteries.
 3400038	180	120	1.5	13" x 20.5"	BATTERY WARMER (non-stick pad)	n/a	Large Battery Pad Warmer Fits under 3–4 Group 31 Batteries





HEAT MAGNET®
Part No. 3400017



- 200 Watt – 120 Volt AC
- Built-in thermostat maintains optimum temperature—will not exceed 250°F (121°C)
- Dimensions – 4-3/8" (11cm) (L) x 2-1/2" (6.3cm) (W) x 3" (7.5cm) (H) (including handle)



BLANKET STYLE BATTERY HEATERS



- 120 Volt AC operation
- Blanket style heater warms battery core to 60° – 70° above ambient temperature for quick starts
- Thinsulate™ thermal insulation helps maintain battery temperature in warm or cold weather
- Complete with 30" (76cm) grounded cord
- All battery blanket heaters are 5" (12.7cm) tall, 1/2" (1.1cm) thick

Part No.	Length	Wattage	Battery Size
2800055	28"	50	Series 26, 26R, 70
2800063	36"	80	Series 24, 24F, 27, 27F, 74
2800071	72"	160	Truck batteries, Series – parallel systems

Thinsulate™ is a registered trademark of 3M corporation.



INTERIOR CAR HEATER
Part No. 2600900



- Ideal for use in passenger, light-duty, and recreational vehicles
- 900 Watts – 120 Volt AC – 3,000 BTU
- Mounts on floor or under dash. Mounting bracket included
- Compact size: 7" (17.6 cm) (L) x 4.5" (11.3 cm) (W) x 2.75" (7 cm) (H)
- Cord length: 7.5 ft. (2.3 m)
- Includes a blower fan

Car Warmer Replacement Cord
Part No. 3600055





175A 2G
MODULAR KIT-RED
32551-91



12-2GA INS
CRIMP TOOL
335-31



LUG KIT-72 PCS
31801-91



#24 BAT BOX
11x6.75x8
731-31



6-1/0 UNI
BATTERY TERM
880-11



1-4/0 HD UNI
BATTERY TERM
880HD-31



TOP POST BRASS
QUICK DISC
887-11



6-1GA NEG
BATTERY TERM
891N-11



2/0 AWG TWIST-ON STRAIGHT
BARREL BATTERY TERMINAL
723-11
722-11



2/0 AWG TWIST-ON
STRAIGHT BARREL
LUG
726-11



BATTERY TERMINALS -
COVERED & RELEASABLE
897-12



3/8" MARINE POS
BAT TERM
899P-BP



4GA 16' BOOSTER
CABLE 400A-CCA
8195-31



4GA 16' BOOSTER
CABLE 400A
8165J-E



4GA 20' SUPER
FLEX BOOSTER
CABLE 800A
8731-31



500A NEG+POS
INSULATED CL
8177-32



800A NEG+POS
CLAMPS
8180-32



1GA 20' BOOSTER
CABLE 800A
8180K-E



800A NEG&POS
REACH STYLE
8729-91



3/8" BLK SPLIT LOOM
5141-B



1/2" WRAP
SPLIT TUBING
8426-0-44



16G 12" LEAD PGTL
1871-BP - 2 Pins
1873-BP - 4 Pins



7W PLUG TO 4W
FLAT FEMALE
7704-11



7WAY RV BLADE
SOCKET/4WAY
7712-31



7W RV BLADE TO
4W FLAT
7717-11



6POLE 35A
9475-11 - Plug-No Spring
9476-11 - Trailer Plug
9477-11 - Socket Car End



#9482-BP #9483-BP #9490-31
7POLE RV
9482-BP - Trailer Plug-Male
9483-BP - Socket Car End
9490-31 - Bracket-Metal



**HIGH AMP PANEL/
SURFACE MOUNT**
3401-31 - 100AMP
3404-31 - 150AMP



**ATC/ATO FUSE
FOOTPRINT - SNAP
OFF BLADE**
3788-BP - 30AMP



**30A TYPE I
UNIVERSAL BREAKER**
3794-11



RELAY MINI BLADE
911-11
25/20A 12V DC



LARGE BLADE
921-11
80/60A 12V DC



GENERAL PURPOSE
925-11
40/30A 12V DC



**GENERAL PURPOSE
RELAY & PIGTAIL**
926-91
40/30A 12V DC



**WEATHER RESISTANT
RELAY & PIGTAIL**
928-91
40/30A 12V DC



**MICRO FUSE LINK
TERMINATIONS**
10415-11
15A



**WATER RESISTANT
IN-LINE FUSE HOLDER**
131-11
16 AWG 15A



**IN-LINE FUSE HOLDER
WITH CAP**
206-11 - 8 AWG 60A
988-BP - 12 AWG 30A



HIGH AMP FUSES
9700-11 80A ANM / AMG
9722-11 100A ANM / AMG



HIGH AMP FUSE HOLDER
9711-31
ANM / AMG



**ADD A CIRCUIT FUSE
HOLDER**
10200-11
Use with Micro Fuses



7 PIN JUNCTION BOX
990-E



ADD-A-CIRCUIT FUSE HOLDER
981-11
Use with A.T. Blade - MIN Fuses
(ATM/Mini)



ADD-A-CIRCUIT FUSE HOLDER
982-11
Use with A.T. Blade - Standard
Fuses (ATC/ATO)



ADD-A-CIRCUIT FUSE HOLDER
9950-11
Use with Low Profile A.T. Blade -
MIN Fuses



3 BLADE MICRO FUSE
10315-14
15A 32V



**ATM/MINI FUSE
FOOTPRINT**
9628-11
30A 14V DC



5 AMP MICRO FUSES
10205-14 - 2 Blade
10305-14 - 3 Blade



**A.T. BLADE -
MIN FUSES**
120-BP
20 A




**A.T. BLADE -
MAX FUSES**
230-11
30A



**A.T. BLADE -
STANDARD FUSES**
966-BP
20A



**LOW PROFILE A.T. BLADE -
MIN FUSES**
9947-14
20A



**FUSE
ASSORTMENT KIT**
33501-91
160 pieces



**FUSE ASSORTMENT
KIT WITH FUSE
PULLERS**
33503-91
152 pieces



**6 WAY FUSE
BLOCK**
3410-31



**A.T. BLADE - MIN
& STANDARD FUSE
ASSORTMENT**
60601-91



**2 BLADE MICRO FUSE
ASSORTMENT**
60604-91
35 pieces



**3 BLADE MICRO
FUSE ASSORTMENT**
60605-91
20 pieces



3:1 BLACK DUAL WALL SHRINK TUBE
30602-91
6" x 30 pieces



4:1 DIESEL RESISTANT MAGMAFLO SHRINK TUBE
30606-91
6" x 22 pieces



4:1 MAGMAFLO SHRINK TUBE
30607-91
6" x 22 pieces



ADHESIVE LINED DUAL WALL 3:1 HEAT SHRINK TUBE - BLACK
8330-A - 3/16"
8331-A - 1/4"
8332-A - 3/8"
8333-A - 1/2"
8335-43 - 1"



ADHESIVE LINED CROSS-LINKED POLYOLEFIN DUAL WALL 4:1 HEAT SHRINK TUBE
8361-43 - 6mm
8362-43 - 8mm
8363-43 - 12mm
8364-43 - 18mm



DIESEL RESISTANT ADHESIVE LINED POLYOLEFIN DUAL WALL 4:1 HEAT SHRINK TUBE
8381-43 - 6.60mm
8382-43 - 8.64 mm
8383-43 - 11.68 mm
8384-43 - 19.30 mm



OEM TERMINAL CRIMP TOOL
187-11
24-14 AWG



CRIMP TOOL
340-11
22-10



66' ALL WEATHER PVC
3466-0-RL
Black
Rated -10°C to 80°C, 600V
3/4" Wide x 0.007" Thick



EXTRA HD CRIMP TOOL
365-11
22-10



WIRE STRIP TOOL
455-11
26-10



CABLE CUTTER TOOL
650-11
20-1/0



PRO-TORCH™
8247-31
2400°F (1300°C)



4 IN 1 BUTANE TORCH
8257-31
Use as a torch, soldering iron, hot air blower or shrink tube tool.



PORTABLE PROPANE HOT AIR GUN
8258-31
Heavy duty
No flame
Up to 550°C
Cylinder not included



**7.5" STANDARD
50 LB. CABLE TIES**
7066-0-C
UV Black



**7.5" COLOURED
50 LB. CABLE TIES**
7066N9-C
Neon Pink



**PUSH MOUNT FIR
TREE**
7250-34
8" UV Black



METAL PAWL
7257-36
11" UV Black



STAINLESS STEEL 14"
7272-34 - 120lb
7282-34 - 485lb



**PERFORMANCE
CABLE TIES**
7295-36 - 7.5"
7298-36 - 14"
Rated to -40°C
Increased UV
protection



BUTT CONNECTORS - VINYL INSULATED
1700-CS - red, 22-18 AWG
1800-CS - blue, 16-14 AWG
1900-CS - yellow, 12-10 AWG



**WEATHER PACK
CONNECTORS & TOOLS**
31503-91
90 pieces



**DEUTSCH DT SERIES
CONNECTORS & TOOL**
31505-91
39 pieces



**BUTT CONNECTORS
HEAT SHRINK INSULATED - VINYL**
5800-CS - 22-18 AWG
5900-CS - 16-14 AWG



**INDUSTRIAL GRADE
ELECTRICAL PLUGS**
8956-11 - Female
8957-11 - Male



**5-PIN RELAY SOCKET
& TERMINALS**
9901-11



**12-24V USB
CHARGER/ADAPTER**
3928-11 - Single



12V PANEL MOUNT SOCKET
3923-11



DUAL USB SOCKET
3930-11



**METAL BAT HANDLE
SWITCH**
9432-11 - 12V 20A



**METAL BAT HANDLE
SWITCH**
9435-BP - 12V 35A



**HEAVY DUTY TOGGLE
SWITCH**
9436-BP
50A



**UL 588 HEAVY DUTY MASTER
BATTERY DISCONNECT**
9449-31



**MASTER BATTERY
DISCONNECT SWITCH**
9450-11



**WEATHER RESISTANT
PRE-WIRED SWITCH**
9459-11



SEALED DPDT SWITCH,
9463-11
25A @ 12V,
15A @ 24V



**12V SOLENOID
CONTINUOUS DUTY SWITCH**
9497-31



**WELDING CABLE RATED
-50°C TO 105°C 600V**
8059-C - 2/0 AWG



PRIMARY WIRE
GPT Insulated
8114-5-C - 14 AWG, red



3 CONDUCTOR SERVICE CORD
Black - Green - White
8905-C - 14/3 AWG
100'



CHASSIS & GRILLE GUARD

- 191 Gloss White
- 193 Gloss Black
- 194 Satin Black



VALSPAR TRACTOR & IMPLEMENT

- 5339-01 IH Red
- 5339-08 Equipment Yellow
- 5339-10 Tractor Green
- 5339-24 Kkota Orange



VALSPAR WATERBASED TRAFFIC & MARKING PAINTS

- 82001 Traffic Yellow
- 82008 Red
- 82012 Fluorescent Orange
- 82004 White
- 82006 Blue
- 82007 Orange



ENGINE ENAMELS

- 200 Chevrolet Orange
- 202 Universal Grey
- 203 Universal Black
- 206 Ford Red
- 207 Aluminum
- 224 Ford Blue
- 226 Chrysler Orange
- 228 Grey Engine Primer
- 229 Clear



WRINKLE PAINT

- 217 Black Wrinkle



VALSPAR ANTI RUST ARMOR

- 21900 Gloss White
- 21924 Gloss Black
- 21951 Red Oxide Primer
- 21953 Grey Primer
- 21800G Gloss White
- 21800Q Gloss White
- 21824G Gloss Black
- 21824Q Gloss Black



TRUCK BED LINER AEROSOL & KITS

- 264 Black Truck Bed Liner
- 265G Black Truck Bed Liner, Gallon
- 265GK Truck Bed Liner Gallon Kit - Black



VALSPAR 2ND SKIN

- 17200 Black
- 17201 White
- 17202 Blue
- 17203 Red
- 17204 Smoke
- 17205 Clear



HI-TEMP PAINT

- HP-11 Black
- HP-12 White
- HP-13 Red
- HP-14 Aluminum



RUST CONVERTER

- 623 237ml
- 624 473ml



PREMIUM ENAMELS

- | | |
|---------------------|---------------------------------|
| T-1 Gloss Black | T-18 Grey Primer |
| T-2 Flat Black | T-19 Red Oxide Primer |
| T-4 Gloss White | T-23 Aluminum |
| T-6 Swift Red | T-29 School Bus Yellow |
| T-8 Satin Black | T-234 Red Oxide Sandable Primer |
| T-10 Machinery Grey | T-235 Grey Sandable Primer |

SPECIALTY PRIMERS

- 466 Grey Spot Filler & Primer
- 467 Grey Flexible Spot Filler & Primer
- 470 Grey Etching Primer
- 471 Zinc Rich Primer



BRAKE CALIPER PAINT

- CP-250 Bright Yellow
- CP-251 Bright Red
- CP-252 Bright Blue
- CP-253 Hi Gloss Black
- CP-254 Hi Gloss Silver




UNDERCOATING AEROSOL

- 272 Rubberized Undercoating
- 273 Professional Undercoating

Celsius™

by Prestone®



Extended Life Antifreeze/Coolant

Features & Benefits

Compatible with **ANY** antifreeze/coolant in **ANY** vehicle with aluminum and other engine metals.
May be added to **ANY** colour antifreeze/coolant (slight colour variance may result, but performance will not be affected).
Can be re-inhibited using Supplemental Cooling Additives (SCA) (for topping off conventional coolants) or Extender (when used with other extended life HD coolants).
Low dissolved solids.

Application

Meets ASTM D 3306 and D 4985. Suitable for use in **ANY** car or truck. Provides extended life protection for cars and light duty trucks* when added to any extended life or LongLife™ coolant. A maximum 70/30 or minimum 50/50 mix of **Celsius™** Extended Life Antifreeze/Coolant and de-mineralized water should be used to ensure proper freeze/boil protection and proper concentration level of inhibitors is being provided. For heavy-duty diesel applications, an initial charge of Extender, SCA and/or pre-charge spin-on water filter is required.

* - Compatible with other extended life and conventional coolants (heavy-duty coolant users must continue to add Extender or SCA based on treat rates recommended by the engine manufacturer. Dilution with conventional coolants will reduce extended life benefits).

- Always consult owners manual to determine the specific maintenance, change over intervals, and Extender/SCA treat rate (HD application only) for your vehicle.

Composition by Weight		Typical Values
Ethylene Glycol		93.8%
Soluble Inhibitors (Anhydrous)		4.2%
Total water		2.0%
Dyes (Green)		Trace
Properties		
Colour		Light Green
Odour		Characteristic
Ash Content		ASTM D 1119
pH		ASTM D 1287
33% by Volume Solution		8.6
50% by Volume Solution		8.7
Reserve Alkalinity		ASTM D 1121
Specific Gravity at 20/20°C		ASTM D 1122
33% by Volume Solution		1.0468
50% by Volume Solution		1.0687
Freezing Point		ASTM D 1177
50% by Volume Solution		-37.0°C (-34.0°F)
Boiling Point†		ASTM D 1120
50% by Volume Solution		108°C (226°F)
Flash Point (Tag Open Cup)		None
70% by Volume Solution		None
Foam Test		ASTM D 1881
		50 mL max., .1 second max break time
Average Net Weight/Gallon at 20°C (68°F)		4.2 kg (9.3 lbs.)

†Under standard pressure

Product #: 11551 (3.78L size)


UPC: 6 20235 11551 7 I2 of 5: 1 06 20235 11551 4 MSDS: #503

UCI-FRAMGroup © 2012 Fram Group Operations LLC

CELSIUS AND PRESTONE ARE TRADEMARKS USED UNDER LICENSE BY: PRESTONE PRODUCTS CORPORATION, MISSISSAUGA, ON L5N 6S2 CFG 2368E

A silicate and phosphate-free formula specially developed for all gasoline and diesel powered cars, light and heavy-duty trucks, farm, off-road and marine engines.

For heavy-duty diesel vehicles only: Add SCA (for topping off conventional coolants) or Extender (when used with other Extended Life or LongLife™ HD coolants) based on treat rates recommended by engine manufacturer (see owner's manual). Do not overcharge antifreeze/coolant with Extender or SCA.



Available in 3.78L jugs (#11551)

PRESTONE® HOTLINE: 1-800-668-9349

BESTBUY PRO

NEW!

**INDUSTRIAL
STRENGTH**

GLASS CLEANER

CLEANER / DEGREASER

27416 -990ml

28416 -4L



For use on:

Windows, mirrors, counter tops,
appliances, stainless steel, chrome,
fixtures, plexi glass



Uses:

Automobiles,
garages, marine, RVs,
ATVs, motorcycles,
household

29416 -20L

26416 -4L

25416 -990ml

GET THE JOB DONE!



**Boating, Lawn & Garden, Snowmobiling, Farm or any of your trailer needs.
Make sure you're ready with PTC Trailer Hub Kits and Brake Assemblies.**



✓ Kits include pre-assembled bearings and seals for a complete repair.

✓ Fix the cause; not just the symptom. If the bearing is bad, so is the hub. So replacing both is the best long term solution.

✓ Trailer Hub Kits are field serviceable

Trailer Hub Kits		Trailer Hub Kit Includes						PTC Hub Kit Replaces
PTC #	Description	Hub	Cotter Key	Seal	Studs	Dust Cap	Bearing	
411250	Fits 1" Spindle w/4 Studs	1	1	PT203025	4	1	PTL44643 PTL44610	Dexter 008-091 Bass Pro 13100 Red Neck 34822
581750	Fits 1-3/8" taper to 1-1/16" Spindle w/ 5 Studs	1	1	PT442251	5	1	PTLM78349 PTLM78310 PTL44649 PTL44610	Dexter 008-248 Bass Pro 13511 Red Neck 84545
512590	Fits 1" Spindle w/5 Studs	1	1	PT203025	5	1	PTL44643 PTL44610	Red Neck 348225bx Redtrailer 156b Shipshape 13210
511655	Fits 1-1/16" spindle w/ 5 Studs	1	1	PT203025	5	1	PTL44649 PTL44610	Red Neck 8-259-UCI Redtrailer 156B Shipshape 13311 Valmar 80582 Carryon 155

Trailer Wheel Bearing Protectors

Bearing Protector Kit Includes

PTC #	Description	Wheel Protector	Grease Fitting
1980SS	fits 1.980" Hub Grease Cap Diameter	2 "Stainless Steel" trailer wheel bearing protectors	Grease fitting to permit longer bearing life

✓ Protect your wheel bearings from the elements to extend bearing life

✓ Serviceable grease fitting helps extend bearing life



Disc Brake Red Calliper Wall Clock

BESTBUY CLOCK

BBP CLOCK

What a great way to tell time! The 12" aluminum disc face houses a clock featuring all quartz movement and a contrasting brake caliper.



RISLONE PELLETIZED STOP LEAK 31191

Rislone® Original Rhizex® Pelletized Formula Heavy Duty Stop Leak seals internal, external and coolant-to-oil leaks. It is specially formulated to seal larger leaks better than other stop leak products. Works safely and effectively on plastic, aluminum and metal radiators, heater cores, blocks, heads, gaskets and freeze plugs. Lubricates water pump seal and inhibits the formation of rust and scale. Compatible with both conventional green (silicate-based) and extended life red/orange or yellow (OAT) antifreeze.

- Protects the Entire Cooling System
- Stops Current and Future Leaks
- Inhibits Rust and Corrosion
- Lubricates Water Pump Seal
- Helps Control Electrolysis
- Use on Car, Trucks, Vans SUV's & RV's
- Rhizex pellets dissolve in minutes to seal radiator & other cooling system leaks



RISLONE RADIATOR STOP LEAK CONCENTRATE 31197

Rislone has millions of tiny particles to permanently seal internal and external leaks in plastic, aluminum and metal radiators, heater cores, blocks, heads, gaskets and freeze plugs. Works with ALL types of antifreeze coolant and/or water.

- Stops & Seals Coolant Leaks
- Seals Leaks in Radiators, Gaskets, Heater Cores & Freeze Plugs.



RISLONE JACK OIL WITH STOP LEAK 32012

- Works in all floor and bottle jacks
- Mixes with all approved types of hydraulic jack oils
- Repairs jack leaks
- Also works with all snow plow fluids

This product was designed to seal leaks caused by wear and time. If you often need to add oil to your jack, it probably has a leak. The product revives old jacks and prevents leakage on new jacks. Non corrosive. Does not create blocking. Does not foam.



RISLONE ENGINE TREATMENT 34100

Rislone Engine Treatment is high quality penetrating lubrication oil, combined with protective engine additives and special cleaning agents. Its multi-grade formula allows the oil to flow freely and provides protection over a broader temperature range. Sludge and other harmful deposits within engines can alter tolerances, stick rings, cause noisy valves & lifters, and plug oil passages and screens. The unique Rislone formula is designed to penetrate into valve seats, bearing surfaces, piston rings and ring grooves, where sludge and varnish is likely to form. These deposits are gradually removed and held in suspension until they are trapped in the filter or removed with the next oil change. Regular use of Rislone Engine Treatment, with oil and filter changes at the proper intervals, will keep such deposits to a minimum. A cleaner engine is a better lubricated engine with less friction & wear.

REDUCES FRICTION & WEAR • QUIETS NOISY LIFTERS AND VALVES • REMOVES & PREVENTS SLUDGE

Rislone works with all petroleum-based motor oils including conventional, high kilometer and synthetic formulas.



RISLONE LIQUID COPPER BLOCK SEAL AND RADIATOR STOP LEAK

31109

Rislone® Liquid Copper™ Block Seal Intake & Radiator Stop Leak seals larger leaks regular stop leaks won't. One step formula permanently repairs leaks in gaskets, radiators, heater cores, intake manifolds, blocks, heads and freeze plugs. Use on cars, trucks, vans, SUV's and RV's. One "1" Step Sealer contains an antifreeze compatible sodium silicate liquid glass formula, so no draining of the cooling system is required. It will not harm the cooling system when used properly. Use with all types of antifreeze including conventional green or blue (Silicate-based) and extended life red/orange or yellow (OAT / HOAT) coolant.



RISLONE HEAD GASKET FIX

31111

Rislone Block Seal Head Gasket Fix product is the easiest solution to stop head gasket coolant leaks. No draining of the cooling system is required. This formulation contains a combination of antifreeze compatible sodium silicate sealing liquid and various size gasket sealing particles which penetrate gaps & cracks and harden to permanently stop leaks. This seals because of the extreme heat inside the combustion chamber (2760°C) that works as a catalyst to permanently harden the material to make it stronger than the actual head gasket itself. Your vehicle is a good candidate for this product if it can idle for 20 minutes without overheating or having to add coolant. Use on ALL water cooled gasoline and diesel engines. Heavy duty formula works on aluminum and cast iron heads & blocks, along with sealing all other engine cooling system

leaks better than a traditional stop leak. This includes repairing head gaskets, cylinder heads, intake gaskets, cracked blocks and freeze plugs. Use with ALL types of antifreeze including conventional green or blue (Silicate-Based) and extended life red/orange or yellow (OAT/HOAT) coolant.



RISLONE COOLING SYSTEM REPAIR

31150

Rislone® Cooling System Repair has twice the performance of other products by not only stopping cooling system leaks, but adding future protection. It is scientifically formulated to stop coolant leaks, thereby reducing antifreeze loss, while correcting other cooling system problems helping to prevent costly repairs and breakdowns. In addition, Cooling System Repair contains Xtreme Cool™ which stops overheating and reduces water temperature. Works on all 4, 6, 8, and 10 cylinder vehicles and in any gasoline, turbocharged and diesel engines. . Use with ALL types and colors of antifreeze coolant and / or water. For most vehicles leaks stop instantly. For many vehicles, this is your last change before paying an expensive repair bill or replacing the vehicle.



RISLONE® LIQUID ALUMINUM™ COOLING SYSTEM / RADIATOR & HEATER CORE STOP LEAK

31186

Rislone® Liquid Aluminum™ Cooling System / Radiator & Heater Core Stop Leak is the best radiator stop leak money can buy. e Liquid Aluminum Cooling System Stop Leak. Scientifically formulated to permanently seal coolant leaks that are the cause of most overheating problems. Liquid Aluminum contains Xtreme Cool™ which stops overheating and reduces water temperature. Liquid Aluminum™ is part of the next generation stop leak line. It will safely and easily seal leaks in plastic, aluminum and metal (copper / steel) radiators, heater cores, gaskets and freeze plugs. Works in cars, trucks, vans, SUV's and RV's. Use with all types of coolant including yellow, orange, pink, red, blue and green silicate based & non-silicate based OAT / HOAT antifreeze and/or water. . For most vehicles leaks stop instantly.



RISLONE AUTOMATIC TRANSMISSION REPAIR

34540

Rislone Automatic Transmission Repair reduces rough shifting and friction, while eliminating slip, controlling temperature, and repairing shudder, chatter and whining.

- Restores Performance
- Reduces Heat, Friction & Stabilizes Fluid
- Stops Leaks, Slipping & Rough Shifting
- Adds Protection



RISLONE POWER STEERING REPAIR

34650

Rislone Power Steering Repair is a unique dual cavity bottle containing a combination of the best performance additives to repair the most common power steering fluid related problems. For most vehicles, this is your last chance before paying an expensive repair bill or replacing the vehicle.

- Restores Performance
- Reduces Noise & Smoothes Out Hard Steering
- Stops Leaks and Reconditions Rack & Pinion
- Adds Protection



RISLONE GASOLINE FUEL SYSTEM TREATMENT

34700

Rislone Complete Gasoline Fuel System Treatment improves the quality of gas by increasing its cleaning ability, adding lubrication, removing contaminants, reducing spark knock, and helping to prevent the fuel from going bad. This one dual cavity bottle contains the same amount of additives equal to a bottle of regular fuel injector cleaner, upper cylinder lubricant, fuel stabilizer, dry gas, gas treatment and octane booster. Use with All: Unleaded, Oxygenated and Ethanol containing gasoline. Works with all Fuel Injected, Direct Injected, and Carbureted Engines.

- Increases power, performance, mileage and saves gas by cleaning & lubricating the complete fuel system.
- Helps eliminate noisy injectors & fuel pumps, rough idle, hard starting and hesitation.



DIESEL FUEL SYSTEM TREATMENT

34740

Rislone Complete Diesel Fuel System Treatment improves the quality of diesel fuel by increasing its cleaning ability, adding lubrication, removing contaminants, fighting corrosion, and helping to prevent the fuel from gelling & going bad. This one dual cavity bottle contains the same amount of additives equal to a bottle of regular fuel injector cleaner, upper cylinder lubricant, fuel stabilizer, anti-gel, diesel treatment and Cetane booster. Use with All: ULSD Diesel, regular Diesel and Bio Diesel. Works with all Direct Injected, IDI, Intercooled, and Turbocharged engines.

- Increases power, performance, and mileage and saves fuel by cleaning & lubricating the complete fuel system.
- Decarbonizer – Removes sticky internal deposits as well as "coking" hard deposits.
- Cold Flow Improver
- Water Remover • Sulfur Substitute and Friction Modifier • Helps eliminate black smoke, fuel gelling, clogged injectors, rough idle and hard starting.



RISLONE ENGINE TREATMENT CONCENTRATE 34102

The product that made Rislone famous. It used to be called "a tune-up in a bottle," and was the very reason the phrase "tune-up" was invented. No joke — this is where all that started.

Fast forward to today: eating clean and healthy foods ensures that our bodies perform at their best. The cleaner we keep our system, the better it runs. This is true for our cars as well. A cleaner engine is a better-lubricated engine with less friction and wear. Our famous, award-winning Rislone Engine Treatment does just that. This product contains high quality penetrating lubrication oil, combined with protective engine additives and special cleaning agents. It's like a healthy diet for your car.

RISLONE ENGINE REPAIR 34110

The common element between all of the engine components is the oil. Oil is the life-blood of the engine and is pumped under pressure to all the moving parts. The two main parts needing oil for lubrication are the bearings and pistons. As the engine ages and gains more miles, the oil alone can't do the job. Internally, parts don't fit as tightly as they originally did which causes noise and loss of power. Bearings wear down, seals leak, lifters tick, blow-by passes around tired rings, and power is lost. When installed, Engine Repair helps to stop and prevent these problems and will also extend the useful life of your engine. Engine oils are generally used to reduce friction between moving parts. In addition to lubricating, motor oil must cool, provide corrosion protection and be a method of removing contaminants. As lubricants degrade, their properties change, leading to increased friction and wear. Over time the natural wear that occurs inside the engine causes reduced oil pressure, loss of compression (power loss), lower fuel mileage, oil consumption (leaks & smoking) and noise (knocking & ticking).



RISLONE REAR MAIN SEAL REPAIR 34240

Most rear main seal leaks are caused by a combination of normal wear in the crankshaft & seal and the drying, hardening and shrinking of the main seal. Rislone Concentrated Rear Main Seal Repair restores the seal to like new condition and also contains additives to stop leaks in severely worn seals and crankshafts. Works with ALL gasoline and diesel engines using conventional, high mileage and synthetic oil.

- Rislone – World's Most Trusted Stop Leak Brand Since 1921
- Stops ALL Oil Leaks
- Seals Timing Cover, Cam Seal, Rear Main, and Other Hard to Stop Oil Leaks

Specifically designed to seal rear main leaks, but also works better than a conventional stop leak on all other leaks. This includes the timing cover seal, cam seals, O-Rings and other gaskets.



RING SEAL SMOKE REPAIR 34416

Stops Blue Exhaust Smoke; Reduces Oil Burning; Seals Worn Pistons & Rings; Add to Engine Oil Anytime Seeing smoke? Don't panic. Simply put your car through the Rislone Regimen to get it back to its healthy state. Our Ring Seal Smoke Repair is formulated to help stop blue exhaust smoke, reduce oil burning and prevent plug fouling caused by blow-by.

Blow-by is usually caused by gaps in internal engine parts resulting from excess wear. Rislone's Ring Seal Smoke Repair contains viscosity improvers that thicken the oil film, filling these gaps. It also provides a seal for worn pistons and rings and cushions engine parts to reduce wear and friction. In other words, it's a car lifesaver in a bottle.

Remember, your car is what it eats. Make it Rislone.





COAT & PROTECT

- Coats and Protects New & Old Metals
- Wear Resistant Corrosion Protection
- Heavy Duty Lubrication
- Resists Severe Weather Conditions

- Enduit et Protège le métal neuf et ancien
- Protège contre la corrosion et résiste à l'usure
- Offre une lubrification ultra-résistante
- Résiste aux intempéries

Part # 10025 / 350 g – 12.3 oz

Part # 10024 – 4 L – 1.06 gal U.S.



THE TEAM THAT BEATS RUST



RUST INHIBITOR

- Protects New & Old Metals
- Deep Penetrating & Long Lasting
- Lubricates and Prevents Seizing
- A Proven Canadian Product Since 1973

ANTIROUILLE

- Protège les métaux NEUFS et USAGÉS
- Pénètre en profondeur et dure longtemps
- Lubrifie et prévient le grippage
- Un produit canadien qui a fait ses preuves depuis 1973

Part # 1054 / 350 g – 12.3 oz

Part # 1043 / 180 g – 6.34 oz

Part # 1044 / 4 L – 1.06 gal U.S.



RUST CONVERTER

Quickly converts rusted surfaces from all metals to a paintable primer.

Ideal for use on automobiles, trucks, bicycles, tools, barbecues and all metal rust.

Leaves a protective coating that inhibits further rust formation and prepares the surfaces for paint.

TRANSFORMATEUR DE ROUILLE

Transforme rapidement la rouille sur les surfaces métalliques en un apprêt qui peut être peint.

Idéal pour les autos, les camions, les vélos, les outils, les barbecues et toutes les surfaces métalliques rouillées.

Laisse une couche protectrice qui empêche la rouille de se propager et prépare les surfaces pour l'application de peinture.

Part # 11006 / 283 g – 10 oz

1-888-RUSTIES

www.rustcheck.com



/rustcheckHQ



Battery Maintainers



6/2 AMP DUAL-RATE BATTERY CHARGER
SF-82-6



3A 6V/12V AUTOMATIC BATTERY CHARGER/MAINTAINER
Ideal for motorcycle batteries • Charges small batteries and keeps stored lead-acid batteries charged • Microprocessor controlled SPF3



1.5 AMP BATTERY CHARGER
SE-1-12S
Keeps 6 & 12 volt batteries charged. Fully automatic.

DSR PRO SERIES - Professional Grade Shop Products

WHEEL-STYLE STARTER/CHARGER
PSW-70300A

- Fully Automatic or Manual
- For standard and AGM Batteries
- High Performance for 12V Battery Systems
- Over-sized heavy-duty selector switches



250/150A 6/12/24V MANUAL PROSERIES WHEEL CHARGER W/ ENGINE START
PSW-61224

- Charges 6, 12 and 24 Volt batteries
- 80/40 amp rates – for 6 volt battery systems
- 60/35/1.5 amp rates – for 12 volt battery systems
- 30/10 amp rates – for 24 volt battery systems



10/50/125/250A 6/12V MANUAL PROSERIES WHEEL CHARGER W/ ENGINE START
PSW-2550

- 250 / 125 / 50 / 10 Amps
- Charges 6 and 12 Volt Batteries
- 2 1/4 hour timer



1800 PEAK AMPS PORTABLE POWER WITH 18AH INTERNAL BATTERY
PSJ-1812



BATTERYLESS JUMPSTARTERS

- Microprocessor Controlled
- Built-in Voltmeter
- BYPASS Mode to start engine without any battery mounted
- GLOW Mode for cold start of diesel engine
- Short Circuit Protection
- Reverse Polarity Protection



DSR108
450 CCA
100 Second Quick-Charge



DSR109
800 CCA
120 Second Quick-Charge



DSR PROBOOSTER
POWERED BY SCHUMACHER

Schumacher Consumer Products - Farm & Agriculture

WHEEL-STYLE STARTER/ CHARGER

SF-3000

200 amp 80 amp 60 amp 44 amp
30 amp

Charges a variety of batteries:
6, 12, 18 and 24 volt. With this
charger, the user no longer needs
to separately charge 18 and 24
volt batteries.



WHEEL-STYLE STARTER/CHARGER 200 AMP 40 AMP 10 AMP 2 AMP

SF-4022

This charger gives fleet
operations, D-I-Y'ers and
professionals a wide range of
charging rates, an engine start
rate and the ability to analyze
electrical and starting system
problems. For 6 and 12 volt
batteries. Fan cooled.



10/40/200A 12V MANUAL WHEEL CHARGER WITH ENGINE START

SF-2001

200A engine start | 40A rapid
charge | 10A medium charge.
For extreme engine starting,
charging and rugged use.



50/10/2 AMP FULLY AUTOMATIC BATTERY CHARGER/ENGINE STARTER WITH 2 LEDS

SF-1252MA



2/10A 12V MANUAL TRADITIONAL CHARGER

SF-1010-2

This is the versatile dual-rate manual charger for 12 volt batteries. Has
a trickle charge for those overnight jobs and a 10 amp rate for faster,
regular charging

- 10 amp fast charge – for everyday charging needs Charges in 3 to 5 hours
- 2 amp trickle charge – charges a small 12 volt battery in 2 to 12 hours
- CSA Certified: Model SF-1010-2

INTERNATIONAL WIRELESS 6V/12V BATTERY AND 12V/24V SYSTEM TESTER

SBT-1

Perform battery and system tests wirelessly from your
smartphone or tablet.

For 6V and 12V automotive batteries (SS EFB and AGM
included) and 12V/24V charging/starting systems
Easy and fast Bluetooth® pairing





SEA FOAM MOTOR TREATMENT

THE CHOICE OF MECHANICS FOR OVER 70 YEARS

Make the proven choice! It's no wonder mechanics everywhere rely on this product every day. Sea Foam Motor Treatment has withstood the test of time. It is a petroleum-based cleaner, lubricant, stabilizer, and moisture controller that maintains fuel and oil system components. It will not harm engine components, seals, gaskets, catalytic converters or oxygen sensors. Sea Foam Motor Treatment should be a staple in everyone's garage!

SF-16 - 473ml

SF-128 - 3.78L



TRANS TUNE

PUT THE PERFORMANCE BACK INTO YOUR TRANSMISSION, POWER STEERING OR HYDRAULIC SYSTEMS.

TT-16

Over time transmissions naturally accumulate varnish, deposits, and moisture. These contaminants may cause erratic or rough shifting. Before a costly repair try Trans Tune. It is easy to use and effective.



DEEP CREEP

SAVE TIME AND EFFORT. EFFECTIVELY USE THIS MULTI-USE PENETRATING LUBRICANT ON HUNDREDS OF SHOP AND HOUSEHOLD ITEMS.

DC-14

Loosening road tar, rust and grease is tough work! Deep Creep's fast-acting, petroleum-based formula outperforms all of the leading penetrating sprays.



SEA FOAM SPRAY

INDUSTRY LEADING TOP ENGINE CLEANER & LUBE

SS-14

Engine problems can be frustrating. Sea Foam Spray's ability to clean and maintain gasoline engines will help solve them! Safely clean air intake systems, throttle bodies, intake valves, and combustion chambers. Lubricate throttle plates and bushings. Fog and store carbureted and fuel-injected engines quickly and efficiently. As an added benefit, Sea Foam Spray is safe to use on coated parts and oxygen sensors. Experience a better running engine; try Sea Foam Spray!

BUGS-B-GONE

EFFORTLESSLY CLEAN AND SHINE THE MOST STUBBORN OF SURFACES

Cleaning bugs, sap, and grime from auto and marine surfaces is no small task. Save time and energy using a superior product! Meticulously formulated to give a "good as new" look, Bugs-B-Gone is the best bug remover and cleaner you will find. Without harming the surface, Bugs-B-Gone neutralizes the acidity in bug remains, exhaust soot, and road grime in order to loosen and remove them in seconds.

BBG-1 - 473ml

BBG-5 - 236ml

BBG-4 - 3.79L





THREAD REPAIR KIT - 1/2 INCH
5528-5



SPARK PLUG PORT REPAIR KIT
5334-14



HELI-COIL® PACKAGED INSERTS
R1185-4 - 1/4-20x.375
R4649-10 - M10x1.25

WHERE QUALITY AND PRICE MEET HEAD-ON
PREMIUM QUALITY





SYLVANIA ENERGY SAVING LED BULBS

These bulbs replace a traditional 60 watt bulb using only 8.5 watts and offering 800 lumens of light output. Classic A19 shape with medium base. Semi-directional and non-dimmable, suitable for many general lighting applications. Long life of 11,000 hours. Available in 2 colours - soft white 2700K, and daylight 5000K. 2 bulbs per pack.

73886 Soft white colour

79282 Daylight colour



SYLVANIA AUTOMOTIVE LIGHTING

www.sylvania.com

SILVERSTAR® ULTRA

*The brightest downroad halogen headlight from SYLVANIA**

Key Features:

- The brightest downroad headlight in our product line*
- More clarity - down road, side road and contrast of objects*
- Increased side road visibility*
- Increased peripheral visibility*
- Whiter light for greater contrast of objects and improved visibility of reflective objects
- For ULTRA Night Vision

*Compared with SYLVANIA BASIC



9003/H4, 9004, 9005, 9006, 9007, H7, H1, H11, H13/9008



BOTTLE JACKS

With high quality glide action pressure pump, these powerful jacks make big loads easy to lift. Handle included.

T90203	2 ton	T91203	12 ton
T90403	4 ton	T91207A	12 ton (Low Profile)
T90613	6 ton	T92007A	20 ton (Low Profile)
T90603	6 ton	T92003	20 ton
T90803	8 ton	T93007	30 ton
T91003	10 ton	T95007	50 ton

PRO-SERIES 5500 2.75 TON FLOOR JACK

T82751

Lifting Range 5.12" - 19.3"

Gross Weight 78 lbs.



HYDRAULIC AIR JACKS

TA91206 - 12 ton



PRO SERIES 6000 3 TON TORIN FLOOR JACK

T83002

Lifting Range 5.12" - 20.1"

Gross weight 83.8 lbs.



PRO-SERIES 3.5 TON ONE PUMP FLOOR JACK

T83012

Lifting Range 5.75" - 19.75"

Gross Weight 88 lbs.



6 WHEEL SHOP CREEPER

TR6500

All steel construction

6 Wheel durable rotating casters

Padded bench



5 TON LONG CHASSIS SERVICE JACK

T80501

Torin® Heavy-duty long frame floor jacks are an integral part of any shop that works on medium duty equipment and trucks. Ideal for lifting heavy trucks, buses, agriculture and constructions equipment.



JACK STANDS

T42002	2 ton
T43002A	3 ton
T46002	6 ton
T41202	12 ton





1500LB MOTORCYCLE JACK

T64017

This versatile motorcycle jack is the answer to all your motorcycle/ATV lifting needs. Lift any small vehicle from your bike to an ATV or even a snowmobile.



ENGINE STANDS

T25671 - 1250lbs

Sturdy design prevent these engine stands from tipping while holding the block. Front swivel castors allow you to move and position engine exactly where you need it. Four adjustable arms and 360 degree rotation allow for easy mounting.



SHOP PRESS

T51201 - 12 ton

Torin® Heavy-duty H-frame design incorporates the strength and perfection needed for straightening, stamping, bending and pressing any component that is hard to handle.

12 TON PIPE BLENDER

T31202

Bends virtually all types of pipe except conduit!



PORTA POWER

T70401 4 ton

T71001 10 ton



3.5 GALLON PARTS WASHER


T10035

For use on work benches around the shop. All parts are manually cleaned using a flow-through brush. Solvent drains through the sink tray into the reservoir.





PYRAMID WHEEL CHOCK
671-1047
6 x 10 x 8



CONTOUR WHEEL CHOCK WITH HOOK
671-1048
8 x 7 x 10"



WHEEL CHOCK WITH SAFETY HANDLE
671-1050
8 x 10 x 7.5"



HEAVY DUTY TRIPLE HEADER MUD FLAP
671-4093
24 x 24 / 27 / 30"
Stock one mud flap, cuts down to 2 other sizes



MUD FLAPS
671-4580
24 x 18"

671-4590
24 x 24"



CHEVRON MUD FLAPS
671-4583
24 x 30"

671-4585
24 x 36"

671-4588
24 x 24"

Fits truck bodies, tow trucks, HD trucks & trailers

PERSONALIZED MUDFLAPS WITH YOUR NAME AND LOGO!

Advertise Your Company!

Your company name and logo!



MUD FLAPS
671-8156-01
9 x 16"

Fits large cars, Pickup trucks, SUVs, Jeeps, and Vans.



TRIPLE HEADER MUD FLAP
671-8093-01
24 x 24 / 27 / 30"

Your company name and logo!

EQUIPMENT



MIST™ II In-Car Air Quality System

590160P

Treats the problem of mold, mildew and bacteria in a vehicle's ventilation system and passenger cabin surfaces.

Kit Includes:

- 1 MiST Machine
- 24 MiST Cleaning Solutions
- POP Package

MIST™ Cleaning Solution

590250C - 100mL



Combustion Leak Tester Kit

560000

Replacement
Combustion Leak Tester
Fluid

560500 - 16 oz./480 ml

SPOTGUN™ JR./UV Phazer™ BLACK (AAA) Kit

332005A

Serves up to 40 vehicles



SPOTGUN™ / UV Phazer™ BLACK (Rechargeable) Kit

414565A

Serves up to 64 vehicles



SPOTGUN™ JR. "LeakGuard" Injection Kit

480300

- Spotgun Jr. Injection system
- 2 x (1oz/30mL) Leakguard cartridge
- Storage case

LEAKGUARD™ Cartridges for Spotgun™ Jr. system

480301

1oz./30ml cartridges

480308

8oz./240ml



AIRLIFT™ Kit

550000

Eliminate airlocks in vehicle cooling systems and refills in seconds...

OEM approved worldwide!



AIRLIFT™ II HD Kit

550500HD

Refills cooling systems and eliminates airlocks. OEM approved. Storage case included.

SPOTGUN™ System Kit

471500A

Serves up to 64 vehicles



UV LEAK DETECTION LIGHTS

UV LEAK DETECTION LIGHTS

FIND THE LEAKS THAT OTHERS MISS



UV PHAZER NEO™ UV
LEAK DETECTION LIGHT
413025



UV PHAZER BLACK
(RECHARGEABLE)
413065



UV PHAZER BLACK
(AAA BATTERIES)
413075

A/C DYES

DYES

BRIGHTER DYE, FASTER DETECTION



MULTI-PURPOSE DYE
483208 - 240mL Bottle



A/C EXTENDYE CARTRIDGES
FOR SPOTGUN™ JR. SYSTEM
399020A - 1 oz. / 30 ml 4x 30ml
Services up to 40 vehicles



A/C EXTENDYE™

499108A - Spotgun™ Cartridge 240mL
499008A - Bottle 240mL



MULTI-PURPOSE DYE
B483206
6 Bottles 30mL



RADIATOR COOLANT DYE
For use with regular (green) coolant
6 Bottles 30mL
B483906

CHEMICALS



CARBONCLEAN MV3
400-0020
8oz (236ml) Bottle
400-0126
32oz (946ml) Bottle



CARBONCLEAN MV-4
400-0030
8oz (236ml) Bottle



CARBONCLEAN MV-5
510ml Bottle
400-0050



CARBONCLEAN MV-6
480mL Bottle
400-0060

TROUBLE LIGHT



UIVIEW CORDLESS RECHARGEABLE
LIGHT WITH SMART CHARGER
413310



A/C OILS



8 OZ CARTRIDGES
PAG 46 488046P
PAG 100 488100P
PAG 125 488125P
HYBRID ESTER
OEM Approved 488104H
PAG 46 (For HFO1234YF)
488046YF

8 OZ BOTTLES

PAG 46 488046PB



PAG 46 with Dye
488046PBD
PAG 100
488100PB
PAG 100 with Dye
488100PBD



WATER RESISTANT SILICONE LUBRICANT
01179



- Lubricates, waterproofs and protects.
- Quick-drying with no messy residue.
- Effective temperature range from -73° C to 260° C.

HIGH PERFORMANCE WHITE LITHIUM GREASE
01180



- Ideal for metal-to-metal applications that require heavy-duty lubrication and protection against rust and corrosion.
- Won't freeze, melt or run off.
 - Effective in temperatures from -18° C to 149° C (0° F to 300° F).

RUST RELEASE PENETRANT SPRAY
01178



- Fast acting. Helps prevent rust and corrosion from re-forming and leaves behind a lubricating layer
- Penetrates deep into tight crevices, threads and seams to break the bonds that hold stuck parts together

MACHINE AND ENGINE DEGREASER FOAMING SPRAY
01206



- Deep penetrating foaming action.
- Quickly removes dirt, grease, and grime to make machine and equipments last longer and look new.
- Powerful stream sprays up to 5 feet

DIRT & DUST RESISTANT DRY LUBE PTFE SPRAY
01209



Quick drying PTFE formula provides superior lubrication and long-lasting corrosion protection with no oily residue.

- Resists dirt, dust and oil.
- Ideal for releasing molded parts.



MULTI-PURPOSE DRIP
3-IN-ONE®, with its special drip spout, is perfect for applications that require precise control for lubrication and rust prevention.

01135 88.7ml
01138 236ml



MOTOR OIL DRIP
01145

- Engineered for 1/4 HP motors or larger
- Special blend of high-grade oils that's equivalent to SAE 20
- Oil formulation is ideal for lubricating the moving parts of electrical motors



MULTI PURPOSE TELESCOPING SPOUT
01216

- Telescoping Marksman Spout
- 15cm spout extension for hard to reach places
- Ergonomically shaped for ease of use and balance

GARAGE DOOR LUBE 02252
SILICONE LUBRICANT 01141
HIGH PERFORMANCE PENETRANT 01140
WHITE LITHIUM GREASE 01142

PRODUCT BENEFITS AND FEATURES:

3in1 Garage Door Lube – 311g

High performance lubrication for pulleys, bearings, springs, chains and door tracks. No oily mess. Works fast, quick drying.

3in1 Silicone Spray – 311g

- Ideal for metal-to-metal applications, preventing rust and corrosion, Sprays evenly as a liquid and sets dry for a thick, protective coating that won't wash off, High performance lubrication,
- Quick drying, no mess formula.

3in1 Penetrant Spray – 311g

- Fast acting formula, Loosens stuck parts, Frees rusted nuts and bolts.
- Ideal for use on nuts, bolts, threads, licks, chains and rusted things that are stuck and won't move.

3in1 White Lithium Grease Spray – 290g

- Dries fast and leaves a clear, non-staining film without stickiness or messy residue, Safe for temperature ranges between - 73 ° C to 260 ° C, Non drip formula, Water and heat resistant,
- Prevents rust and corrosion; long lasting, heavy duty lubricant.





WD-40® MULTI-USE PRODUCT

WD-40® Multi -Use Product protects metal from rust and corrosion, penetrates stuck parts, displaces moisture, dissolves adhesives and lubricates just about anything.

WD-40® Multi -Use Product - Problem Solved. Job Done Right™



- 01161 - 85g
- 01218 - 155g
- 01111 - 311g
- 01132 - 311g Big Blast
- 01153 - 325g Smart Straw
- 01122 - 342g Bonus Can
- 01110 - 3.785L
- 01219 - 591ml Trigger Pro Non Aerosol
- 01204 - 18.9 Litre Pail
- 01100 - Spray Applicator (empty)
- 01627 - 408g EZ-Reach™



SPOT SHOT® INSTANT CARPET STAIN REMOVER

- Removes even tough OLD stains!
- Removes tough carpet stains without scrubbing!
- Works great on Red Wine, Blood, Grape Juice, Cola, coffee and many more!

- 00927 - 496g
- 00932 - 650ml Regular
- 00936 - 650ml Pet



2000 FLUSHES AUTOMATIC TOILET BOWL CLEANER

- 2000 Flushes® is the FIRST long-lasting anti-bacterial automatic toilet bowl cleaner
- Improved, concentrated tablet delivers continuous cleaning action to sanitize, clean and deodorize

- 90102 - 100g Blue Plus Detergent
- 90616 - 35g Chlorine
- 90801 - 100g Blue Plus Bleach

**Quality
AUTOMOTIVE
Products™**

PREMIUM QUALITY

**Qualité
À TOUT
Prix^{MD}**

QUALITÉ PRIME

Filters / Filtres

Air, Oil, Fuel, Cabin Air & Transmission

Air, huile, carburant, air de cabine, transmission

GKI

Batteries / Batteries

EXIDE DropShip

Brake Cables / Câble de frein

ABQ

Brake Cleaner / Nettoyant pour frein

CRC

Brake Pads & Shoes / Sabot et plaquettes de frein

PRM

Brake Rotors & Drums / Tambour et disque de frein

YEN

Chassis Parts / Pièces de châssis

XCP

CV Boots /

Ensemble de soufflets pour joint homocinétique

MEQ

Engine Management / Gestion des moteurs

OEM

Hub Bearings / Ensembles de moyeux

MEH

Ignition Wire Sets / Ensemble filage sur mesure

MWS

Oils & Greases / Huile et graisse


IRQ

PBE Products / Produits PBE

DOM/PLA

Strut Mounts / Support jambe de suspension

MES



WE'VE GOT ALL THE **BEST** PARTS!

TUBE REPAIRS (PLASTIC BACKED)



PART#	DESCRIPTION	INCHES-MM	BOX/TUB
RB40	Small Round	(1 9/16") (40mm)	40
RB100T	Small Round Tub	(1 9/16") (40mm)	200
RB100-1000	Small Round Tub	(1 9/16") (40mm)	1000
RB30	Medium Round	(2 1/8") (55mm)	30
RB60T	Medium Round Tub	(2 1/8") (55mm)	100
RB60-1000	Medium Round Tub	(2 1/8") (55mm)	1000
RB20	Large Round	(3 1/8") (80mm)	20
RB25T	Large Round Tub	(3 1/8") (80mm)	50
RB25-500	Large Round	(3 1/8") (80mm)	500
OB30	Small Oval	(1 7/16" x 2 1/4") (37 x 58mm)	30
OB25	Medium Oval	(1-7/8" x 3-3/4") (48 x 96mm)	20
OB20	Large Oval	(2 3/8" x 4") (61 x 103mm)	20

UNIVERSAL ROUND REPAIRS (PLASTIC BACKED)



PART#	DESCRIPTION	INCHES-MM	BOX/TUB
WR0	Small Round	(1 9/16") (40mm)	35
WR0T	Small Round	(1 9/16") (40mm)	200
WR0-1000	Small Round	(1 9/16") (40mm)	1000
WR4	Medium Round	(2 1/8") (55mm)	30
WR4T	Medium Round	(2 1/8") (55mm)	100
WR4-1000	Medium Round	(2 1/8") (55mm)	1000
WR5	Large Round	(3 1/8") (80mm)	18
WR5T	Large Round	(3 1/8") (80mm)	50
WR5-500	Large Round	(3 1/8") (80mm)	500

UNIVERSAL SQUARE REPAIRS (GREY GUM/RED POLY)



PART#	DESCRIPTION	INCHES-MM	BOX/TUB
SQ1	Small Square	(1 3/4") (45mm)	40
SQ1T	Small Square	(1 3/4") (45mm)	100
SQ1-1000	Small Square	(1 3/4") (45mm)	1000
SQ2	Medium Square	(2 1/4") (58mm)	40
SQ2T	Medium Square	(2 1/4") (58mm)	80
SQ2-1000	Medium Square	(2 1/4") (58mm)	1000
SQ3	Large Square	(2 1/2") (64mm)	20
SQ3T	Large Square	(2 1/2") (64mm)	50
SQ3-500	Large Square	(2 1/2") (64mm)	1000

CORD-REINFORCED REPAIRS (PLASTIC BACKED)



PART#	DESCRIPTION	INCHES-MM	BOX/TUB
RC218	Medium Round	(2 1/8") (55mm)	25
RC218T	Medium Round	(2 1/8") (55mm)	100
RC318	Large Round	(3 1/8") (80mm)	15
RC318T	Large Round	(3 1/8") (80mm)	50
WR1	Small Rectangle	(1 3/4" x 3") (45 x 77mm)	20
WR1T	Small Rectangle	(1 3/4" x 3") (45 x 77mm)	80
WR2	Medium Rectangle	(2 3/8" x 4") (61 x 103mm)	10
WR2T	Medium Rectangle	(2 3/8" x 4") (61 x 103mm)	40
WR3	Large Rectangle	(2 7/8" x 5 3/4") (74 x 147mm)	10

"NU-FLEX" (CORD-REINFORCED BIAS PLY REPAIRS)



PART#	DESCRIPTION	PLY	INCHES-MM	BOX
F10	78° Boot	2 ply	2 7/8" x 3 5/8", (74 x 93mm)	24
F11	78° Boot	3 ply	4 1/2" x 5 1/2", (115 x 141mm)	10
F12	78° Boot	3 ply	5 1/2" x 7 1/4", (141 x 186mm)	10
F13	78° Boot	4 ply	6 3/4" x 8 3/8", (173 x 215mm)	10
F14	78° Boot	4 ply	8 1/8" x 10 1/8", (208 x 260mm)	10
F15	78° Boot	4 ply	11" x 13 1/2", (282 x 346mm)	5

AGRICULTURAL BOOTS FOR TUBE TYPE TIRES



PART#	DESCRIPTION	INCHES-MM	BOX
1L	Oval	3" x 4" (77 x 103mm)	20
2L	Oval	4" x 6" (103 x 154mm)	10
3L	Oval	5 1/2" x 7 3/4" (141 x 199mm)	10
4L	Oval	7" x 9 3/4" (180 x 250mm)	10
5L	Oval	9" x 11 3/4" (231 x 301mm)	10
1R	Round	3 3/4" (96mm)	20
2R	Round	4 1/2" (115mm)	10
3R	Round	5 1/4" (135mm)	10
4R	Round	6 1/4" (160mm)	10

RADIAL REPAIRS

PART#	STYLE	DESCRIPTION	INCHES-MM	BOX
CRX10	EURO	Radial	2 1/8" x 3" (55 x 77mm)	20
CRX10-80	EURO	Radial	2 1/8" x 3" (55 x 77mm)	80
CRX12	EURO	Radial	2 3/4" x 4 1/2" (71 x 115mm)	10
CRX14	EURO	Radial	3 3/8" x 5 1/8" (87 x 131mm)	10
CRX20	EURO	Radial	3 1/8" x 4 7/8" (80 x 125mm)	10
DRX10	USA	Radial	2 1/8" x 3" (55 x 77mm)	20
DRX10-80	USA	Radial	2 1/8" x 3" (55 x 77mm)	80
DRX12	USA	Radial	2 3/4" x 4 1/2" (71 x 115mm)	10
DRX14	USA	Radial	3 3/8" x 5 1/8" (87 x 131mm)	10
DRX20	USA	Radial	3 1/8" x 4 7/8" (80 x 125mm)	10

BIAS REPAIRS



PART#	STYLE	DESCRIPTION	INCHES-MM	BOX
WDB1	USA	Bias	2 1/2" (64mm)	20
WDB2	USA	Bias	2 7/8" (74mm)	20
WDB3	USA	Bias	4 5/8" (119mm)	10
WDB4	USA	Bias	5 3/8" (138mm)	10
WDB5	USA	Bias	7 1/8" (183mm)	10
WDB6	USA	Bias	10" (256mm)	10
WCB1	EURO	Bias	2 1/2" (64mm)	20
WCB1HD	EURO	Bias	2 3/8" (60mm)	20
WCB2	EURO	Bias	2 7/8" (74mm)	20
WCB2HD	EURO	Bias	3 1/4" (83mm)	20
WCB3	EURO	Bias	4 5/8" (119mm)	10
WCB4	EURO	Bias	5 3/8" (138mm)	10
WCB5	EURO	Bias	7 1/8" (183mm)	10
WCB6	EURO	Bias	10" (256mm)	10




PATCH/PLUG QUILL-TYPE COMBINATION REPAIRS



PART#	REPAIR SIZE	STEM SIZE	BOX
Q3	2" (51mm)	1/8" (3mm)	24
Q6	2" (51mm)	1/4" (6mm)	24

PATCH/PLUG LEAD WIRE DIPPED STEM COMBINATION REPAIRS



PART#	REPAIR SIZE	STEM SIZE	BOX
WW3	2" (51mm)	1/8" (3mm)	24
WW6	2" (51mm)	1/4" (6mm)	24
WW8	2" (51mm)	3/8" (9mm)	24
WW9	2" (51mm)	7/16" (11mm)	24

SNAP-IN TUBELESS TIRE VALVES



PART#	LENGTH	VALVE HOLE	QTY
TR412	7/8"	.453"	100
TR413	1-1/4"	.453"	100
TR414	1-1/2"	.453"	100
TR415	1-1/4"	.625"	100
TR418	2"	.453"	100
TR423	2-1/2"	.453"	100
TR425	2"	.625"	100

LEAD WIRE WRAPPED STEM INSERTS

PART#	REPAIR SIZE	BOX
WI3	1/8" (3mm)	50
WI6	1/4" (6mm)	50
WI8	5/16" (8mm)	50

DUAL CURE REINFORCED INSERTS (GREY GUM)

PART#	DESCRIPTION	INCHES-MM	STEM SIZE	BOX
WS220/24	Blue Poly	3-3/4" (96mm), 10 strand	3/16" (5mm)	50

HEAVY DUTY STRING INSERTS

PART#	DESCRIPTION	INCHES-MM	BOX
ST1930	Brown String	4" (102mm)	30
ST1933	Brown String	4" (102mm)	60
ST1934	Brown String	8" (204mm)	30
ST1935	Black String	4" (102mm)	60

"EZY-SEAL" BLACK TIRE CORDS

PART#	DESCRIPTION	INCHES-MM	BOX
WS9	Cord with closed-eye tool	7 1/4" (186mm)	50
WS9R	Cord	7 1/4" (186mm)	50

VALVE CORES AND CAPS

PART#	DESCRIPTION	QTY
C1HT	HI-Temp, short	100
C1LG	Passenger, long	100
DSV1	Inflator Cap	20
VC2	Screwdriver Cap	100
VC3L	Dome Long Skerted Cap	100
VC4	Chrome Metal Hex Head Cap	100
VC5	Green brass with O Ring	100
VC7	Chrome Plastic	100
VC8	Black Plastic Cap	100
VC8G	Green Plastic with red seal	100
VC9	Green Plastic	100
VC10	Blue plastic	100
VC12	Grey TPMS cap	100

STRING INSERTING TOOLS (SPLIT-EYE)



PART#	DESCRIPTION
TST	Chrome Plated T-Handle with 3"
TSTT	Chrome Plated T-Handle with 4"
WRN35	Replacement needle for TST, 3-1/2"
WRN45	Replacement needle for TST, 4-1/2"
SEPG	Pistol Grip short split-eye

OPEN-EYE (SIDE-LOADING) INSERTING TOOLS



PART#	DESCRIPTION
OETT	Plastic T-Handle
OEPG	Plastic Pistol Grip handle
OE7	Heavy duty screwdriver-type handle, 7"
OE11	Heavy duty screwdriver-type handle, 11"

CLOSED-EYE INSERTING TOOLS

PART#	DESCRIPTION
CEPG	Plastic Pistol Grip handle
CE7	Heavy duty screwdriver-type handle, 7"
CE11	Heavy duty screwdriver-type handle, 11"

RASP/PROBE (INJURY-CLEANING) TOOLS

PART#	DESCRIPTION
PPG	Plastic Pistol Grip handle barbed rasp
P150	Screwdriver handle barbed rasp
TSBRP	Chrome Plated T-Handle rasp
TSRBR	Replacement Barbed Rasp for TSBRP

SPIRAL PROBE TOOLS

PART#	DESCRIPTION
TSPRB	Chrome Plated T-Handle spiral probe
PRBR	Replacement spiral probe for TSPRB
SSP	Heavy duty screwdriver-type spiral probe

MARKING CRAYONS

PART#	DESCRIPTION
WB12	White Crayons
YC12	Yellow Crayons

CEMENTS

PART#	DESCRIPTION
SV8	Self-Vulc Cement, 8 oz. (235ml)
SV8BL	Blue Fast Dry Cement, 8 oz. (235ml)
SV32	Self-Vulc Cement, 32 oz. (945ml)
SV32BL	Blue Fast Dry Cement, 32 oz. (945ml)

BUFFING SOLUTION

PART#	DESCRIPTION
BU16S	Redi-Buff, spray 16 oz. (423ml)
BU32	Redi-Buff, 32 oz. (945ml)
BUG	Redi-Bluff, Gal (3.8L)

TIRE MOUNTING LUBRICANT & ACCESSORIES

PART#	DESCRIPTION	WEIGHT
TC70-5	Concentrated	8 lb. Pail (3.64kg)
TC70-6	Concentrated	25 lb. Pail (11.36kg)
TC70-7	Concentrated	40 lb. Pail (18.18kg)
TC60-5	Ready-to-Use Liquid	Gal (3.8L)
TC60-7	Ready-to-Use Liquid	5 Gal (19L)
TC77-5	Concentrated Europaste	8 lb pail (3.64kg)

METRIC TRUCK VALVES FOR ALCOA WHEELS

<i>Nickel Plated</i>		
PART#	LENGTH	DESCRIPTION
TV543D	1.38"	.389 dia. 60 deg. (TR543D)
TV544	2.86"	.389 dia. (TR544)
TV544D	1.94"	.389 dia. (TR544D)
TV545	3.50"	.389 dia. (TR545)
TV545D	2.60"	.389 dia. (TR545D)

TIRE SPREADER

PART#	DESCRIPTION
TS1	Economy Tire Spreader

BUFFING TOOLS, BITS & ADAPTERS

PART#	DESCRIPTION
BS1	Black Buffing Stone, 36 grit
BC20	2" Tungsten Carbide Buffering Wheel
BC25	2-1/2" Tungsten Carbide Buffering Wheel
BURR1/8	Carbon Burr Bit
BURR7/32	Carbon Burr Bit
BURR1/4	Carbon Burr Bit
BURR5/16	Carbon Burr Bit
BURR3/8	Carbon Burr Bit

LINER SCRAPERS, STITCHERS AND MEASURING TOOLS

PART#	DESCRIPTION
110B	Ball bearing stitcher 1/8"
115E	Economy buffer/stitcher combination
120S	Innerliner Scraper

LUBE TOOLS

PART#	DESCRIPTION
CSS	Cotton Swab, short
CSL	Cotton Swab, long
LB1	Rim Clamp Lube Bottle
LB2	Center Post Lube Bottle

BEAD SEALER & REPAIR SEALER

PART#	DESCRIPTION
BS32	Black Bead Sealer, 32 oz. (945ml)
BSG	Black Bead Sealer, Gal (3.8L)
BS5G	Black Bead Sealer, 5 Gal (19L)
RS32	Butyl Liner Repair Sealer, 32 oz. (945ml)
RS8	Butyl Liner Repair Sealer, 8 oz. (235ml)

HIGH PRESSUE SNAP-IN VALVES

PART#	DESCRIPTION
600HPT	1-1/4" .453"
602HP	2" .453"
801HP	1-1/4" .625"
802HP	2" .625"

TRUCK & BUS TUBELESS TIRE VALVES

PART#	LENGTH	DESCRIPTION
TV570	3-1/8"	(TR570) .625" side valve hole
TV571	3-3/8"	(TR571) .625" side valve hole
TV572	3-3/4"	(TR572) .625" side valve hole
TV573	4-3/8"	(TR573) .625" side valve hole
TV574	5"	(TR574) .625" side valve hole

METAL TRUCK VALVE EXTENSIONS

PART#	DESCRIPTION
TE3	3" Metal Truck Extension
TE4	4" Metal Truck Extension
TE5	5" Metal Truck Extension

AIR/LIQUID VALVE AND ACCESSORIES

PART#	DESCRIPTION
618A	Air / Liquid Valve, 48mm

PRODUCT	SUPPLIER	PAGE
2 Cycle Oil	Lucas Oil	64
Adhesives	Norton	75
Air Conditioning & Cooling	Cliplight, Rislone, Uview	16,96,109
Air Fresheners.....	Car-Freshener.....	12
Alignment Shim	Dorman	23
Anti-Freeze Tester.....	EZ Red	30
Antifreeze.....	Prestone	92
Assortments	Dynaline	27
ATF Conditioner	Lucas Oil	61
Battery Blankets	Phillips & Temro	85
Battery Chargers.....	Schumacher	100,101
Battery Hydrometer.....	EZ Red	30
Battery Maintainer	Schumacher	100
Battery Tester	Schumacher	101
Bed Liner.....	Plasti-Kote	90
Bit Kit	H Paulin.....	44
Blades.....	Irwin Tools.....	53
Boot Kits.....	Dorman	23
Brake Cleaner	CRC.....	18
Brake Fluid	Flo-Perm, Lucas Oil	31, 63
Brake Lubricant.....	Permatex	80
Brake Parts Cleaner	CRC, Lucas Oil	17, 61
Brooms	M2 Professional.....	65,66
Brushes.....	M2 Professional.....	65-66
Cable Ties	Pico.....	89
Caliper Bolts	Carlson	13
Carpet Stain Remover.....	WD-40.....	111
Casters.....	Dynaline.....	25
Catalytic Converter.....	AP Exhaust	6
ChainCase oil.....	Lucas Oil	63
Chains.....	Ancra	4
Chemicals.....	CRC, Uview.....	18-19, 109
Clamps.....	AP Exhaust, Irwin Tools	6, 52
Clamps (Hose)	Breeze.....	10
Cleaners	Permatex, Seafoam	81, 102
Cleaning Solutions.....	CRC.....	17
Clock	Bestbuy Distributors.....	94
Cloths	M2 Professional.....	66
Coiled Air Products	Grote.....	38
Cold Weld	Permatex	79
Compound.....	NLS Products.....	72
Coolant & Fluid Equipment.....	Lucas Oil, Phillips & Temro	64, 82
Corner Protectors	Ancra	3
Creeper.....	Torin Jacks.....	105
Crimp Tool	Pico.....	86
Cutters.....	Pico.....	88
Degreaser.....	Bestbuy Pro, Permatex	81, 93

PRODUCT	SUPPLIER	PAGE
Detailing	Lucas Oil	63
Diesel Additives	Lucas Oil	64
Direct Injection Solutions	Kleen-flo	60
Door Lock Rod	Dorman	23
Drill Bits	Lenox	54
Driver Bits.....	Dynaline.....	24
Driver Kit.....	Dynaline.....	24
Dust Pan.....	M2 Professional.....	66
Electrical.....	Grote.....	39
Engine Cleaner	Seafoam	102
Engine Degreaser.....	CRC.....	19
Engine Enamel	Plasti-Kote	90
Engine Repair	Rislone.....	98
Engine Stand	Torin Jacks.....	106
Engine Treatment	Rislone Seafoam.....	95, 102
Epoxy	J-B Weld, NLS Products.....	56-57, 71
Exhaust Fluid	Irving Blending & Packaging.....	47
Fender Covers.....	Eppco.....	30
Fibreglass Repair	NLS Products	71
Flex Couplings.....	AP Exhaust	6
Floor Signs.....	M2 Professional.....	66
Fluid Film.....	NLS Products	68
Flush (System).....	Irontite	45
Fork Oil.....	Lucas Oil	63
Fuel Cap Tether.....	Dorman	23
Fuel Conditioner	CRC.....	19
Fuel Filters.....	FRAM	32
Fuel Stabilizer.....	Lucas Oil	61
Fuel Treatment.....	Lucas Oil, Rislone	61,64, 97
Funnels.....	Dynaline.....	28
Fuse Blocks.....	Cooper Bussmann	11
Fuse Caddies.....	Cooper Bussmann	11
Fuses.....	Pico.....	87
Garage Floor Cleaner.....	Permatex	81
Gasket Maker	Permatex	78,79
Gear Oil	Lucas Oil	62
Gear Pumps.....	GPI.....	33
Glass Cleaner.....	Permatex, Bestbuy Pro	81, 93
Gloves.....	Groupe BBH, Kimberly-Clark, Norton.....	40-41, 59, 75
Glue.....	J-B Weld, Permatex	56, 78
Grease.....	CRC, Lucas Oil, WD-40.....	18, 64, 110
Hand Cleaners.....	CRC, Kimberly-Clark, Permatex.....	19, 58, 81
Hand Sanitizer	Kimberly-Clark.....	58
Handy Paks.....	H Paulin.....	44
Head Gasket Fix.....	Rislone.....	96
Heaters.....	Phillips & Temro	85
Hole Saw Kits	Lenox	54

PRODUCT	SUPPLIER	PAGE
Horns	Fiamm	31
Hose	Milton	67
Hose (Exhaust)	Dayco	20
Hose (Service).....	Dayco	21-22
Jack Stands	Torin Jacks.....	105
Jacks.....	Torin Jacks.....	105
Jump Starter.....	Schumacher	100
Leak Detection	Cliplight, Uview	16, 108, 109
License Plate Cover.....	Dorman	23
Light Kit	Dorman	23
Lighting	Bayco, Cliplight, Dynaline, Grote, Sylvania, Uview ...	7-9, 14-15, 25, 34-37, 104, 109
LIT Plug Kits	Phillips & Temro	83
Litter Scoop.....	M2 Professional.....	66
Load Binders	Ancra	4
Lubrication	CRC, Dynaline, WD-40.....	18, 27, 110
Marking Paint.....	Plasti-Kote	90
Master Cylinder Bleeder Kit	Dorman	23
Measuring Tape	Dynaline.....	24
Metal Polish.....	NLS Products.....	71
Mop Bucket.....	M2 Professional.....	66
Mops	M2 Professional.....	65, 66
Motor Oil	Irving Blending & Packaging, Noco Lubricants	46-50, 74
Motor Seal.....	Irontite	45
Motorcycle Jack.....	Torin Jacks.....	106
Motorcycle Oil.....	Lucas Oil	63
Motorcycle Rack.....	Ancra	5
Mud Flaps.....	Triple C	107
Nozzle.....	GPI	33
Octane Booster	Lucas Oil	61
Oil Drip.....	WD-40.....	110
Oil Stabilizer	Lucas Oil	61, 62
Pad Heaters.....	Phillips & Temro	84
Paint.....	Plasti-Kote	90, 91
Parts Washer.....	CRC, Torin Jacks.....	17, 106
Penetrants	CRC, NLS Products, Seafoam	18, 70, 102
Pipe Blender.....	Torin Jacks.....	106
Pliers	Irwin Tools.....	52-53
Plugs	Milton, Pico.....	67, 89
Porta Power.....	Torin Jacks.....	106
Power Steering Fluids	Lucas Oil	61, 62, 63
Power Steering Repair	Rislone.....	97
Radiator Stop Leak.....	Rislone.....	95, 96
Ratchet Straps	Ancra, Dynaline.....	3, 29
Rear Main System Repair	Rislone.....	98
Recovery Straps	Ancra	5
Repair Kits.....	Stanley Engineered Fastening	103
Reservoir.....	Dorman	23

PRODUCT	SUPPLIER	PAGE
Rope	Groupe BBH	41
Rust Converter	NLS Products, Rust Check.....	71, 99
Rust Prevention	CRC, Plasti-Kote, Rust Check.....	18, 90, 91, 99
Sanding Discs	Norton	76
Saw Blades.....	Lenox	54
Scrapers (Ice).....	Hopkins	42
Sealant	NLS Products, Permatex	69, 72, 78
Seat Heater.....	Dorman	23
Shop Press.....	Torin Jacks.....	106
Snowbrooms.....	Hopkins	42
Snowbrushes	Hopkins	42
Sponges.....	M2 Professional.....	66
Springs	Irwin Tools.....	53
Squeegees.....	Hopkins, M2 Professional	43, 65, 66
Stainless Steel Cleaner	Permatex	81
Stop Leak.....	Lucas Oil	61-62
Tape.....	NLS Products	72
Terminals	Grote, Pico.....	38, 86
Test Strips.....	NLS Products.....	73
Thread Repair	Stanley Engineered Fastenin.....	103
Threadlocker	J-B Weld, Permatex	57, 78
Tire Repair Products	Western States.....	113-115
Tissue	Kimberly-Clark	58
Toilet Bowl Cleaner.....	WD-40.....	111
Torches	Pico.....	88
Towels.....	Kimberly-Clark	58-59
Trailer Connections.....	Grote	39
Trailer Hub Kits	PTC.....	94
Trailer & Towing	Dynaline.....	26
Transmission Fluid / Repair	Lucas Oil, Rislone, Seafoam	61, 62, 97, 102
Trigger Sprayer.....	M2 Professional.....	66
Tubing	Pico.....	86
Utility Knife.....	Dynaline, Irwin Tools.....	24, 53
Van Products.....	Ancra	5
Weather Seal.....	Irontite	45
Wheel Bearing Protectors.....	PTC.....	94
Wheel Chock.....	Triple C	107
Wheel Locks.....	Dynaline.....	25
Wheel Weights.....	Perfect Equipment	77
Winches	Ancra	2
Windshield Washer Nozzle Kit.....	Dorman	23
Wipes.....	Kimberly-Clark	58-59
Wire & Cable	Grote.....	38
Wrenches.....	Irwin Tools.....	53

Did you know we also carry these great brands?

 **Cole Hersee**



 **GERSON**
Progressive With Purpose

SnappiHookers

Megular's
EST. 1971

MURPHY'S

 **PROCOREDIRECT**

 **Quick-MACCALLUM**
CORPORATION

**Super
Lube**

 **Scepter**

BESTBUY

www.bestbuydistributors.ca

