





FACE SHIELDS

98900

- Lightweight, reusable headband and replaceable shields
- Provides protection from spills, spray, and flying debris
- Features an anti-fog coating



REPLACEMENT SHIELD 98901



HAND SANITIZER 88-0000500HS 500ml



GBG-80586



3-LAYER BREATHING MASKS Box of 50 MSN01







WORKING HANDS® HAND CREAM K1350001 - 96g jar



SPRAY NINE® CLEANER/ DISINFECTANT





LIP REPAIR K1710102 - Cooling



AIR FRESHENERS U1P-101XX





FAST ORANGE® PUMICE LOTION HAND CLEANER

25219 - 3.78L Jug The leading biodegradable, waterless, petroleum solvent-free pumice hand cleaner.





WD-40® MULTI-USE PRODUCT TRIGGER PRO® 20 OZ 01219



DEEP CREEP DC-14 (473ml)









1.5 AMP FULLY AUTOMATIC ON-BOARD MAINTAINER

SC1300



THE RIGHT STUFF® **INSTANT GASKET MAKER**

30874 - 147ml cartridge

30876 - 300ml cartridge



COWHIDE WORK GLOVES

723596AST **FEATURES:**

- Cowhide palm
- Cotton back
- Self-gripping closure
- Rubberized cuff
- C-150 THINSULATETM lining
- Large size





24122

236ml brush-top can



MECHANICS GLOVES

Black synthetic leather palm, nylon breathable back, PVC palm patches, Velcro, lightweight 78907TRL



TR6500

- All steel construction
- 6 Wheel durable rotating casters
- Padded bench



Black synthetic leather palm, HIVIS nylon back, anti-vibration palm, rubber padding at back of hand, velcro, heavyduty, silicone palm patches 78914TRM

78914TRL

78914TRXL



T83002 Minimum Height 5.12"

Maximum Height 197/16" Gross weight 83.8 lbs.





PREPARE TIRE SEASON FOR

4" HEAVY DUTY REPAIR CORDS

ST1933 - 60/box





BEAD SEALER

BS32 - 1quart



LEAD QUIKSTIK®

100360

0.25 oz. segments, 3 oz. per strip,30 strips per box, 360 segments per box.



Perfect EQUIPMENT

PERFECT STEEL™

0.25 oz. segments

Dimensions: Low profile, 0.1875" height, 1" width.



QUIKROLL® 200576FER

11lb roll, 704 segments.

P-SERIES™

The most common uncoated weight for steel wheels.

Part#	Size	Pcs. / box	Part#	Size	Pcs. / box
P025	0.25 oz.	50	P100	1.00 oz.	50
P050	0.50 oz.	50	P125	1.25 oz.	50
P075	0.75 oz.	50	P150	1.50 oz.	50

SNAP-IN VALVES

High-quality rubber snap-in valves available from the leader in wheel balance weight.

STANDARD VALVE TR413

Rim hole: 0.453" Length: 1.25" Pressure: 65PSI



STANDARD VALVE

TR418

Rim hole: 0.453" Length: 2" Pressure: 65PSI







DISC BRAKE PADS

 Hardware included

Product of Promax Auto Parts Depot (Canada) Ltd.

 Positive mold manufacturing process

DISC BRAKE PADS PLAQUETTES DE FREINS À DISQUE BALATAS DE DISCO

 Ceramic formulation

 Shimmed, slotted and chamfered to reduce noise

DISC BRAKE PADS PLAQUETTES DE FREINS À DISQUE BALATAS DE DISCO



Available at your Bestbuy member distributor.